

References

- Abi-Said D, Annegers JF, Combs-Cantrell D, Franks RF, Willmore LJ. Case-control study of the risk factors for eclampsia. *American Journal of Epidemiology* 1995; 142(4):437-41.
- Adami H-O, Lund E, Bergstrom R, Meirik O. Cigarette smoking, alcohol consumption and risk of breast cancer in young women. *British Journal of Cancer* 1988; 58(6):832-7.
- Adami J, Nyren O, Bergstrom R, Ekbom A, Enghom A, Enghom G, Englund A, Glimelius B. Smoking and the risk of leukemia, lymphoma, and multiple myeloma (Sweden). *Cancer Causes and Control* 1998; 9(1):49-56.
- Adena MA, Gallagher HG. Cigarette smoking and the age at menopause. *Annals of Human Biology* 1982; 9(2):121-30.
- Adriaanse HP, Knottnerus JA, Delgado LR, Cox HH, Essed GGM. Smoking in Dutch pregnant women and birth weight. *Patient Education and Counseling* 1996; 28(1):25-30.
- Aevarsson O, Skoog I. A population-based study on the incidence of dementia disorders between 85 and 88 years of age. *Journal of the American Geriatrics Society* 1996; 44(12):1455-60.
- Aguayo SM. Determinants of susceptibility to cigarette smoke: potential roles for neuroendocrine cells and neuropeptides in airway inflammation, airway wall remodeling, and chronic airflow obstruction. *American Journal of Respiratory and Critical Care Medicine* 1994; 149(6):1692-8.
- Ahlborg G Jr. Health effects of environmental tobacco smoke on the offspring of non-smoking women. *Journal of Smoking-Related Disorders* 1994; 5(Suppl 1): 107-12.
- Ahlborg G Jr, Bodin L. Tobacco smoke exposure and pregnancy outcome among working women: a prospective study at prenatal care centers in Örebro County, Sweden. *American Journal of Epidemiology* 1991; 133(4):338-47.
- Ahlsten G, Cnattingius S, Lindmark G. Cessation of smoking during pregnancy improves foetal growth and reduces infant morbidity in the neonatal period. A population-based prospective study. *Acta Paediatrica* 1993; 82(2):177-81.
- Ahluwalia IB, Grummer-Strawn L, Scanlon KS. Exposure to environmental tobacco smoke and birth outcome: increased effects on pregnant women aged 30 years or older. *American Journal of Epidemiology* 1997; 146(1):42-7.
- Akiba S, Hirayama T. Cigarette smoking and cancer mortality risk in Japanese men and women: results from reanalysis of the six-prefecture cohort study data. *Environmental Health Perspectives* 1990; 87:19-26.
- Akiba S, Kato H, Blot WJ. Passive smoking and lung cancer among Japanese women. *Cancer Research* 1986; 46(9):4804-7.
- Akre J, editor. Infant feeding. The physiological basis. *Bulletin of the World Health Organization* 1989; 67 (Suppl):1-108.
- Alameda County Low Birth Weight Study Group. Cigarette smoking and the risk of low birth weight: a comparison in black and white women. *Epidemiology* 1990; 1(3):201-5.
- Alavanja MCR, Brown CC, Swanson C, Brownson RC. Saturated fat intake and lung cancer risk among nonsmoking women in Missouri. *Journal of the National Cancer Institute* 1993; 85(23):1906-16.
- Albanes D, Jones DY, Micozzi MS, Mattson ME. Associations between smoking and body weight in the US population: analysis of NHANES II. *American Journal of Public Health* 1987; 77(4):439-44.
- Alberman E, Creasy M, Elliott M, Spicer C. Maternal factors associated with fetal chromosomal anomalies in spontaneous abortions. *British Journal of Obstetrics and Gynaecology* 1976; 83(8):621-7.
- Alderete E, Eskenazi B, Sholtz R. Effect of cigarette smoking and coffee drinking on time to conception. *Epidemiology* 1995; 6(4):403-8.
- Alderman BW, Bradley CM, Greene C, Fernbach SK, Baron AE. Increased risk of craniostenosis with maternal cigarette smoking during pregnancy. *Teratology* 1994; 50(1):13-8.
- Alexander FE, Roberts MM. The menopause and breast cancer. *Journal of Epidemiology and Community Health* 1987; 41(2):94-100.
- Allen HB, Johnson BL, Diamond SM. Smoker's wrinkles? *Journal of the American Medical Association* 1973; 225(9):1067-9.
- Aloia JF, Cohn SH, Vaswani A, Yeh JK, Yuen K, Ellis K. Risk factors for postmenopausal osteoporosis. *American Journal of Medicine* 1985; 78(1):95-100.
- Aloia JF, Vaswani AN, Yeh JK, Ross P, Ellis K, Cohn SH. Determinants of bone mass in postmenopausal women. *Archives of Internal Medicine* 1983; 143(9):1700-4.

- Alp MH, Hislop IG, Grant AK. Gastric ulcer in South Australia 1954–1963. I. Epidemiological factors. *Medical Journal of Australia* 1970;2(24):1128–32.
- Alpha-Tocopherol Beta-Carotene Cancer Prevention Study Group. The effect of vitamin E and beta carotene on the incidence of lung cancer and other cancers in male smokers. *New England Journal of Medicine* 1994;330(15):1029–35.
- Ambrosone CB, Freudenheim JL, Graham S, Marshall JR, Vena JE, Brasuré JR, Laughlin R, Nemoto T, Michalek AM, Harrington A, Ford TD, Shields PG. Cytochrome P4501A1 and glutathione S-transferase (M1) genetic polymorphisms and postmenopausal breast cancer risk. *Cancer Research* 1995;55(16):3483–5.
- Ambrosone CB, Freudenheim JL, Graham S, Marshall JR, Vena JE, Brasuré JR, Michalek AM, Laughlin R, Nemoto T, Gillenwater KA, Shields PG. Cigarette smoking, N-acetyltransferase 2 genetic polymorphisms, and breast cancer risk. *Journal of the American Medical Association* 1996;276(18):1494–501.
- American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders, 3rd ed., Revised. DSM-III-R*. Washington: American Psychiatric Association, 1987.
- American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders, 4th ed. DSM-IV*. Washington: American Psychiatric Association, 1994.
- American Thoracic Society. Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease (COPD) and asthma. *American Review of Respiratory Disease* 1987;136(1):225–44.
- Amos CI, Caporaso NE, Weston A. Host factors in lung cancer risk: a review of interdisciplinary studies. *Cancer Epidemiology, Biomarkers and Prevention* 1992;1(6):505–13.
- Ananth CV, Savitz DA, Luther ER. Maternal cigarette smoking as a risk factor for placental abruption, placenta previa, and uterine bleeding in pregnancy. *American Journal of Epidemiology* 1996;144(9):881–9.
- Ananth CV, Smulian JC, Vintzileos AM. Incidence of placental abruption in relation to cigarette smoking and hypertensive disorders during pregnancy: a meta-analysis of observational studies. *Obstetrics and Gynecology* 1999;93(4):622–8.
- Anda RF, Williamson DF, Escobedo LG, Mast EE, Giovino GA, Remington PL. Depression and the dynamics of smoking: a national perspective. *Journal of the American Medical Association* 1990a;264(12):1541–5.
- Anda RF, Williamson DF, Escobedo LG, Remington PL. Smoking and the risk of peptic ulcer disease among women in the United States. *Archives of Internal Medicine* 1990b;150(7):1437–41.
- Andersch B, Milsom I. An epidemiologic study of young women with dysmenorrhea. *American Journal of Obstetrics and Gynecology* 1982;144(6):655–60.
- Andersen AN, Lund-Andersen C, Larsen JF, Christensen NJ, Legros JJ, Louis F, Angelo H, Molin J. Suppressed prolactin but normal neurophysin levels in cigarette-smoking breast-feeding women. *Clinical Endocrinology* 1982a;17(4):363–8.
- Andersen AN, Schiöler V. Influence of breast-feeding pattern on pituitary-ovarian axis of women in an industrialized community. *American Journal of Obstetrics and Gynecology* 1982;143(6):673–7.
- Andersen AN, Semczuk M, Tabor A. Prolactin and pituitary-gonadal function in cigarette smoking infertile patients. *Andrologia* 1984;16(5):391–6.
- Andersen FS, Transbøl I, Christiansen C. Is cigarette smoking a promoter of the menopause? *Acta Medica Scandinavica* 1982b;212(3):137–9.
- Andersen RA, Kasperbauer MJ, Burton HR, Hamilton JI, Yoder EE. Changes in chemical composition of homogenized leaf-cured and air-cured burley tobacco stored in controlled environments. *Journal of Agricultural and Food Chemistry* 1982c;30(4):663–8.
- Andersen WA, Franquemont DW, Williams J, Taylor PT, Crum CP. Vulvar squamous cell carcinoma and papillomaviruses: two separate entities? *American Journal of Obstetrics and Gynecology* 1991;165(2):329–36.
- Anderson JJ, Felson DT. Factors associated with osteoarthritis of the knee in the first National Health and Nutrition Examination Survey (HANES 1): evidence for an association with overweight, race, and physical demands of work. *American Journal of Epidemiology* 1988;128(1):179–89.
- Andersson B, Marin P, Lissner L, Vermeulen A, Björntorp P. Testosterone concentrations in women and men with NIDDM. *Diabetes Care* 1994;17(5):405–11.
- Andersson K, Eneroth P, Fuxé K, Mascagni F, Agnati LF. Effects of chronic exposure to cigarette smoke on amine levels and turnover in various hypothalamic catecholamine nerve terminal systems and on the secretion of pituitary hormones in the male rat. *Neuroendocrinology* 1985;41(6):462–6.
- Anthonisen NR, Connell JE, Kiley JP, Altose MD, Bailey WC, Buist AS, Conway WA Jr, Enright PL, Kanner RE, O'Hara P, Owens GR, Scanlon PD, Tashkin DP, Wise RA. Effects of smoking intervention and the use of an inhaled anticholinergic

- bronchodilator on the rate of decline of FEV₁. *Journal of the American Medical Association* 1994; 272(19):1497–505.
- Aral SO, Holmes KK. Epidemiology of sexual behavior and sexually transmitted diseases. In: Holmes KK, Mardh P-A, Sparling PF, Wiesner PJ, editors. *Sexually Transmitted Diseases*. 2nd ed. New York: McGraw-Hill, 1990:19–36.
- Armellini F, Zamboni M, Frigo L, Mandragona R, Robbi R, Micciolo R, Bosello O. Alcohol consumption, smoking habits and body fat distribution in Italian men and women aged 20–60 years. *European Journal of Clinical Nutrition* 1993;47(1):52–60.
- Armitage AK, Dollery CT, George CF, Houseman TH, Lewis PJ, Turner DM. Absorption and metabolism of nicotine from cigarettes. *British Medical Journal* 1975;4(5992):313–6.
- Armstrong BG, McDonald AD, Sloan M. Cigarette, alcohol, and coffee consumption and spontaneous abortion. *American Journal of Public Health* 1992; 82(1):85–7.
- Aronson RA, Uttech S, Soref M. The effect of maternal cigarette smoking on low birth weight and preterm birth in Wisconsin, 1991. *Wisconsin Medical Journal* 1993;92(11):613–7.
- Atrash HK, Hughes JM, Hogue CJ. Ectopic pregnancy in the United States, 1970–1983. *Morbidity and Mortality Weekly Report* 1986;35(SS-2):2955–3755.
- Auerbach O, Garfinkel L. The changing pattern of lung carcinoma. *Cancer* 1991;68(9):1973–7.
- Augood C, Duckitt K, Templeton AA. Smoking and female infertility: a systematic review and meta-analysis. *Human Reproduction* 1998;13(6):1532–9.
- Austin DF, Reynolds P. Laryngeal cancer. In: Schottenfeld D, Fraumeni JF, editors. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press, 1996:619–36.
- Austin H, Drews C, Partridge EE. A case-control study of endometrial cancer in relation to cigarette smoking, serum estrogen levels, and alcohol use. *American Journal of Obstetrics and Gynecology* 1993;169(5):1086–91.
- Avery ME, Frantz ID III. To breathe or not to breathe—what have we learned about apneic spells and sudden infant death? *New England Journal of Medicine* 1983;309(2):107–8.
- Bachman DL, Wolf PA, Linn R, Knoefel JE, Cobb J, Belanger A, D'Agostino RB, White LR. Prevalence of dementia and probable senile dementia of the Alzheimer type in the Framingham Study. *Neurology* 1992;42(1):115–9.
- Bachman DL, Wolf PA, Linn RT, Knoefel JE, Cobb JL, Belanger AJ, White LR, D'Agostino RB. Incidence of dementia and probable Alzheimer's disease in a general population: the Framingham Study. *Neurology* 1993;43(3 Pt 1):515–9.
- Backe B. Maternal smoking and age: effect on birth-weight and risk for small-for-gestational age births. *Acta Obstetricia et Gynecologica Scandinavica* 1993; 72(3):172–6.
- Bagge E, Bjelle A, Edén S, Svanborg A. Factors associated with radiographic osteoarthritis: results from the population study of 70-year-old people in Göteborg. *Journal of Rheumatology* 1991;18(8): 1218–22.
- Bagge E, Eden S, Rosen T, Bengtsson BA. The prevalence of radiographic osteoarthritis is low in elderly patients with growth hormone deficiency. *Acta Endocrinologica (Copenhagen)* 1993;129(4):296–300.
- Bailey A, Robinson D, Vessey M. Smoking and age of natural menopause [letter]. *Lancet* 1977;2(8040): 722.
- Baird DD, Wilcox AJ. Cigarette smoking associated with delayed conception. *Journal of the American Medical Association* 1985;253(20):2979–83.
- Baird DD, Wilcox AJ, Weinberg CR. Use of time to pregnancy to study environmental exposures. *American Journal of Epidemiology* 1986;124(3): 470–80.
- Bakketeig LS, Jacobsen G, Hoffman HJ, Lindmark G, Bergsjo P, Molne K, Rodsten J. Pre-pregnancy risk factors of small-for-gestational age births among parous women in Scandinavia. *Acta Obstetricia et Gynecologica Scandinavica* 1993;72(4):273–9.
- Baldinger B, Hasenfratz M, Bättig K. Switching to ultralow nicotine cigarettes: effects of different tar yields and blocking of olfactory cues. *Pharmacology, Biochemistry and Behavior* 1995;50(2):233–9.
- Balfour DJ. The influence of stress on psychopharmacological responses to nicotine. *British Journal of Addiction* 1991;86(5):489–93.
- Balkau B, King H, Zimmet P, Raper LR. Factors associated with the development of diabetes in the Micronesian population of Nauru. *American Journal of Epidemiology* 1985;122(4):594–605.
- Bang KM. Prevalence of chronic obstructive pulmonary disease in blacks. *Journal of the National Medical Association* 1993;85(1):51–5.
- Baranski B. Effect of exposure of pregnant rats to cadmium on prenatal and postnatal development of the young. *Journal of Hygiene, Epidemiology, Microbiology and Immunology* 1985;29(3):253–62.
- Baranski B, Stetkiewicz I, Trzcinka-Ochocka M, Sitarek K, Szymczak W. Teratogenicity, fetal toxicity and tissue concentration of cadmium administered to female rats during organogenesis. *Journal of Applied Toxicology* 1982;2(5):255–9.

- Bardhan KD, Graham DY, Hunt RH, O'Morain CA. Effects of smoking on cure of Helicobacter pylori infection and duodenal ulcer recurrence in patients treated with clarithromycin and omeprazole. *Helicobacter* 1997;2(1):27-31.
- Bardy AH, Seppälä T, Lillsunde P, Kataja JM, Koskela P, Pikkarainen J, Hiilesmaa VK. Objectively measured tobacco exposure during pregnancy: neonatal effects and relation to maternal smoking. *British Journal of Obstetrics and Gynaecology* 1993; 100(8):721-6.
- Barkley RA. *Attention-Deficit Hyperactivity Disorder: A Handbook for Diagnosis and Treatment*. New York: Guilford Press, 1990.
- Barkley RA, Fischer M, Edelbrock CS, Smallish L. The adolescent outcome of hyperactive children diagnosed by research criteria: I. An 8-year prospective follow-up study. *Journal of the American Academy of Child and Adolescent Psychiatry* 1990;29(4):546-57.
- Baron JA. Cigarette smoking and Parkinson's disease. *Neurology* 1986;36(11):1490-6.
- Baron JA, Barrett J, Malenka D, Fisher E, Kniffin W, Bubolz T, Tosteson T. Racial differences in fracture risk. *Epidemiology* 1994a;5(1):42-7.
- Baron JA, Bulbrook RD, Wang DY, Kwa HG. Cigarette smoking and prolactin in women. *British Medical Journal* 1986a;293(6545):482-3.
- Baron JA, Byers T, Greenberg ER, Cummings KM, Swanson M. Cigarette smoking in women with cancers of the breast and reproductive organs. *Journal of the National Cancer Institute* 1986b;77(3): 677-80.
- Baron JA, Gerhardsson de Verdier M, Ekbom A. Coffee, tea, tobacco, and cancer of the large bowel. *Cancer Epidemiology, Biomarkers and Prevention* 1994b; 3(7):565-70.
- Baron JA, Karagas M, Barrett J, Kniffin W, Malenka D, Mayor M, Keller RB. Basic epidemiology of fractures of the upper and lower limb among Americans over 65 years of age. *Epidemiology* 1996a;7(6): 612-8.
- Baron JA, La Vecchia C, Levi F. The antiestrogenic effect of cigarette smoking in women. *American Journal of Obstetrics and Gynecology* 1990;162(2):502-14.
- Baron JA, Newcomb PA, Longnecker MP, Mittendorf R, Storer BE, Clapp RW, Bogdan G, Yuen J. Cigarette smoking and breast cancer. *Cancer Epidemiology, Biomarkers and Prevention* 1996b;5(5):399-403.
- Barrett-Connor E. Smoking and endogenous sex hormones in men and women. In: Wald N, Baron JA, editors. *Smoking and Hormone-Related Disorders*. New York: Oxford University Press, 1990:183-96.
- Barrett-Connor E, Khaw K-T. Cigarette smoking and increased central adiposity. *Annals of Internal Medicine* 1989;111(10):783-7.
- Barrett-Connor E, Khaw KT, Wingard DL. A ten-year prospective study of coronary heart disease mortality among Rancho Bernardo women. In: Eaker ED, Packard B, Wenger NK, Clarkson TB, Tyroler HA, editors. *Coronary Heart Disease in Women. Proceedings of an N.I.H. Workshop*. New York: Haymarket Doyma, 1987:117-21.
- Barsky SH, Cameron R, Osann KE, Tomita D, Holmes EC. Rising incidence of bronchioloalveolar lung carcinoma and its unique clinicopathologic features. *Cancer* 1994;73(4):1163-70.
- Bartalena L, Martino E, Marcocci C, Bogazzi F, Pancucci M, Velluzzi F, Loviselli A, Pinchera A. More on smoking habits and Graves' ophthalmopathy. *Journal of Endocrinological Investigation* 1989;12(10): 733-7.
- Barton SE, Maddox PH, Jenkins D, Edwards R, Cuzick J, Singer A. Effect of cigarette smoking on cervical epithelial immunity: a mechanism for neoplastic change? *Lancet* 1988;2(8612):652-4.
- Basso L, McCollum PT, Darling MR, Tocchi A, Tanner WA. A descriptive study of pregnant women with gallstones. Relation to dietary and social habits, education, physical activity, height, and weight. *European Journal of Epidemiology* 1992;8(5):629-33.
- Bättig K, Buzzi R, Nil R. Smoke yield of cigarettes and puffing behavior in men and women. *Psychopharmacology (Berlin)* 1982;76(2):139-48.
- Bauer DC, Browner WS, Cauley JA, Orwoll ES, Scott JC, Black DM, Tao JL, Cummings SR. Factors associated with appendicular bone mass in older women. *Annals of Internal Medicine* 1993;118(9): 657-65.
- Becker TM, Wheeler CM, McGough NS, Parmenter CA, Stidley CA, Jamison SF, Jordan SW. Cigarette smoking and other risk factors for cervical dysplasia in southwestern Hispanic and non-Hispanic white women. *Cancer Epidemiology, Biomarkers and Prevention* 1994;3(2):113-9.
- Beckett AH, Gorrod JW, Jenner P. The effect of smoking on nicotine metabolism *in vivo* in man. *Journal of Pharmacy and Pharmacology* 1971;23(Suppl): 62S-67S.
- Behm FM, Levin ED, Lee YK, Rose JE. Low-nicotine regenerated smoke aerosol reduces desire for cigarettes. *Journal of Substance Abuse* 1990;2(2):237-47.
- Behm FM, Schur C, Levin ED, Tashkin DP, Rose JE. Clinical evaluation of a citric acid inhaler for smoking cessation. *Drug and Alcohol Dependence* 1993;31(2):131-8.

- Bell BA, Ambrose J. Smoking and the risk of a stroke. *Acta Neurochirurgica* 1982;64(1-2):1-7.
- Bell R, Lumley J. Alcohol consumption, cigarette smoking and fetal outcome in Victoria, 1985. *Community Health Studies* 1989;13(4):484-91.
- Benhamou E, Benhamou S, Flamant R. Lung cancer and women: results of a French case-control study. *British Journal of Cancer* 1987;55(1):91-5.
- Benhamou S, Benhamou E. The effect of age at smoking initiation on lung cancer risk [letter]. *Epidemiology* 1994;5(5):560.
- Bennett WP, Hussain SP, Vahakangas KH, Khan MA, Shields PG, Harris CC. Molecular epidemiology of human cancer risk: gene-environment interactions and *p53* mutation spectrum in human lung cancer. *Journal of Pathology* 1999;187(1):8-18.
- Bennicelli K, Conrad C, Sabroe S, Sorensen HT. Cigarette smoking and breast cancer. *British Medical Journal* 1995;310(6992):1431-3.
- Benoni C, Nilsson Å. Smoking habits in patients with inflammatory bowel disease. A case-control study. *Scandinavian Journal of Gastroenterology* 1987;22(9):1130-6.
- Benoni C, Nilsson Å, Nived O. Smoking and inflammatory bowel disease: comparison with systemic lupus erythematosus. A case-control study. *Scandinavian Journal of Gastroenterology* 1990;25(7):751-5.
- Benowitz NL. Cigarette smoking and nicotine addiction. *Medical Clinics of North America* 1992;76(2):415-37.
- Benowitz NL. Treating tobacco addiction—nicotine or no nicotine? *New England Journal of Medicine* 1997;337(17):1230-1.
- Benowitz NL, Hall SM, Herning RI, Jacob P III, Jones RT, Osman A-L. Smokers of low-yield cigarettes do not consume less nicotine. *New England Journal of Medicine* 1983;309(3):139-42.
- Benowitz NL, Hatsukami D. Gender differences in the pharmacology of nicotine addiction. *Addiction Biology* 1998;3:383-404.
- Benowitz NL, Jacob P III. Daily intake of nicotine during cigarette smoking. *Clinical Pharmacology and Therapeutics* 1984;35(4):499-504.
- Benowitz NL, Jacob P III. Metabolism of nicotine to cotinine studied by a dual stable isotope method. *Clinical Pharmacology and Therapeutics* 1994;56(5):483-93.
- Benowitz NL, Porchet H, Jacob P III. Pharmacokinetics, metabolism, and pharmacodynamics of nicotine. In: Wonnacott S, Russell MAH, Stolerman IP, editors. *Nicotine Psychopharmacology: Molecular, Cellular and Behavioural Aspects*. Oxford: Oxford University Press, 1990:112-57.
- Berg CJ, Atrash HK, Koonin LM, Tucker M. Pregnancy-related mortality in the United States, 1987-1990. *Obstetrics and Gynecology* 1996;88(2):161-7.
- Berggren C, Sjostedt S. Preinvasive carcinoma of the cervix uteri and smoking. *Acta Obstetrica et Gynecologica Scandinavica* 1983;62(6):593-8.
- Berghout A, Wiersinga WM, Smits NJ, Touber JL. Determinants of thyroid volume as measured by ultrasonography in healthy adults in a non-iodine deficient area. *Clinical Endocrinology* 1987;26(3):273-80.
- Bergman AB, Wiesner LA. Relationship of passive cigarette-smoking to sudden infant death syndrome. *Pediatrics* 1976;58(5):665-8.
- Berkowitz GS, Canny PF, Livolsi VA, Merino MJ, O'Connor TZ, Kelsey JL. Cigarette smoking and benign breast disease. *Journal of Epidemiology and Community Health* 1985;39(4):308-13.
- Berkowitz GS, Lapinski RH, Wein R, Lee D. Race/ethnicity and other risk factors for gestational diabetes. *American Journal of Epidemiology* 1992;135(9):965-73.
- Berlin I, Cournot A, Renout P, Duchier J, Safar M. Peripheral haemodynamic effects of smoking in habitual smokers: a methodological study. *European Journal of Clinical Pharmacology* 1990;38(1):57-60.
- Berndt VH, Gütz H-J. Versuche zur langzeittherapie mit carbenoxolon beim ulcus duodeni. *Deutsche Zeitschrift fuer Verdauungsund Stoffwechselkrankheiten* 1981;41:98-102.
- Bernstein L, Pike MC, Lobo RA, Depue RH, Ross RK, Henderson BE. Cigarette smoking in pregnancy results in marked decrease in maternal hCG and oestradiol levels. *British Journal of Obstetrics and Gynaecology* 1989;96(1):92-6.
- Bernstein L, Ross RK. Endogenous hormones and breast cancer risk. *Epidemiologic Reviews* 1993;15(1):48-65.
- Berta L, Fortunati N, Gennari P, Appendino P, Casella M, Frairia R. Influence of cigarette smoking on pituitary and sex hormone balance in healthy premenopausal women. *Fertility and Sterility* 1991;56(4):788-9.
- Berta L, Frairia R, Fortunati N, Fazzari A, Gaidano G. Smoking effects on the hormonal balance of fertile women. *Hormone Research* 1992;37(1-2):45-8.
- Bertelsen JB, Hegedüs L. Cigarette smoking and the thyroid. *Thyroid* 1994;4(3):327-31.
- Bertschinger P, Lacher G, Aenishänslin W, Baerlocher C, Bernoulli R, Egger G, Eisner M, Fasel F, Fehr H-R, Fumagalli I, Gassmann R, Güller R, Kobler E, Leuthold E, Nuesch H-J, Pace F, Pelloni S,

- Plancherel P, Realini S, Seiler P, Stocker H, Vetter D, Schmid P, Simonian B, Vogel E, Blum AL. Presenting characteristics of patients with duodenal ulcer and outcome of medical treatment in controlled clinical trials using cimetidine and diethy-lamine persilate to treat ulcer attack and diethy-lamine persilate and placebo to prevent relapses. *Digestion* 1987;36(3):148–61.
- Bérubé S, Marcoux S, Maheux R, Canadian Collaborative Group on Endometriosis. Characteristics related to the prevalence of minimal or mild endometriosis in infertile women. *Epidemiology* 1998; 9(5):504–10.
- Best EWR, Josie GH, Walker CB. A Canadian study of mortality in relation to smoking habits: a preliminary report. *Canadian Journal of Public Health* 1961; 52(3):99–106.
- Bhattacharyya MH, Whelton BD, Stern PH, Peterson DP. Cadmium accelerates bone loss in ovariectomized mice and fetal rat limb bones in culture. *Proceedings of the National Academy of Sciences of the United States of America* 1988;85(22):8761–5.
- Biederman J, Faraone SV, Spencer T, Wilens T, Mick E, Lapey K. Gender differences in a sample of adults with attention deficit hyperactivity disorder. *Psychiatry Research* 1994;53(1):13–29.
- Bilbrey GL, Weix J, Kaplan GD. Value of single photon absorptiometry in osteoporosis screening. *Clinical Nuclear Medicine* 1988;13(1):7–12.
- Bjornson W, Rand C, Connell JE, Lindgren P, Nides M, Pope F, Buist AS, Hoppe-Ryan C, O'Hara P. Gender differences in smoking cessation after 3 years in the Lung Health Study. *American Journal of Public Health* 1995;85(2):223–30.
- Björntorp P. Abdominal obesity and the development of noninsulin-dependent diabetes mellitus. *Diabetes/Metabolism Reviews* 1988;4(6):615–22.
- Blanchard JF. Epidemiology of abdominal aortic aneurysms. *Epidemiologic Reviews* 1999;21(2):207–21.
- Bloss JD, Liao S-Y, Wilczynski SP, Macri C, Walker J, Peake M, Berman ML. Clinical and histologic features of vulvar carcinomas analyzed for human papillomavirus status: evidence that squamous cell carcinoma of the vulva has more than one etiology. *Human Pathology* 1991;22(7):711–8.
- Blot WJ. Esophageal cancer trends and risk factors. *Seminars in Oncology* 1994;21(4):403–10.
- Blot WJ, Devesa SS, Kneller RW, Fraumeni JF Jr. Rising incidence of adenocarcinoma of the esophagus and gastric cardia. *Journal of the American Medical Association* 1991;265(10):1287–9.
- Blot WJ, McLaughlin JK, Devesa SS, Fraumeni JF Jr. Cancers of the oral cavity and pharynx. In: Schottenfeld D, Fraumeni JF Jr, editors. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press, 1996:666–80.
- Blot WJ, McLaughlin JK, Winn DM, Austin DF, Greenberg RS, Preston-Martin S, Bernstein L, Schoenberg JB, Stemhagen A, Fraumeni JF Jr. Smoking and drinking in relation to oral and pharyngeal cancer. *Cancer Research* 1988;48(11):3282–7.
- Bobo JK. Nicotine dependence and alcoholism epidemiology and treatment. *Journal of Psychoactive Drugs* 1989;21(3):323–9.
- Bochow TW, West SK, Azar A, Munoz B, Sommer A, Taylor HR. Ultraviolet light exposure and risk of posterior subcapsular cataracts. *Archives of Ophthalmology* 1989;107(3):369–72.
- Boffetta P, Agudo A, Ahrens W, Benhamou E, Benhamou S, Darby SC, Ferro G, Fortes C, Gonzalez CA, Jöckel KH, Krauss M, Kreienbrock L, Kreuzer M, Mendes A, Merletti F, Nyberg F, Pershagan G, Pohlabeln H, Riboli E, Schmid G, Simonato L, Trédaniel J, Whitley E, Wickman HE, Winck C, Zambon P, Saracci R. Multicenter case-control study of exposure to environmental tobacco smoke and lung cancer in Europe. *Journal of the National Cancer Institute* 1998;90(19):1440–50.
- Boffetta P, Stellman SD, Garfinkel L. A case-control study of multiple myeloma nested in the American Cancer Society prospective study. *International Journal of Cancer* 1989;43(4):554–9.
- Bolumar F, Olsen J, Boldsen J. Smoking reduces fecundity: a European multicenter study on infertility and subfecundity. The European Study Group on Infertility and Subfecundity. *American Journal of Epidemiology* 1996;143(6):578–87.
- Bonithon-Kopp C, Jouven X, Taquet A, Touboul P-J, Guize L, Scarabin P-Y. Early carotid atherosclerosis in healthy middle-aged women: a follow-up study. *Stroke* 1993;24(12):1837–43.
- Borland BL, Heckman HK. Hyperactive boys and their brothers: a 25-year follow-up study. *Archives of General Psychiatry* 1976;33(6):669–75.
- Borlee I, Bouckaert A, Lechat MF, Misson CB. Smoking patterns during and before pregnancy: weight, length and head circumference of progeny. *European Journal of Obstetrics Gynecology and Reproductive Biology* 1978;8(4):171–7.
- Borody TJ, George LL, Brandl S, Andrews P, Jankiewicz E, Ostapowicz N. Smoking does not contribute to duodenal ulcer relapse after *Helicobacter pylori* eradication. *American Journal of Gastroenterology* 1992;87(10):1390–3.

- Bosch FX, Manos MM, Munoz N, Sherman M, Jansen AM, Peto J, Schiffman MH, Moreno V, Kurman R, Shah KV. Prevalence of human papillomavirus in cervical cancer: a worldwide perspective. *Journal of the National Cancer Institute* 1995;87(1):796–802.
- Bosch FX, Munoz N, de Sanjose S, Izarzugaza I, Gili M, Viladiu P, Tormo MJ, Moreo P, Ascunce N, Gonzalez LC, Tafur L, Kaldor JM, Guerrero E, Aristizabal N, Santamaria M, de Ruiz PA, Shah K. Risk factors for cervical cancer in Colombia and Spain. *International Journal of Cancer* 1992;52(5):750–8.
- Bosken CH, Wiggs BR, Pare PD, Hogg JC. Small airway dimensions in smokers with obstruction to airflow. *American Review of Respiratory Disease* 1990; 142(3):563–70.
- Bouchard C, Després J-P, Maurière P. Genetic and nongenetic determinants of regional fat distribution. *Endocrine Reviews* 1993;14(1):72–93.
- Boué J, Boué A, Lazar P. Retrospective and prospective epidemiological studies of 1500 karyotyped spontaneous human abortions. *Teratology* 1975; 12(1):11–26.
- Boulos R, Halsey NA, Holt E, Ruff A, Brutus J-R, Quinn TC, Adrien M, Boulos C. HIV-1 in Haitian women 1982–1988. *Journal of Acquired Immune Deficiency Syndromes* 1990;3(7):721–8.
- Boutron M-C, Faivre J, Dop M-C, Quipourt V, Senesse P. Tobacco, alcohol, and colorectal tumors: a multi-step process. *American Journal of Epidemiology* 1995; 141(11):1038–46.
- Boyko EJ, Koepsell TD, Perera DR, Inui TS. Risk of ulcerative colitis among former and current cigarette smokers. *New England Journal of Medicine* 1987;316(12):707–10.
- Boyle P, Hsieh CC, Maisonneuve P, La Vecchia C, Macfarlane GJ, Walker AM, Trichopoulos D. Epidemiology of pancreas cancer (1988). *International Journal of Pancreatology* 1989;5(4):327–46.
- Braga C, Negri E, La Vecchia C, Filiberti R, Franceschi S. Cigarette smoking and the risk of breast cancer. *European Journal of Cancer Prevention* 1996;5(3): 159–64.
- Bray GA. Obesity: a time bomb to be defused [commentary]. *Lancet* 1998;352(9123):160–1.
- Brayne C, Gill C, Huppert FA, Barkley C, Gehlhaar E, Girling DM, O'Connor DW, Paykel ES. Incidence of clinically diagnosed subtypes of dementia in an elderly population: Cambridge Project for Later Life. *British Journal of Psychiatry* 1995;167(2): 255–62.
- Brenner DE, Kukull WA, van Belle G, Bowen JD, McCormick WC, Teri L, Larson EB. Relationship between cigarette smoking and Alzheimer's disease in a population-based case-control study. *Neurology* 1993;43(2):293–300.
- Brenner WE, Edelman DA, Hendricks CH. A standard of fetal growth for the United States of America. *American Journal of Obstetrics and Gynecology* 1976; 126(5):555–64.
- Breslau N. Psychiatric comorbidity of smoking and nicotine dependence. *Behavior Genetics* 1995;25(2): 95–101.
- Breslau N, Kilbey MM, Andreski P. Nicotine dependence, major depression, and anxiety in young adults. *Archives of General Psychiatry* 1991;48(12): 1069–74.
- Breslau N, Kilbey MM, Andreski P. Nicotine withdrawal symptoms and psychiatric disorders: findings from an epidemiologic study of young adults. *American Journal of Psychiatry* 1992;149(4):464–9.
- Breslau N, Peterson EL, Schultz LR, Chilcoat HD, Andreski P. Major depression and stages of smoking. A longitudinal investigation. *Archives of General Psychiatry* 1998;55(2):161–6.
- Breuer-Katschinski BD, Armstrong D, Goebell H, Arnold R, Classen M, Fischer M, Blum AL. Smoking as a risk factor for duodenal ulcer relapse. *Zeitschrift fuer Gastroenterologie* 1995;33(9):509–12.
- Brinton LA, Barrett RJ, Berman ML, Mortel R, Twiggs LB, Wilbanks GD. Cigarette smoking and the risk of endometrial cancer. *American Journal of Epidemiology* 1993;137(3):281–91.
- Brinton LA, Nasca PC, Mallin K, Baptiste MS, Wilbanks GD, Richart RM. Case-control study of cancer of the vulva. *Obstetrics and Gynecology* 1990; 75(5):859–66.
- Brinton LA, Schairer C, Haenszel W, Stolley P, Lehman HF, Levine R, Savitz DA. Cigarette smoking and invasive cervical cancer. *Journal of the American Medical Association* 1986a;255(23):3265–9.
- Brinton LA, Schairer C, Stanford JL, Hoover RN. Cigarette smoking and breast cancer. *American Journal of Epidemiology* 1986b;123(4):614–22.
- British Journal of Addiction. Nomenclature and classification of drug- and alcohol-related problems: a shortened version of a WHO memorandum. *British Journal of Addiction* 1982;77(1):3–20.
- Brock KE, Berry G, Mock PA, MacLennan R, Truswell AS, Brinton LA. Nutrients in diet and plasma and risk of *in situ* cervical cancer. *Journal of the National Cancer Institute* 1988;80(8):580–5.
- Brock KE, MacLennan R, Brinton LA, Melnick JL, Adam E, Mock PA, Berry G. Smoking and infectious agents and risk of *in situ* cervical cancer in Sydney, Australia. *Cancer Research* 1989;49(17): 4925–8.

- Bromen K, Pohlabeln H, Jahn I, Ahrens W, Jöckel K-H. Aggregation of lung cancer in families: results from a population-based case-control study in Germany. *American Journal of Epidemiology* 2000; 152(6):497–505.
- Brooke OG, Anderson HR, Bland JM, Peacock JL, Stewart CM. Effects on birth weight of smoking, alcohol, caffeine, socioeconomic factors, and psychosocial stress. *British Medical Journal* 1989; 298(6676):795–801.
- Brown CA, Crombie IK, Tunstall-Pedoe H. Failure of cigarette smoking to explain international differences in mortality from chronic obstructive pulmonary disease. *Journal of Epidemiology and Community Health* 1994a;48(2):134–9.
- Brown CC, Kessler LG. Projections of lung cancer mortality in the United States: 1985–2025. *Journal of the National Cancer Institute* 1988;80(1):43–51.
- Brown LM, Everett GD, Gibson R, Burmeister LF, Schuman LM, Blair A. Smoking and risk of non-Hodgkin's lymphoma and multiple myeloma. *Cancer Causes and Control* 1992;3(1):49–55.
- Brown LM, Silverman DT, Pottern LM, Schoenberg JB, Greenberg RS, Swanson GM, Liff JM, Schwartz AG, Hayes RB, Blot WJ, Hoover RN. Adenocarcinoma of the esophagus and esophagogastric junction in white men in the United States: alcohol, tobacco, and socioeconomic factors. *Cancer Causes and Control* 1994b;5(4):333–40.
- Brown S, Vessey M, Stratton I. The influence of method of contraception and cigarette smoking on menstrual patterns. *British Journal of Obstetrics and Gynaecology* 1988;95(9):905–10.
- Brownson RC. Cigarette smoking and risk of myeloma [letter]. *Journal of the National Cancer Institute* 1991;83(14):1036–7.
- Brownson RC, Alavanja MCR, Hock ET, Loy TS. Passive smoking and lung cancer in nonsmoking women. *American Journal of Public Health* 1992a; 82(11):1525–30.
- Brownson RC, Blackwell CW, Pearson DK, Reynolds RD, Richens JW Jr, Papermaster BW. Risk of breast cancer in relation to cigarette smoking. *Archives of Internal Medicine* 1988;148(1):140–4.
- Brownson RC, Chang JC, Davis JR. Cigarette smoking and risk of adult leukemia. *American Journal of Epidemiology* 1991;134(9):938–41.
- Brownson RC, Chang JC, Davis JR. Gender and histologic type variations in smoking-related risk of lung cancer. *Epidemiology* 1992b;3(1):61–4.
- Brownson RC, Loy TS, Ingram E, Myers JL, Alavanja MCR, Sharp DJ, Chang JC. Lung cancer in non-smoking women. *Cancer* 1995;75(1):29–33.
- Brownson RC, Novotny TE, Perry MC. Cigarette smoking and adult leukemia: a meta-analysis. *Archives of Internal Medicine* 1993;153(4):469–75.
- Brownson RC, Reif JS, Keefe TJ, Ferguson SW, Pritzl JA. Risk factors for adenocarcinoma of the lung. *American Journal of Epidemiology* 1987;125(1):25–34.
- Bruner JP, Forouzan I. Smoking and buccally administered nicotine. Acute effect on uterine and umbilical artery Doppler flow velocity waveforms. *Journal of Reproductive Medicine* 1991;36(6):435–40.
- Brunet J-S, Ghadirian P, Rebbeck TR, Lerman C, Garber JE, Tonin PN, Abrahamson J, Foulkes WD, Daly M, Wagner-Costalas J, Godwin A, Olopade OI, Moslehi R, Liede A, Futreal PA, Weber BL, Lenoir GM, Lynch HT, Narod SA. Effect of smoking on breast cancer in carriers of mutant BRCA1 or BRCA2 genes. *Journal of the National Cancer Institute* 1998;90(10):761–6.
- Buckley JD, Harris RWC, Doll R, Vessey MP, Williams PT. Case-control study of the husbands of women with dysplasia or carcinoma of the cervix uteri. *Lancet* 1981;2(8254):1010–5.
- Buffler PA, Pickle LW, Mason TJ, Contant C. The causes of lung cancer in Texas. In: Mizell M, Correa P, editors. *Lung Cancer: Causes and Prevention*. Deerfield Beach (FL): Verlag Chemie International, 1984: 83–99.
- Buiatti E, Palli D, Decarli A, Amadori D, Avellini C, Bianchi S, Biserni R, Cipriani F, Cocco P, Giacosa A, Marubini E, Puntoni R, Vindigni C, Fraumeni Jr, Blot W. A case-control study of gastric cancer and diet in Italy. *International Journal of Cancer* 1989;44(4):611–6.
- Bulik CM, Sullivan PF, Epstein LH, McKee M, Kaye WH, Dahl RE, Weltzin TE. Drug use in women with anorexia and bulimia nervosa. *International Journal of Eating Disorders* 1992;11(3):213–25.
- Bulterys MG, Greenland S, Kraus JF. Chronic fetal hypoxia and sudden infant death syndrome: interaction between maternal smoking and low hematocrit during pregnancy. *Pediatrics* 1990;86(4): 535–40.
- Burch JD, Rohan TE, Howe GR, Risch HA, Hill GB, Steele R, Miller AB. Risk of bladder cancer by source and type of tobacco exposure: a case-control study. *International Journal of Cancer* 1989; 44(4):622–8.
- Burger H, de Laet CE, van Daele PL, Weel AE, Witteman JC, Hofman A, Pols HA. Risk factors for increased bone loss in elderly population: the Rotterdam Study. *American Journal of Epidemiology* 1998; 147(9):871–9.

- Burger MPM, Hollema H, Gouw ASH, Pieters WJLM, Quint WGV. Cigarette smoking and human papillomavirus in patients with reported cervical cytological abnormality. *British Medical Journal* 1993; 306(6880):749–52.
- Burns DG. Smoking in inflammatory bowel disease and the irritable bowel syndrome. *South African Medical Journal* 1986;69(4):232–3.
- Burns DM, Lee L, Shen LZ, Gilpin E, Tolley HD, Vaughn J, Shanks TG. Cigarette smoking behavior in the United States. In: Shopland DR, Burns DM, Garfinkel L, Samet JM, editors. *Changes in Cigarette-Related Disease Risks and Their Implication for Prevention and Control*. Smoking and Tobacco Control Monograph 8. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 1997a:13–42. NIH Publication No. 97-4213.
- Burns DM, Shanks TG, Choi W, Thun MJ, Heath CW Jr, Garfinkel L. The American Cancer Society Cancer Prevention Study I: 12-year followup of 1 million men and women. In: Shopland DR, Burns DM, Garfinkel L, Samet JM, editors. *Changes in Cigarette-Related Disease Risks and Their Implication for Prevention and Control*. Smoking and Tobacco Control Monograph 8. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 1997b:113–304. NIH Publication No. 97-4213.
- Burns DN, Kramer A, Yellin F, Fuchs D, Wachter H, DiGioia RA, Sanchez WC, Grossman RJ, Gordin FM, Biggar RJ, Goedert JJ. Cigarette smoking: a modifier of human immunodeficiency virus type 1 infection? *Journal of Acquired Immune Deficiency Syndromes* 1991;4(1):76–83.
- Burns DN, Landesman S, Muenz LR, Nugent RP, Goedert JJ, Minkoff H, Walsh JH, Mendez H, Rubinstein A, Willoughby A. Cigarette smoking, premature rupture of membranes, and vertical transmission of HIV-1 among women with low CD4+ levels. *Journal of Acquired Immune Deficiency Syndromes* 1994;7(7):718–26.
- Burns PB, Swanson GM. Risk of urinary bladder cancer among Blacks and Whites: the role of cigarette use and occupation. *Cancer Causes and Control* 1991;2(6):371–9.
- Burns PB, Swanson GM. Stomach cancer risk among black and white men and women: the role of occupation and cigarette smoking. *Journal of Occupational and Environmental Medicine* 1995;37(10): 1218–23.
- Burrows B, Knudson RJ, Camilli AE, Lyle SK, Lebowitz MD. The “horse-racing effect” and predicting decline in forced expiratory volume in one second from screening spirometry. *American Review of Respiratory Disease* 1987;135(4):788–93.
- Burton HR, Childs GH Jr, Andersen RA, Fleming PD. Changes in chemical composition of burley tobacco during senescence and curing. 3. Tobacco-specific nitrosamines. *Journal of Agricultural and Food Chemistry* 1989;37(2):426–30.
- Bush TL, Criqui MH, Cowan LD, Barrett-Connor E, Wallace RB, Tyroler HA, Suchindran CM, Cohn R, Rifkind BM. Cardiovascular disease mortality in women: results from the Lipid Research Clinics Follow-up Study. In: Eaker ED, Packard B, Wenger NK, Clarkson TB, Tyroler HA, editors. *Coronary Heart Disease in Women. Proceedings of an N.I.H. Workshop*. New York: Haymarket Doyma, 1987: 106–11.
- Butler TL. The Relationship of Passive Smoking to Various Health Outcomes Among Seventh-Day Adventists in California [dissertation]. Los Angeles: University of California, 1988.
- Butler C, Samet JM, Humble CG, Sweeney ES. Histopathology of lung cancer in New Mexico, 1970–1972 and 1980–1981. *Journal of the National Cancer Institute* 1987;78(1):85–90.
- Butler WJ, Ostrander LD Jr, Carman WJ, Lamphiear DE. Diabetes mellitus in Tecumseh, Michigan: prevalence, incidence, and associated conditions. *American Journal of Epidemiology* 1982;116(6):971–80.
- Buttram VC Jr, Reiter RC. Uterine leiomyomata: etiology, symptomatology, and management. *Fertility and Sterility* 1981;36(4):433–5.
- Byers T, Marshall J, Graham S, Mettlin C, Swanson M. A case-control study of dietary and nondietary factors in ovarian cancer. *Journal of the National Cancer Institute* 1983;71(4):681–6.
- Byers TE, Graham S, Haughey BP, Marshall JR, Swanson MK. Diet and lung cancer risk: findings from the Western New York Diet Study. *American Journal of Epidemiology* 1987;125(3):351–63.
- California Environmental Protection Agency. *Health Effects of Exposure to Environmental Tobacco Smoke*. Sacramento (CA): California Environmental Protection Agency, Office of Environmental Health Hazard Assessment, Reproductive and Cancer Hazard Assessment Section and Air Toxicology and Epidemiology Section, 1997.
- Callahan CM, Hall KS, Hui SL, Musick BS, Unverzagt FW, Hendrie HC. Relationship of age, education, and occupation with dementia among a

- community-based sample of African Americans. *Archives of Neurology* 1996;53(2):134–40.
- Calle EE, Miracle-McMahill HL, Thun MJ, Heath CW Jr. Cigarette smoking and risk of fatal breast cancer. *American Journal of Epidemiology* 1994;139(10):1001–7.
- Camilli AE, Burrows B, Knudson RJ, Lyle SK, Lebowitz MD. Longitudinal changes in forced expiratory volume in one second in adults: effects of smoking and smoking cessation. *American Review of Respiratory Disease* 1987;135(4):794–9.
- Camilli AE, Robbins DR, Lebowitz MD. Death certificate reporting of confirmed airways obstructive disease. *American Journal of Epidemiology* 1991;133(8):795–800.
- Camp DE, Klesges RC, Relyea G. The relationship between body weight concerns and adolescent smoking. *Health Psychology* 1993;12(1):24–32.
- Campbell MJ, Lewry J, Wailoo M. Further evidence for the effect of passive smoking on neonates. *Post-graduate Medical Journal* 1988;64(755):663–5.
- Canadian Department of National Health and Welfare. *A Canadian Study of Smoking and Health*. Canada: Department of National Health and Welfare, 1966.
- Canadian Study of Health and Aging Working Group. Canadian Study of Health and Aging: study methods and prevalence of dementia. *Canadian Medical Association Journal* 1994;150(6):899–913.
- Cardenas VM, Thun MJ, Austin H, Lally CA, Clark WS, Greenberg RS, Heath CW Jr. Environmental tobacco smoke and lung cancer mortality in the American Cancer Society's Cancer Prevention Study II. *Cancer Causes and Control* 1997;8(1):57–64.
- Carey VJ, Walters EE, Colditz GA, Solomon CG, Willett WC, Rosner BA, Speizer FE, Manson JE. Body fat distribution and risk of non-insulin-dependent diabetes mellitus in women. The Nurses' Health Study. *American Journal of Epidemiology* 1997;145(7):614–9.
- Carmody TP. Affect regulation, nicotine addiction, and smoking cessation. *Journal of Psychoactive Drugs* 1989;21(3):331–42.
- Cassano PA, Rosner B, Vokonas PS, Weiss ST. Obesity and body fat distribution in relation to the incidence of non-insulin-dependent diabetes mellitus: a prospective cohort study of men in the Normative Aging Study. *American Journal of Epidemiology* 1992;136(12):1474–86.
- Cassano PA, Segal MR, Vokonas PS, Weiss ST. Body fat distribution, blood pressure, and hypertension: a prospective cohort study of men in the Normative Aging Study. *Annals of Epidemiology* 1990;1(1):33–48.
- Cassidenti DL, Pike MC, Vijod AG, Stanczyk FZ, Lobo RA. A reevaluation of estrogen status in postmenopausal women who smoke. *American Journal of Obstetrics and Gynecology* 1992;166(5):1444–8.
- Cassidenti DL, Vijod AG, Vijod MA, Stanczyk FZ, Lobo RA. Short-term effects of smoking on the pharmacokinetic profiles of micronized estradiol in postmenopausal women. *American Journal of Obstetrics and Gynecology* 1990;163(6 Pt 1):1953–60.
- Castles A, Adams EK, Melvin CL, Kelsch C, Boulton ML. Effects of smoking during pregnancy: five meta-analyses. *American Journal of Preventive Medicine* 1999;16(3):208–15.
- Castro LC, Azen C, Hobel CJ, Platt LD. Maternal tobacco use and substance abuse: reported prevalence rates and associations with the delivery of small for gestational age neonates. *Obstetrics and Gynecology* 1993;81(3):396–401.
- Cauley JA, Gutai JP, Kuller LH, LeDonne D, Powell JG. The epidemiology of serum sex hormones in postmenopausal women. *American Journal of Epidemiology* 1989;129(6):1120–31.
- Cauley JA, Gutai JP, Kuller LH, LeDonne D, Sandler RB, Sashin D, Powell JG. Endogenous estrogen levels and calcium intakes in postmenopausal women. *Journal of the American Medical Association* 1988;260(21):3150–5.
- Cauley JA, Seeley DG, Ensrud K, Ettinger B, Black D, Cummings SR. Estrogen replacement therapy and fractures in older women. *Annals of Internal Medicine* 1995;122(1):9–16.
- Cederlöf R, Friberg L, Hrubec Z, Lorich U. *The Relationship of Smoking and Some Social Covariables to Mortality and Cancer Morbidity: A Ten Year Follow-up in a Probability Sample of 55,000 Swedish Subjects Age 18 to 69*. Stockholm: Karolinska Institute, Department of Environmental Hygiene, 1975.
- Centers for Disease Control. Effects of maternal cigarette smoking on birth weight and preterm birth—Ohio, 1989. *Morbidity and Mortality Weekly Report* 1990;39(38):662–5.
- Centers for Disease Control. Ectopic pregnancy—United States, 1988–1989. *Morbidity and Mortality Weekly Report* 1992;41(32):591–94.
- Centers for Disease Control and Prevention. Indicators of nicotine addiction among women—United States, 1991–1992. *Morbidity and Mortality Weekly Report* 1995;44(6):102–5.

- Centers for Disease Control and Prevention. Smoking-attributable mortality and years of potential life lost—United States, 1984. *Morbidity and Mortality Weekly Report* 1997;46(20):444–51.
- Chan FK, Sung JJ, Lee YT, Leung WK, Chan LY, Yung MY, Chung SC. Does smoking predispose to peptic ulcer relapse after eradication of *Helicobacter pylori*? *American Journal of Gastroenterology* 1997; 92(3):442–5.
- Chan WC, Fung SC. Lung cancer in nonsmokers in Hong Kong. In: Grundmann E, Clemmesen J, Muir CS, editors. *Geographical Pathology in Cancer Epidemiology. Cancer Campaign*. Vol. 6. New York: Gustav Fischer Verlag, 1982:199–202.
- Chao A, Thun MJ, Jacobs EI, Henley SJ, Rodriguez C, Calle EE. Cigarette smoking and colorectal cancer mortality in the Cancer Prevention Study II. *Journal of the National Cancer Institute* 2000;92(23): 1888–96.
- Chao ST, Omiecinski CJ, Namkung MJ, Nelson SD, Dvorchik BH, Juchau MR. Catechol estrogen formation in placental and fetal tissues of humans, macaques, rats and rabbits. *Developmental Pharmacology and Therapeutics* 1981;2(1):1–16.
- Chard T, MacIntosh MC. Screening for Down's syndrome [review]. *Journal of Perinatal Medicine* 1995; 23(6):421–36.
- Chatenoud L, Parazzini F, di Cintio E, Zanconato G, Benzi G, Bortolus R, La Vecchia C. Paternal and maternal smoking habits before conception and during the first trimester: relation to spontaneous abortion. *Annals of Epidemiology* 1998;8(8):520–6.
- Chelmow D, Andrew DE, Baker ER. Maternal cigarette smoking and placenta previa. *Obstetrics and Gynecology* 1996;87(5 Pt 1):703–6.
- Chen CL, Gilbert TJ, Daling JR. Maternal smoking and Down syndrome: the confounding effect of maternal age. *American Journal of Epidemiology* 1999; 149(5):442–6.
- Chen LH, Petitti DB. Case-control study of passive smoking and the risk of small-for-gestational-age at term. *American Journal of Epidemiology* 1995; 142(2):158–65.
- Chen Y, Horne SL, Dosman JA. Increased susceptibility to lung dysfunction in female smokers. *American Review of Respiratory Disease* 1991;143(6): 1224–30.
- Chen Y, Pederson LL, Lefcoe NM. Passive smoking and low birthweight [letter]. *Lancet* 1989;2(8653): 54–5.
- Cheng S, Suominen H, Heikkinen E. Bone mineral density in relation to anthropometric properties, physical activity and smoking in 75-year-old men and women. *Aging—Clinical and Experimental Research* 1993;5(1):55–62.
- Cheng S, Suominen H, Rantanen T, Parkatti T, Heikkinen E. Bone mineral density and physical activity in 50–60-year-old women. *Bone and Mineral* 1991; 12(2):123–32.
- Choi WS, Patten CA, Gillin JC, Kaplan RB, Pierce JP. Cigarette smoking predicts development of depressive symptoms among U.S. adolescents. *Annals of Behavioral Medicine* 1997;19(1):42–50.
- Chow WH, Daling JR, Cates W Jr, Greenberg RS. Epidemiology of ectopic pregnancy. *Epidemiologic Reviews* 1987;9:70–94.
- Chow WH, Daling JR, Weiss NS, Voigt LF. Maternal cigarette smoking and tubal pregnancy. *Obstetrics and Gynecology* 1988;71(2):167–70.
- Chow W-H, McLaughlin JK, Menck HR, Mack TM. Risk factors for extrahepatic bile duct cancers: Los Angeles County, California (USA). *Cancer Causes and Control* 1994;5(3):267–72.
- Chow WH, Swanson CA, Lissowska J, Groves FD, Sabin LH, Nasierowska-Guttmejer A, Radziszewski J, Regula J, Hsing AW, Jagannatha S, Zatonski W, Blot WJ. Risk of stomach cancer in relation to consumption of cigarettes, alcohol, tea and coffee in Warsaw, Poland. *International Journal of Cancer* 1999;81(6):871–6.
- Christen WG, Glynn RJ, Manson JE, Ajani UA, Buring JE. A prospective study of cigarette smoking and risk of age-related macular degeneration in men. *Journal of the American Medical Association* 1996; 276(14):1147–51.
- Christen WG, Manson JE, Seddon JM, Glynn RJ, Buring JE, Rosner B, Hennekens CH. A prospective study of cigarette smoking and risk of cataract in men. *Journal of the American Medical Association* 1992;268(8):989–93.
- Christensen K, Olsen J, Norgaard-Pedersen B, Basso O, Stovring H, Milhollin-Johnson L, Murray JC. Oral clefts, transforming growth factor alpha gene variants, and maternal smoking: a population-based case-control study in Denmark, 1991–1994. *American Journal of Epidemiology* 1999;149(3): 248–55.
- Christensen SB, Ericsson U-B, Janzon L, Tibblin S, Melander A. Influence of cigarette smoking on goiter formation, thyroglobulin, and thyroid hormone levels in women. *Journal of Clinical Endocrinology and Metabolism* 1984;58(4):615–8.
- Chu SY, Stroup NE, Wingo PA, Lee NC, Peterson HB, Gwinn ML. Cigarette smoking and the risk of breast cancer. *American Journal of Epidemiology* 1990; 131(2):244–53.

- Chung PH, Yeko TR, Mayer JC, Clark B, Welden SW, Maroulis GB. Gamete intrafallopian transfer. Does smoking play a role? *Journal of Reproductive Medicine* 1997;42(2):65–70.
- Churg A. Lung cancer cell type and occupational exposure. In: Samet JM, editor. *Epidemiology of Lung Cancer*. New York: Marcel Dekker, 1994.
- Chute CG, Willett WC, Colditz GA, Stampfer MJ, Baron JA, Rosner B, Speizer FE. A prospective study of body mass, height, and smoking on the risk of colorectal cancer in women. *Cancer Causes and Control* 1991;2(2):117–24.
- Ciruzzi M, Pramaro P, Esteban O, Rozlosnik J, Tartaglione J, Abecasis B, Cesar J, De Rosa J, Paterno C, Schargrodsky H. Case-control study of passive smoking at home and risk of acute myocardial infarction. *Journal of the American College of Cardiology* 1998;31(4):797–803.
- Clarke EA, Hatcher J, McKeown-Eyssen GE, Lickrish GM. Cervical dysplasia: association with sexual behavior, smoking, and oral contraceptive use? *American Journal of Obstetrics and Gynecology* 1985; 151(5):612–6.
- Clarke EA, Morgan RW, Newman AM. Smoking as a risk factor in cancer of the cervix: additional evidence from a case-control study. *American Journal of Epidemiology* 1982;115(1):59–66.
- Clement BJA, Fung YK. Effect of nicotine administration on calcium absorption in rat duodenum. *Pharmaceutical Sciences* 1995;1(2):67–9.
- Clements SD, Peters JE. Minimal brain dysfunctions in the school-aged child: diagnosis and treatment. *Archives of General Psychiatry* 1962;6(Mar):185–97.
- Cliver SP, Goldenberg RL, Cutter GR, Hoffman HJ, Davis RO, Nelson KG. The effect of cigarette smoking on neonatal anthropometric measurements. *Obstetrics and Gynecology* 1995;85(4):625–30.
- Cnattingius S. Does age potentiate the smoking-related risk of fetal growth retardation? *Early Human Development* 1989;20(3-4):203–11.
- Cnattingius S. Maternal age modifies the effect of maternal smoking on intrauterine growth retardation but not on late fetal death and placental abruption. *American Journal of Epidemiology* 1997;145(4):319–23.
- Cnattingius S, Axelsson O, Eklund G, Lindmark G. Smoking, maternal age, and fetal growth. *Obstetrics and Gynecology* 1985;66(4):449–52.
- Cnattingius S, Forman MR, Berendes HW, Graubard BI, Isotalo L. Effect of age, parity, and smoking on pregnancy outcome: a population-based study. *American Journal of Obstetrics and Gynecology* 1993; 168(1 Pt 1):16–21.
- Cnattingius S, Forman MR, Berendes HW, Isotalo L. Delayed childbearing and risk of adverse perinatal outcome. A population-based study. *Journal of the American Medical Association* 1992;268(7):886–90.
- Cnattingius S, Haglund B, Meirik O. Cigarette smoking as risk factor for late fetal and early neonatal death. *British Medical Journal* 1988;297(6643):258–61.
- Cnattingius S, Mills JL, Yuen J, Eriksson O, Salonen H. The paradoxical effect of smoking in preeclamptic pregnancies: smoking reduces the incidence but increases the rates of perinatal mortality, abruptio placentae, and intrauterine growth restriction. *American Journal of Obstetrics and Gynecology* 1997; 177(1):156–61.
- Cnattingius S, Nordstrom ML. Maternal smoking and feto-infant mortality: biological pathways and public health significance. *Acta Paediatrica* 1996; 85(12):1400–2.
- Coker AL, Rosenberg AJ, McCann MF, Hulka BS. Active and passive cigarette smoke exposure and cervical intraepithelial neoplasia. *Cancer Epidemiology, Biomarkers and Prevention* 1992;1(5):349–56.
- Colditz GA, Segal MR, Myers AH, Stampfer MJ, Willett W, Speizer FE. Weight change in relation to smoking cessation among women. *Journal of Smoking-Related Disorders* 1992;3(2):145–53.
- Colditz GA, Stampfer MJ, Willett WC. Diet and lung cancer: a review of the epidemiologic evidence in humans. *Archives of Internal Medicine* 1987;147(1): 157–60.
- Collaborative Group for the Study of Stroke in Young Women. Oral contraceptives and stroke in young women: associated risk factors. *Journal of the American Medical Association* 1975;231(7):718–22.
- Collins A, Landgren B-M. Reproductive health, use of estrogen and experience of symptoms in perimenopausal women: a population-based study. *Maturitas* 1995;20:101–11.
- Comstock GW, Helzlsouer KJ, Bush TL. Prediagnostic serum levels of carotenoids and vitamin E as related to subsequent cancer in Washington County, Maryland. *American Journal of Clinical Nutrition* 1991;53(Suppl 1):260S–264S.
- Comstock GW, Lundin FE Jr. Parental smoking and perinatal mortality. *American Journal of Obstetrics and Gynecology* 1967;98(5):708–18.
- Conter V, Cortinovis I, Rogari P, Riva L. Weight growth in infants born to mothers who smoked during pregnancy. *British Medical Journal* 1995; 310(6982):768–71.
- Cooper C, Inskip H, Croft P, Campbell L, Smith G, McLaren M, Coggon D. Individual risk factors for hip osteoarthritis: obesity, hip injury, and physical

- activity. *American Journal of Epidemiology* 1998; 147(6):516–22.
- Cooper C, Shah S, Hand DJ, Adams J, Compston J, Davie M, Woolf A. Screening for vertebral osteoporosis using individual risk factors. *Osteoporosis International* 1991;2(1):48–53.
- Cooper JA, Rohan TE, Cant ELM, Horsfall DJ, Tilley WD. Risk factors for breast cancer by oestrogen receptor status: a population-based case-control study. *British Journal of Cancer* 1989;59(1):119–25.
- Cornelius MD, Taylor PM, Geva D, Day NL. Prenatal tobacco and marijuana use among adolescents: effects on offspring gestational age, growth, and morphology. *Pediatrics* 1995;95(5): 738–43.
- Corrao G, Tragnone A, Caprilli R, Trallori G, Papi C, Andreoli A, Di Paolo M, Riegler G, Rigo G-P, Ferràù O, Mansi C, Ingrosso M, Valpiani D. Risk of inflammatory bowel disease attributable to smoking, oral contraception and breastfeeding in Italy: a nationwide case-control study. *International Journal of Epidemiology* 1998;27(3):397–404.
- Correa P, Fontham E, Pickle LW, Lin Y, Haenszel W. Passive smoking and lung cancer. *Lancet* 1983; 2(8350):595–7.
- Cosnes J, Carbonnel F, Beaugerie L, Le Quintrec Y, Gendre JP. Effects of cigarette smoking on the long-term course of Crohn's disease. *Gastroenterology* 1996;110(2):424–31.
- Coste J, Job-Spira N, Fernandez H. Increased risk of ectopic pregnancy with maternal cigarette smoking. *American Journal of Public Health* 1991a;81(2): 199–201.
- Coste J, Job-Spira N, Fernandez H, Papiernik E, Spira A. Risk factors for ectopic pregnancy: a case-control study in France, with special focus on infectious factors. *American Journal of Epidemiology* 1991b;133(9):839–49.
- Cottone M, Rosselli M, Orlando A, Oliva L, Puleo A, Cappello M, Traina M, Tonelli F, Pagliaro L. Smoking habits and recurrence in Crohn's disease. *Gastroenterology* 1994;106(3):643–8.
- Counsilman JJ, Mackay EV. Cigarette habits of pregnant women in Brisbane, Australia. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 1985;25(4):244–7.
- Covey LS, Glassman AH, Stetner F, Becker J. Effect of history of alcoholism or major depression on smoking cessation. *American Journal of Psychiatry* 1993;150(10):1546–7.
- Covey LS, Hughes DC, Glassman AH, Blazer DG, George LK. Ever-smoking, quitting, and psychiatric disorders: evidence from the Durham, North Carolina, Epidemiologic Catchment Area. *Tobacco Control* 1994;3(3):222–7.
- Cox ML, Khan SA, Gau DW, Cox SAL, Hodkinson HM. Determinants of forearm bone density in premenopausal women: a study in one general practice. *British Journal of General Practice* 1991; 41(346):194–6.
- Cramer DW, Schiff I, Schoenbaum SC, Gibson M, Belisle S, Albrecht B, Stillman RJ, Berger MJ, Wilson E, Stadel BV, Seibel M. Tubal infertility and the intrauterine device. *New England Journal of Medicine* 1985;312(15):941–7.
- Cramer DW, Wilson E, Stillman RJ, Berger MJ, Belisle S, Schiff I, Albrecht B, Gibson M, Stadel BV, Schoenbaum SC. The relation of endometriosis to menstrual characteristics, smoking, and exercise. *Journal of the American Medical Association* 1986; 255(14):1904–8.
- Cramer DW, Xu H, Harlow BL. Does "incessant" ovulation increase risk for early menopause? *American Journal of Obstetrics and Gynecology* 1995; 172(2 Pt 1):568–73.
- Crawley JF, Portides G. Self-reported versus measured height, weight, and body mass index amongst 16–17 year old British teenagers. *International Journal of Obesity and Related Metabolic Disorders* 1995;19(8):579–84.
- Criqui MH, Langer RD, Fronek A, Feigelson HS, Klauber MR, McCann TJ, Browner D. Mortality over a period of 10 years in patients with peripheral arterial disease. *New England Journal of Medicine* 1992;326(6):381–6.
- Criqui MH, Suarez L, Barrett-Connor E, McPhillips J, Wingard DL, Garland C. Postmenopausal estrogen use and mortality: results from a prospective study in a defined, homogeneous community. *American Journal of Epidemiology* 1988;128(3): 606–14.
- Crockett AJ, Cranston JM, Moss JR, Alpers JH. Trends in chronic obstructive pulmonary disease mortality in Australia. *Medical Journal of Australia* 1994;161(10):600–3.
- Croft P, Hannaford PC. Risk factors for acute myocardial infarction in women: evidence from the Royal College of General Practitioners' Oral Contraception Study. *British Medical Journal* 1989; 298(6667):165–8.
- Cuckle HS, Alberman E, Wald NJ, Royston P, Knight G. Maternal smoking habits and Down's syndrome. *Prenatal Diagnosis* 1990a;10(9):561–7.
- Cuckle HS, Wald NJ, Densem JW, Royston P, Knight GJ, Haddow JE, Palomaki GE, Canick JA. The effect of smoking in pregnancy on maternal serum

- alpha-fetoprotein, unconjugated oestriol, human chorionic gonadotrophin, progesterone and dehydroepiandrosterone sulphate levels. *British Journal of Obstetrics and Gynaecology* 1990b;97(3):272-4.
- Cumming RG, Mitchell P. Alcohol, smoking, and cataracts: the Blue Mountains Eye Study. *Archives of Ophthalmology* 1997;115(10):1296-303.
- Cummings SR, Black DM, Rubin SM. Lifetime risks of hip, Colles', or vertebral fracture and coronary heart disease among white postmenopausal women. *Archives of Internal Medicine* 1989;149(11):2445-8.
- Cummings SR, Nevitt MC, Browner WS, Stone K, Fox KM, Ensrud KE, Cauley J, Black D, Vogt TM. Risk factors for hip fracture in white women. *New England Journal of Medicine* 1995;332(12):767-73.
- Cunningham J, Dockery DW, Gold DR, Speizer FE. Racial differences in the association between maternal smoking during pregnancy and lung function in children. *American Journal of Respiratory and Critical Care Medicine* 1995;152(2):565-9.
- Cunningham J, Dockery DW, Speizer FE. Maternal smoking during pregnancy as a predictor of lung function in children. *American Journal of Epidemiology* 1994;139(12):1139-52.
- Cupples LA, D'Agostino RB. Some risk factors related to the annual incidence of cardiovascular disease and death using pooled repeated biennial measurements: Framingham Heart Study, 30-year follow-up. Section 34. In: Kannel WB, Wolf PA, Garrison RJ, editors. *The Framingham Study: An Epidemiological Investigation of Cardiovascular Disease*. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Heart, Lung, and Blood Institute, 1987. NIH Publication No. 87-2703.
- Curtis KM, Savitz DA, Arbuckle TE. Effects of cigarette smoking, caffeine consumption, and alcohol intake on fecundability. *American Journal of Epidemiology* 1997;146(1):32-41.
- Cuzick J, Babiker AG. Pancreatic cancer, alcohol, diabetes mellitus and gall-bladder disease. *International Journal of Cancer* 1989;43(3):415-21.
- Czeizel AE, Kodaj I, Lenz W. Smoking during pregnancy and congenital limb deficiency. *British Medical Journal* 1994;308(6942):1473-6.
- Daftari TK, Whitesides TE, Heller JG, Goodrich AC, McCarey BE, Hutton WC. Nicotine on the revascularization of bone graft. *Spine* 1994;19(8):904-11.
- Dahlgren E, Friberg L-G, Johansson S, Lindstrom B, Oden A, Samsioe G, Janson PO. Endometrial carcinoma; ovarian dysfunction—a risk factor in young women. *European Journal of Obstetrics and Gynecology and Reproductive Biology* 1991;41(2):143-50.
- Dalack GW, Glassman AH, Rivelli S, Covey L, Stettner F. Mood, major depression, and fluoxetine response in cigarette smokers. *American Journal of Psychiatry* 1995;152(3):398-403.
- Dalack GW, Meador-Woodruff JH. Smoking, smoking withdrawal and schizophrenia: case reports and a review of the literature. *Schizophrenia Research* 1996;22(2):133-41.
- Daling J, Weiss N, Spadoni L, Moore DE, Voigt L. Cigarette smoking and primary tubal infertility. In: Rosenberg MJ, editor. *Smoking and Reproductive Health*. Littleton (MA): PSG Publishing, 1987: 40-6.
- Daling JR, Madeleine MM, McKnight B, Carter JJ, Wipf GC, Ashley R, Schwartz SM, Beckmann AM, Hagensee ME, Mandelson MT, Galloway DA. The relationship of human papillomavirus-related cervical tumors to cigarette smoking, oral contraceptive use, and prior herpes simplex virus type 2 infection. *Cancer Epidemiology, Biomarkers and Prevention* 1996;5(7):541-8.
- Daling JR, Sherman KJ, Weiss NS. Risk factors for condyloma acuminatum in women. *Sexually Transmitted Diseases* 1986;13(1):16-8.
- Daly E, Gray A, Barlow D, McPherson K, Roche M, Vessey M. Measuring the impact of menopausal symptoms on quality of life. *British Medical Journal* 1993;307(6908):836-40.
- Daniel M, Martin AD. Bone mineral density and adipose tissue distribution in young women: relationship to smoking status. *Annals of Human Biology* 1995;22(1):29-42.
- Daniel M, Martin AD, Faiman C. Sex hormones and adipose tissue distribution in premenopausal cigarette smokers. *International Journal of Obesity* 1992;16(4):245-54.
- Daniell HW. Smoker's wrinkles: a study in the epidemiology of "crow's feet." *Annals of Internal Medicine* 1971;75(6):873-80.
- Daniell HW. Breast cancer and cigarette smoking [letter]. *New England Journal of Medicine* 1984;310(23):1531.
- Darrow SL, Vena J, Batt R, Zielezny M, Michalek A, Selman S. Menstrual cycle characteristics and the risk of endometriosis. *Epidemiology* 1993;4(2):135-42.
- D'Avanzo B, La Vecchia C, Franceschi S, Gallotti L, Talamini R. Cigarette smoking and colorectal cancer: a study of 1,584 cases and 2,879 controls. *Preventive Medicine* 1995a;24(6):571-9.

- D'Avanzo B, La Vecchia C, Franceschi S, Negri E, Talamini R. History of thyroid diseases and subsequent thyroid cancer risk. *Cancer Epidemiology, Biomarkers and Prevention* 1995;4(3):193-9.
- D'Avanzo B, La Vecchia C, Negri E, Parazzini F, Franceschi S. Oral contraceptive use and risk of myocardial infarction: an Italian case-control study. *Journal of Epidemiology and Community Health* 1994; 48(3):342-5.
- Davey DA, MacGillivray I. The classification and definition of the hypertensive disorders of pregnancy. *American Journal of Obstetrics and Gynecology* 1988; 158(4):882-8.
- Davies MC, Hall ML, Jacobs HS. Bone mineral loss in young women with amenorrhoea. *British Medical Journal* 1990;301(6755):790-3.
- De Cesaris R, Ranieri G, Filitti V, Bonfantino MV, Andriani A. Cardiovascular effects of cigarette smoking. *Cardiology* 1992;81(4-5):233-7.
- de Leon J, Dadvand M, Canuso C, White AO, Stanilla JK, Simpson GM. Schizophrenia and smoking: an epidemiological survey in a state hospital. *American Journal of Psychiatry* 1995;152(3):453-5.
- de Mouzon J, Spira A, Schwartz D. A prospective study of the relation between smoking and fertility. *International Journal of Epidemiology* 1988;17(2): 378-84.
- De Stefani E, Fierro L, Barrios E, Ronco A. Tobacco, alcohol, diet and risk of non-Hodgkin's lymphoma: a case-control study in Uruguay. *Leukemia Research* 1998;22(5):445-52.
- de Vet HCW, Sturmans F, Knipschild PG. The role of cigarette smoking in the etiology of cervical dysplasia. *Epidemiology* 1994;5(6):631-3.
- Dejin-Karlsson E, Hanson BS, Ostergren PO, Sjöberg NO, Marsal K. Does passive smoking in early pregnancy increase the risk of small-for-gestational-age infants? *American Journal of Public Health* 1998;88(10):1523-7.
- den Tonkelaar I, Seidell JC, van Noord PAH, Baanders-van Halewijn EA, Jacobus JH, Bruning PF. Factors influencing waist/hip ratio in randomly selected pre- and post-menopausal women in the Dom-Project (preliminary results). *International Journal of Obesity* 1989;13(6):817-24.
- den Tonkelaar I, Seidell JC, van Noord PAH, Baanders-van Halewijn EA, Ouwehand IJ. Fat distribution in relation to age, degree of obesity, smoking habits, parity and estrogen use: a cross-sectional study in 11,825 Dutch women participating in the Dom-Project. *International Journal of Obesity* 1990;14(9):753-61.
- Dennerstein L, Smith AM, Morse C, Burger H, Green A, Hopper J, Ryan M. Menopausal symptoms in Australian women. *Medical Journal of Australia* 1993;159(4):232-6.
- Devesa SS, Blot WJ, Stone BJ, Miller BA, Tarone RE, Fraumeni JF Jr. Recent cancer trends in the United States. *Journal of the National Cancer Institute* 1995; 87(3):175-82.
- Devesa SS, Shaw GL, Blot WJ. Changing patterns of lung cancer incidence by histological type. *Cancer Epidemiology, Biomarkers and Prevention* 1991;1(1): 29-34.
- Devesa SS, Silverman DT, McLaughlin JK, Brown CC, Connelly RR, Fraumeni JF Jr. Comparison of the descriptive epidemiology of urinary tract cancers. *Cancer Causes and Control* 1990;1(2):133-41.
- DiFranza JR, Lew RA. Effect of maternal cigarette smoking on pregnancy complications and sudden infant death syndrome. *Journal of Family Practice* 1995;40(4):385-94.
- Djordjevic MV, Stellman SD, Zang E. Doses of nicotine and lung carcinogens delivered to cigarette smokers. *Journal of the National Cancer Institute* 2000; 92(2):106-11.
- Dobbs SD, Strickler DP, Maxwell WA. The effects of stress and relaxation in the presence of stress on urinary pH and smoking behaviors. *Addictive Behaviors* 1981;6(4):345-53.
- Dobson AJ, Alexander HM, Heller RF, Lloyd DM. How soon after quitting smoking does risk of heart attack decline? *Journal of Clinical Epidemiology* 1991a;44(11):1247-53.
- Dobson AJ, Alexander HM, Heller RF, Lloyd DM. Passive smoking and the risk of heart attack or coronary death. *Medical Journal of Australia* 1991b; 154(12):793-7.
- Dockery DW, Speizer FE, Ferris BG Jr, Ware JH, Louis TA, Spiro A. Cumulative and reversible effects of lifetime smoking on simple tests of lung function in adults. *American Review of Respiratory Disease* 1988;137(2):286-92.
- Dodds L, Davis S, Polissar L. Population-based study of lung cancer incidence trends by histologic type, 1974-1981. *Journal of the National Cancer Institute* 1986;76(1):21-9.
- Dodge R, Cline MG, Burrows B. Comparisons of asthma, emphysema, and chronic bronchitis diagnoses in a general population sample. *American Review of Respiratory Disease* 1986;133(6):981-6.
- Dolan-Mullen P, Ramírez G, Groff JY. A meta-analysis of randomized trials of prenatal smoking cessation interventions. *American Journal of Obstetrics and Gynecology* 1994;171(5):1328-34.

- Doll R, Gray R, Hafner B, Peto R. Mortality in relation to smoking: 22 years' observations on female British doctors. *British Medical Journal* 1980; 280(6219):967-71.
- Doll R, Hill AB. Mortality of British doctors in relation to smoking: observations on coronary thrombosis. In: Haenszel W, editor. *Epidemiological Approaches to the Study of Cancer and Other Chronic Diseases*. National Cancer Institute Monograph 19. Bethesda (MD): U.S. Department of Health, Education, and Welfare, Public Health Service, National Cancer Institute, 1966:205-68.
- Doll R, Peto R. Mortality in relation to smoking: 20 years' observations on male British doctors. *British Medical Journal* 1976;2(6051):1525-36.
- Doll R, Peto R. The causes of cancer: quantitative estimates of avoidable risks of cancer in the United States today. *Journal of the National Cancer Institute* 1981;66(6):1191-308.
- Doll R, Peto R, Wheatley K, Gray R, Sutherland I. Mortality in relation to smoking: 40 years' observations on male British doctors. *British Medical Journal* 1994;309(6959):901-11.
- Dominguez-Rojas V, de Juanes-Pardo JR, Astasio-Arbiza P, Ortega-Molina P, Gordillo-Florence E. Spontaneous abortion in a hospital population: are tobacco and coffee intake risk factors? *European Journal of Epidemiology* 1994;10(6):665-8.
- Donahue RP, Abbott RD, Bloom E, Reed DM, Yano K. Central obesity and coronary heart disease in men. *Lancet* 1987;1(8537):821-4.
- Donald JM, Hooper K, Hopenhayn-Rich C. Reproductive and developmental toxicity of toluene: a review. *Environmental Health Perspectives* 1991;94: 237-44.
- Donnan GA, McNeil JJ, Adena MA, Doyle AE, O'Malley HM, Neill GC. Smoking as a risk factor for cerebral ischaemia. *Lancet* 1989;2(8664):643-7.
- Dorgan JF, Ziegler RG, Schoenberg JB, Hartge P, McAdams MJ, Falk RT, Wilcox HB, Shaw GL. Race and sex differences in associations of vegetables, fruits, and carotenoids with lung cancer risk in New Jersey (United States). *Cancer Causes and Control* 1993;4(3):273-81.
- Duffy LC, Zielezny MA, Marshall JR, Weiser MM, Byers TE, Phillips JF, Ogra PL, Graham S. Cigarette smoking and risk of clinical relapse in patients with Crohn's disease. *American Journal of Preventive Medicine* 1990;6(3):161-6.
- Duncan BB, Chambliss LE, Schmidt MI, Szklo M, Folsom AR, Carpenter MA, Crouse JR III. Correlates of body fat distribution: variation across categories of race, sex, and body mass in the atherosclerosis risk in communities study. *Annals of Epidemiology* 1995;5(3):192-200.
- Dunn N, Thorogood M, Faragher B, de Caestecker L, MacDonald TM, McCollum C, Thomas S, Mann R. Oral contraceptives and myocardial infarction: results of the MICA case-control study. *British Medical Journal* 1999;318(7198):1579-84.
- Eaker ED, Chesebro JH, Sacks FM, Wenger NK, Whisnant JP, Winston M. Cardiovascular disease in women. *Circulation* 1993;88(4 Pt 1):1999-2009.
- Egger P, Dugglesby S, Hobbs R, Fall C, Cooper C. Cigarette smoking and bone mineral density in the elderly. *Journal of Epidemiology and Community Health* 1996;50(1):47-50.
- Ekwo EE, Gosselink CA, Moawad A. Unfavorable outcome in penultimate pregnancy and premature rupture of membranes in successive pregnancy. *Obstetrics and Gynecology* 1992;80(2):166-72.
- Ekwo EE, Gosselink CA, Woolson R, Moawad A. Risks for premature rupture of amniotic membranes. *International Journal of Epidemiology* 1993; 22(3):495-503.
- Elders PJM, Netelenbos JC, Lips P, Khoe E, van Ginkel FC, Hulshof KFAM, van der Stelt PF. Perimenopausal bone mass and risk factors. *Bone and Mineral* 1989;7(3):289-99.
- Elenbogen A, Lipitz S, Mashiach S, Dor J, Levran D, Ben-Rafael Z. The effect of smoking on the outcome of in-vitro fertilization—embryo transfer. *Human Reproduction* 1991;6(2):242-4.
- Eliasson B, Attvall S, Taskinen M-R, Smith U. The insulin resistance syndrome in smokers is related to smoking habits. *Arteriosclerosis and Thrombosis* 1994;14(12):1946-50.
- Eliasson M, Hägg E, Lundblad D, Karlsson R, Bucht E. Influence of smoking and snuff use on electrolytes, adrenal and calcium regulating hormones. *Acta Endocrinologica* 1993;128(1):35-40.
- Ellard GA, Johnstone FD, Prescott RJ, Ji-Xian W, Jian-Hua M. Smoking during pregnancy: the dose dependence of birthweight deficits. *British Journal of Obstetrics and Gynaecology* 1996;103(8):806-13.
- el-Torky M, el-Zeky F, Hall JC. Significant changes in the distribution of histologic types of lung cancer. A review of 4,928 cases. *Cancer* 1990;65(10):2361-7.
- Eluf-Neto J, Booth M, Munoz N, Bosch FX, Meijer CJLM, Walboomers JMM. Human papillomavirus and invasive cervical cancer in Brazil. *British Journal of Cancer* 1994;69(1):114-9.
- Engeland A, Anderson A, Haldorsen T, Tretli S. Smoking habits and risks of cancers other than lung cancer: 28 years' follow-up of 26,000

- Norwegian men and women. *Cancer Causes and Control* 1996;7(5):497–506.
- English PB, Eskenazi B, Christianson RE. Black-white differences in serum cotinine levels among pregnant women and subsequent effects on infant birthweight. *American Journal of Public Health* 1994; 84(9):1439–43.
- Environmental Protection Agency. *Respiratory Health Effects of Passive Smoking: Lung Cancer and Other Disorders*. Washington: U.S. Environmental Protection Agency, Office of Research and Development, Office of Air and Radiation, 1992. EPA/600/6-90.
- Epidemiology Group of the Research Committee of Inflammatory Bowel Disease in Japan. Dietary and other risk factors of ulcerative colitis: a case-control study in Japan. *Journal of Clinical Gastroenterology* 1994;19(2):166–71.
- Epstein LH, Dickson BE, Ossip DJ, Stiller R, Russell PO, Winter K. Relationships among measures of smoking topography. *Addictive Behaviors* 1982;7(3): 307–10.
- Ericson A, Källén B. An epidemiological study of work with video screens and pregnancy outcome. II. A case-control study. *American Journal of Industrial Medicine* 1986;9(5):459–75.
- Ericsson U-B, Lindgärde F. Effects of cigarette smoking on thyroid function and the prevalence of goitre, thyrotoxicosis and autoimmune thyroiditis. *Journal of Internal Medicine* 1991;229(1):67–71.
- Eriksen G, Wohlert M, Ersbak V, Hvidman L, Hedegaard M, Skajaa K. Placental abruption. A case-control investigation. *British Journal of Obstetrics and Gynaecology* 1991;98(5):448–52.
- Ernster VL. The epidemiology of lung cancer in women. *Annals of Epidemiology* 1994;4(2):102–10.
- Ernster VL, Grady D, Miike R, Black D, Selby J, Kerlikowske K. Facial wrinkling in men and women, by smoking status. *American Journal of Public Health* 1995;85(1):78–82.
- Eskenazi B, Fenster L, Sidney S. A multivariate analysis of risk factors for preeclampsia. *Journal of American Medical Association* 1991;266(2):237–41.
- Eskenazi B, Gold EB, Lasley BL, Samuels SJ, Hammond SK, Wight S, O'Neill Rasor M, Hines CJ, Schenker MB. Prospective monitoring of early fetal loss and clinical spontaneous abortion among female semiconductor workers. *American Journal of Industrial Medicine* 1995a;28(6):833–46.
- Eskenazi B, Prehn AW, Christianson RE. Passive and active maternal smoking as measured by serum cotinine: the effect on birthweight. *American Journal of Public Health* 1995b;85(3):395–8.
- Evans DJ, Hoffmann RG, Kalkhoff RK, Kisseebah AH. Relationship of androgenic activity to body fat topography, fat cell morphology, and metabolic aberrations in premenopausal women. *Journal of Clinical Endocrinology and Metabolism* 1983;57(2): 304–10.
- Evans DJ, Hoffmann RG, Kalkhoff RK, Kisseebah AH. Relationship of body fat topography to insulin sensitivity and metabolic profiles in premenopausal women. *Metabolism* 1984;33(1):68–75.
- Ever-Hadani P, Seidman DS, Manor O, Harlap S. Breast feeding in Israel: maternal factors associated with choice and duration. *Journal of Epidemiology and Community Health* 1994;48(3):281–5.
- Everhart JE. Overview. In: Everhart JE, editor. *Digestive Diseases in the United States: Epidemiology and Impact*. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, 1994. NIH Publication No. 94-1447.
- Everhart JE, Byrd-Holt D, Sonnenberg A. Incidence and risk factors for self-reported peptic ulcer disease in the United States. *American Journal of Epidemiology* 1998;147(6):529–36.
- Everson RB, Sandler DP, Wilcox AJ, Schreinemachers D, Shore DL, Weinberg C. Effect of passive exposure to smoking on age at natural menopause. *British Medical Journal* 1986;293(6550):792.
- Ewertz M. Smoking and breast cancer risk in Denmark. *Cancer Causes and Control* 1990;1(1):31–7.
- Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care* 1997;20(7):1183–97.
- Eye Disease Case-Control Study Group. Risk factors for neovascular age-related macular degeneration. *Archives of Ophthalmology* 1992;110(12):1701–8.
- Facchini FS, Hollenbeck CB, Jeppesen J, Chen Y-DI, Reaven GM. Insulin resistance and cigarette smoking. *Lancet* 1992;339(8802):1128–30.
- Fagerström KO, Schneider NG, Lunell E. Effectiveness of nicotine patch and nicotine gum as individual versus combined treatments for tobacco withdrawal symptoms. *Psychopharmacology (Berlin)* 1993;111(3):271–7.
- Falk RT, Pickle LW, Brown LM, Mason TJ, Buffler PA, Fraumeni JF Jr. Effect of smoking and alcohol consumption on laryngeal cancer risk in coastal Texas. *Cancer Research* 1989;49(14):4024–9.
- Fanaroff AA, Martin RF, editors. *Neonatal-Perinatal Medicine: Diseases of the Fetus and Infant*. 3rd ed. St. Louis (MO): Mosby, 1992:166–9.

- Fang MA, Frost PJ, Iida-Klein A, Hahn TJ. Effects of nicotine on cellular function in UMR 106-01 osteoblast-like cells. *Bone* 1991;12(4):283-6.
- Feichtinger W, Papalambrou K, Poehl M, Krischker U, Neumann K. Smoking and in vitro fertilization: a meta-analysis. *Journal of Assisted Reproduction and Genetics* 1997;14(10):596-9.
- Feinleib M, Rosenberg HM, Collins JG, Delozier JE, Pokras R, Chevarley FM. Trends in COPD morbidity and mortality in the United States. *American Review of Respiratory Disease* 1989;140(3 Pt 2): S9-S18.
- Feinstein JM, Berkelhamer JE, Gruszka ME, Wong CA, Carey AE. Factors related to early termination of breast-feeding in an urban population. *Pediatrics* 1986;78(2):210-5.
- Felson DT, Anderson JJ, Naimark A, Hannan MT, Kannel WB, Meenan RF. Does smoking protect against osteoarthritis? *Arthritis and Rheumatism* 1989;32(2):166-72.
- Felson DT, Kiel DP, Anderson JJ, Kannel WB. Alcohol consumption and hip fractures: the Framingham Study. *American Journal of Epidemiology* 1988; 128(5):1102-10.
- Felson DT, Zhang Y, Hannan MT, Naimark A, Weissman B, Aliabadi P, Levy D. Risk factors for incident radiographic knee osteoarthritis in the elderly: the Framingham Study. *Arthritis and Rheumatism* 1997;40(4):728-33.
- Ferini-Strambi L, Smirne S, Garancini P, Pinto P, Franceschi M. Clinical and epidemiological aspects of Alzheimer's disease with presenile onset: a case control study. *Neuroepidemiology* 1990;9(1):39-49.
- Ferraz EM, Gray RH. A case-control study of stillbirths in northeast Brazil. *International Journal of Gynaecology and Obstetrics* 1991;34(1):13-9.
- Ferraz EM, Gray RH, Cunha TM. Determinants of preterm delivery and intrauterine growth retardation in north-east Brazil. *International Journal of Epidemiology* 1990;19(1):101-8.
- Ferrucci L, Izmirlian G, Leveille S, Phillips CL, Corti MC, Brock DB, Guralnik JM. Smoking, physical activity, and active life expectancy. *American Journal of Epidemiology* 1999;149(7):645-53.
- Feskens EJM, Kromhout D. Cardiovascular risk factors and the 25-year incidence of diabetes mellitus in middle-aged men: the Zutphen Study. *American Journal of Epidemiology* 1989;130(6):1101-8.
- Field NA, Baptiste MS, Nasca PC, Metzger BB. Cigarette smoking and breast cancer. *International Journal of Epidemiology* 1992;21(5):842-8.
- Finucane FF, Madans JH, Bush TL, Wolf PH, Kleinman JC. Decreased risk of stroke among postmenopausal hormone users. Results from a national cohort. *Archives of Internal Medicine* 1993; 153(1):73-9.
- Fiore MC, Kenford SL, Jorenby DE, Wetter DW, Smith SS, Baker TB. Two studies of the clinical effectiveness of the nicotine patch with different counseling treatments. *Chest* 1994;105(2):524-33.
- Firestein GS. Etiology and pathogenesis of rheumatoid arthritis. In: Kelley WN, Ruddy S, Harris ED Jr, Sledge CB, editors. *Textbook of Rheumatology*. Vol. 1. 5th ed. Philadelphia: W.B. Saunders, 1997: 851-97.
- Fischer S, Spiegelhalder B, Preussmann R. Preformed tobacco-specific nitrosamines in tobacco—role of nitrate and influence of tobacco type. *Carcinogenesis* 1989;10(8):1511-7.
- Fisher B. Curing the TSNA problem. *Tobacco Reporter* 2000;August:51, 53, 55-6.
- FitzSimmons J, Stahl R, Gocial B, Shapiro SS. Spontaneous abortion and endometriosis. *Fertility and Sterility* 1987;47(4):696-8.
- Flaye DE, Sullivan KN, Cullinan TR, Silver JH, White-locke RAF. Cataracts and cigarette smoking: the City Eye Study. *Eye* 1989;3(Pt 4):379-84.
- Flegal KM, Troiano RP, Pamuk ER, Kuczmarski RJ, Campbell SM. The influence of smoking cessation on the prevalence of overweight in the United States. *New England Journal of Medicine* 1995; 333(18): 1165-70.
- Fletcher CM, Peto R, Tinker C, Speizer FE. *The Natural History of Chronic Bronchitis and Emphysema. An Eight-Year Study of Early Chronic Obstructive Lung Disease in Working Men in London*. New York: Oxford University Press, 1976.
- Florack EIM, Zielhuis GA, Rolland R. Cigarette smoking, alcohol consumption, and caffeine intake and fecundability. *Preventive Medicine* 1994;23(2):175-80.
- Folsom AR, Kaye SA, Prineas RJ, Potter JD, Gapstur SM, Wallace RB. Increased incidence of carcinoma of the breast associated with abdominal adiposity in postmenopausal women. *American Journal of Epidemiology* 1990;131(5):794-803.
- Folsom AR, Kaye SA, Sellers TA, Hong C-P, Cerhan JR, Potter JD, Prineas RJ. Body fat distribution and 5-year risk of death in older women. *Journal of the American Medical Association* 1993;269(4):483-7.
- Fontham ETH. Protective dietary factors and lung cancer. *International Journal of Epidemiology* 1990; 19(Suppl 1):S32-S42.

- Fontham ETH, Correa P, Reynolds P, Wu-Williams A, Buffler PA, Greenberg RS, Chen VW, Alterman T, Boyd P, Austin DF, Liff J. Environmental tobacco smoke and lung cancer in nonsmoking women: a multicenter study. *Journal of the American Medical Association* 1994;271(22):1752–9.
- Fontham ETH, Correa P, Wu-Williams A, Reynolds P, Greenberg RS, Buffler PA, Chen VW, Boyd P, Alterman T, Austin DF, Liff J, Greenberg SD. Lung cancer in nonsmoking women: a multicenter case-control study. *Cancer Epidemiology, Biomarkers and Prevention* 1991;1(1):35–43.
- Fontham ETH, Pickle LW, Haenszel W, Correa P, Lin Y, Falk RT. Dietary vitamins A and C and lung cancer risk in Louisiana. *Cancer* 1988;62(10):2267–73.
- Forsén L, Bjartveit K, Bjørndal A, Edna T-H, Meyer HE, Schei B. Ex-smokers and risk of hip fracture. *American Journal of Public Health* 1998;88(10):1481–3.
- Forsén L, Bjørndal A, Bjartveit K, Edna T-H, Holmen J, Jessen V, Westberg G. Interaction between current smoking, leanness, and physical inactivity in the prediction of hip fracture. *Journal of Bone and Mineral Research* 1994;9(11):1671–8.
- Forster DP, Newens AJ, Kay DW, Edwardson JA. Risk factors in clinically diagnosed presenile dementia of the Alzheimer type: a case-control study in northern England. *Journal of Epidemiology and Community Health* 1995;49(3):253–8.
- Fortier I, Marcoux S, Brisson J. Passive smoking during pregnancy and the risk of delivering a small-for-gestational-age infant. *American Journal of Epidemiology* 1994;139(3):294–301.
- Fowkes FG. Aetiology of peripheral atherosclerosis. *British Medical Journal* 1989;298(6671):405–6.
- Fowkes FGR, Housley E, Riemersma RA, Macintyre CCA, Cawood EHH, Prescott RJ, Ruckley CV. Smoking, lipids, glucose intolerance, and blood pressure as risk factors for peripheral atherosclerosis compared with ischemic heart disease in the Edinburgh Artery Study. *American Journal of Epidemiology* 1992;135(4):331–40.
- Fowkes FGR, Pell JP, Donnan PT, Housley E, Lowe GDO, Riemersma RA, Prescott RJ. Sex differences in susceptibility to etiologic factors for peripheral atherosclerosis: importance of plasma fibrinogen and blood viscosity. *Arteriosclerosis and Thrombosis* 1994;14(6):862–8.
- Fox SH, Koepsell TD, Daling JR. Birth weight and smoking during pregnancy—effect modification by maternal age. *American Journal of Epidemiology* 1994;139(10):1008–115.
- Franceschi S, Boyle P, Maisonneuve P, La Vecchia C, Burt AD, Kerr DJ, MacFarlane GJ. The epidemiology of thyroid carcinoma. *Critical Reviews in Oncogenesis* 1993;4(1):24–52.
- Franceschi S, Fassina A, Talamini R, Mazzolini A, Vianello S, Bidoli E, Cizza G, La Vecchia C. The influence of reproductive and hormonal factors on thyroid cancer in women. *Revue d'Epidémiologie et de Santé Publique* 1990;38(1):27–34.
- Franceschi S, Panza E, La Vecchia C, Parazzini F, Decarli A, Porro GB. Nonspecific inflammatory bowel disease and smoking. *American Journal of Epidemiology* 1987;125(3):445–52.
- Franceschi S, Schinella D, Bidoli E, Dal Maso L, La Vecchia C, Parazzini F, Zecchin R. The influence of body size, smoking, and diet on bone density in pre- and postmenopausal women. *Epidemiology* 1996;7(4):411–4.
- Franceschi S, Serraino D, Bidoli E, Talamini R, Tirelli U, Carbone A, La Vecchia C. The epidemiology of non-Hodgkin's lymphoma in the north-east of Italy: a hospital-based case-control study. *Leukemia Research* 1989;13(6):465–72.
- Frank P, McNamee R, Hannaford PC, Kay CR. Effect of changes in maternal smoking habits in early pregnancy on infant birthweight. *British Journal of General Practice* 1994;44(379):57–9.
- Franks AL, Kendrick JS, Tyler CW Jr. Postmenopausal smoking, estrogen replacement therapy, and the risk of endometrial cancer. *American Journal of Obstetrics and Gynecology* 1987a;156(1):20–3.
- Franks AL, Lee NC, Kendrick JS, Rubin GL, Layde PM. Cigarette smoking and the risk of epithelial ovarian cancer. *American Journal of Epidemiology* 1987b;126(1):112–7.
- Frati AC, Iniestra F, Ariza CR. Acute effect of cigarette smoking on glucose tolerance and other cardiovascular risk factors. *Diabetes Care* 1996;19(2):112–8.
- Fratiglioni L, Viitanen M, von Strauss E, Tontodonati V, Herlitz A, Winblad B. Very old women at highest risk of dementia and Alzheimer's disease: incidence data from the Kungsholmen Project, Stockholm. *Neurology* 1997;48:132–8.
- Fraumeni JF Jr, Devesa SS, McLaughlin JK, Stanford JL. Biliary tract cancer. In: Schottenfeld D, Fraumeni JF Jr, editors. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press, 1996:794–805.
- Freedman DS, Tolbert PE, Coates R, Brann EA, Kjeldsberg CR. Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men. *American Journal of Epidemiology* 1998;148(9):833–41.

- Freestone S, Ramsay LE. Effect of coffee and cigarette smoking on the blood pressure of untreated and diuretic-treated hypertensive patients. *American Journal of Medicine* 1982;73(3):348–53.
- French SA, Jeffery RW, Forster JL, McGovern PG, Kelder SH, Baxter JE. Predictors of weight change over two years among a population of working adults: the Healthy Worker Project. *International Journal of Obesity* 1994;18(3):145–54.
- Frette C, Barrett-Connor E, Clausen JL. Effect of active and passive smoking on ventilatory function in elderly men and women. *American Journal of Epidemiology* 1996;143(8):757–65.
- Freund KM, Belanger AJ, D'Agostino RB, Kannel WB. The health risks of smoking. The Framingham Study: 34 years of follow-up. *Annals of Epidemiology* 1993;3(4):417–24.
- Friedman AJ, Ravnikar VA, Barbieri RL. Serum steroid hormone profiles in postmenopausal smokers and nonsmokers. *Fertility and Sterility* 1987;47(3):398–401.
- Friedman GD. Cigarette smoking, leukemia, and multiple myeloma. *Annals of Epidemiology* 1993;3(4): 425–8.
- Friedman GD, Kannel WB, Dawber TR. The epidemiology of gallbladder disease: observations in the Framingham Study. *Journal of Chronic Diseases* 1966; 19(3):273–92.
- Friedman GD, Siegelaub AB, Seltzer CC. Cigarettes, alcohol, coffee and peptic ulcer. *New England Journal of Medicine* 1974;290(9):469–73.
- Friedman GD, Tekawa I, Sadler M, Sidney S. Smoking and mortality: the Kaiser Permanente experience. In: Shopland DR, Burns DM, Garfinkel L, Samet J, editors. *Changes in Cigarette Related Disease Risks and Their Implication for Prevention and Control*. Smoking and Tobacco Control Monograph 8. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 1997:477–99. NIH Publication No. 97-4213.
- Frith CD. Smoking behaviour and its relation to the smoker's immediate experience. *British Journal of Social and Clinical Psychology* 1971;10(1):73–8.
- Fuchs CS, Colditz GA, Stampfer MJ, Giovannucci EL, Hunter DJ, Rimm EB, Willett WC, Speizer FE. A prospective study of cigarette smoking and the risk of pancreatic cancer. *Archives of Internal Medicine* 1996;156(19):2255–60.
- Fujita Y, Katsumata K, Unno A, Tawa T, Tokita A. Factors affecting peak bone density in Japanese women. *Calcified Tissue International* 1999;64(2):107–11.
- Fuxe K, Andersson K, Eneroth P, Härfstrand A, Agnati L. Neuroendocrine actions of nicotine and of exposure to cigarette smoke: medical implications. *Psychoneuroendocrinology* 1989;14(1–2):19–41.
- Galanti MR, Hansson L, Lund E, Bergström R, Grimelius L, Stalsberg H, Carlsen E, Baron JA, Persson I, Ekbom A. Reproductive history and cigarette smoking as risk factors for thyroid cancer in women: a population-based case-control study. *Cancer Epidemiology, Biomarkers and Prevention* 1996; 5(6):425–31.
- Galanti MR, Lambe M, Ekbom A, Sparén P, Pettersson B. Parity and risk of thyroid cancer: a nested case-control study of a nationwide Swedish cohort. *Cancer Causes and Control* 1995a;6(1):37–44.
- Galanti MR, Sparén P, Karlsson A, Grimelius L, Ekbom A. Is residence in areas of endemic goiter a risk factor for thyroid cancer? *International Journal of Cancer* 1995b;61(5):615–21.
- Gammon MD, Hibshoosh H, Terry MB, Bose S, Schoenberg JB, Brinton LA, Bernstein JL, Thompson WD. Cigarette smoking and other risk factors in relation to p53 expression in breast cancer among young women. *Cancer Epidemiology, Biomarkers and Prevention* 1999;8(3):255–63.
- Gammon MD, Schoenberg JB, Ahsan H, Risch HA, Vaughan TL, Chow WH, Rotterdam H, West AB, Dubrow R, Stanford JL, Mayne ST, Farrow DC, Niwa S, Blot WJ, Fraumeni JF Jr. Tobacco, alcohol, and socioeconomic status and adenocarcinomas of the esophagus and gastric cardia. *Journal of the National Cancer Institute* 1997;89(17):1277–84.
- Gammon MD, Schoenberg JB, Teitelbaum SL, Brinton LA, Potischman N, Swanson CA, Brogan DJ, Coates RJ, Malone KE, Stanford JL. Cigarette smoking and breast cancer risk among young women (United States). *Cancers Causes and Control* 1998;9(6):583–90.
- Gao Y-T, Blot WJ, Zheng W, Ershow AG, Hsu CW, Levin LI, Zhang R, Fraumeni JF Jr. Lung cancer among Chinese women. *International Journal of Cancer* 1987;40(5):604–9.
- Garfinkel L. Cancer mortality in nonsmokers: prospective study by the American Cancer Society. *Journal of the National Cancer Institute* 1980;65(5): 1169–73.
- Garfinkel L. Time trends in lung cancer mortality among nonsmokers and a note on passive smoking. *Journal of the National Cancer Institute* 1981; 66(6):1061–6.
- Garfinkel L. Selection, follow-up, and analysis in the American Cancer Society prospective studies. *National Cancer Institute Monographs* 1985;67:49–52.

- Garfinkel L, Auerbach O, Joubert L. Involuntary smoking and lung cancer: a case-control study. *Journal of the National Cancer Institute* 1985;75(3): 463-9.
- Garfinkel L, Boffetta P. Association between smoking and leukemia in two American Cancer Society prospective studies. *Cancer* 1990;65(10):2356-60.
- Garfinkel L, Stellman SD. Smoking and lung cancer in women: findings in a prospective study. *Cancer Research* 1988;48(23):6951-5.
- Garland C, Barrett-Connor E, Suarez L, Criqui MH, Wingard DL. Effects of passive smoking on ischemic heart disease mortality of nonsmokers: a prospective study. *American Journal of Epidemiology* 1985;121(5):645-50. [See also erratum *American Journal of Epidemiology* 1985;122(6):1112.]
- Gealy R, Zhang L, Siegfried JM, Luketich JD, Keohavong P. Comparison of mutations in the p53 and K-ras genes in lung carcinomas from smoking and nonsmoking women. *Cancer Epidemiology, Biomarkers and Prevention* 1999;8(4 Pt 1):297-302.
- Geng G-Y, Liang ZH, Zhang A-Y, Wu GL. On the relationship between smoking and female lung cancer. In: Aoki M, Hisamichi S, Tominaga S, editors. *Smoking and Health* 1987. Proceedings of the 6th World Conference on Smoking and Health; 1987 Nov 9-12; Tokyo. Amsterdam: Elsevier Science, 1988:483-6.
- Geyelin M. Philip Morris chemist says data destroyed. *Wall Street Journal* 1997 Feb 21;Sect B:6.
- Ghadirian P, Simard A, Baillargeon J. A population-based case-control study of cancer of the bile ducts and gallbladder in Quebec, Canada. *Revue d'Épidémiologie et de Santé Publique* 1993;41(2):107-12.
- Gilbert DG. *Smoking: Individual Differences, Psychopathology, and Emotion*. Philadelphia: Taylor and Francis, 1995.
- Gilbert DG, Spielberger CD. Effects of smoking on heart rate, anxiety, and feelings of success during social interaction. *Journal of Behavioral Medicine* 1987;10(6):629-38.
- Gill JS, Shipley MJ, Tsementzis SA, Hornby R, Gill SK, Hitchcock ER, Beevers DG. Cigarette smoking: a risk factor for hemorrhagic and nonhemorrhagic stroke. *Archives of Internal Medicine* 1989;149(9): 2053-7.
- Gillis CR, Hole DJ, Hawthorne VM, Boyle P. Environmental tobacco smoke 3.6. The effect of environmental tobacco smoke in two urban communities in the west of Scotland. *European Journal of Respiratory Disease* 1984;65(Suppl 133):121S-126S.
- Gindoff PR, Tidey GF. Effects of smoking on female fecundity and early pregnancy outcome. *Seminars in Reproductive Endocrinology* 1989;7(4):305-13.
- Giovannucci E, Colditz GA, Stampfer MJ, Hunter D, Rosner BA, Willett WC, Speizer FE. A prospective study of cigarette smoking and risk of colorectal adenoma and colorectal cancer in U.S. women. *Journal of the National Cancer Institute* 1994a;86(3): 192-9.
- Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA, Ascherio A, Kearney J, Willett WC. A prospective study of cigarette smoking and risk of colorectal adenoma and colorectal cancer in U.S. men. *Journal of the National Cancer Institute* 1994b;86(3): 183-91.
- Glantz SA, Parmley WW. Passive smoking and heart disease: epidemiology, physiology, and biochemistry. *Circulation* 1991;83(1):1-12.
- Glantz SA, Parmley WW. Passive smoking and heart disease: mechanisms and risk. *Journal of the American Medical Association* 1995;273(13):1047-53.
- Glantz SA, Parmley WW. Passive and active smoking: a problem for adults. *Circulation* 1996;94(4):596-8.
- Glassman AH. Cigarette smoking and its comorbidity. In: Onken LS, Blaine JD, Genser S, Horton AM, editors. *National Institute on Drug Abuse. Treatment of Drug-Dependent Individuals with Comorbid Mental Disorders*. NIDA Research Monograph 172. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute on Drug Abuse, 1997:52-60.
- Glassman AH, Helzer JE, Covey LS, Cottler LB, Stetner F, Tipp JE, Johnson J. Smoking, smoking cessation, and major depression. *Journal of the American Medical Association* 1990;264(12):1546-9.
- Glassman AH, Stetner F, Walsh BT, Raizman PS, Fleiss JL, Cooper TB, Covey LS. Heavy smokers, smoking cessation, and clonidine: results of a double-blind, randomized trial. *Journal of the American Medical Association* 1988;259(19):2863-6.
- Godwin-Austen RB, Lee PN, Marmot MG, Stern GM. Smoking and Parkinson's disease. *Journal of Neurology, Neurosurgery, and Psychiatry* 1982;45(7): 577-81.
- Goff DC, Henderson DC, Amico E. Cigarette smoking in schizophrenia: relationship to psychopathology and medication side effects. *American Journal of Psychiatry* 1992;149(9):1189-94.
- Gofin R, Kark JD, Friedlander Y. Cigarette smoking, blood pressure and pulse rate in the Jerusalem Lipid Research Clinic Prevalence Study. *Israel Journal of Medical Sciences* 1982;18(12):1217-22.

- Gold EB, Bush T, Chee E. Risk factors for secondary amenorrhea and galactorrhea. *International Journal of Fertility and Menopausal Studies* 1994;39(3):177-84.
- Golding J. Sudden infant death syndrome and parental smoking—a literature review [Review]. *Paediatric and Perinatal Epidemiology* 1997;11(1): 67-77.
- Gonen R, Hannah ME, Milligan JE. Does prolonged preterm premature rupture of the membranes predispose to abruptio placentae? *Obstetrics and Gynecology* 1989;74(3 Pt 1):347-50.
- Goodman DS. Overview of current knowledge of metabolism of vitamin A and carotenoids. *Journal of the National Cancer Institute* 1984;73(6):1375-9.
- Goodman E, Capitman J. Depressive symptoms and cigarette smoking among teens. *Pediatrics* 2000; 106(4):748-55.
- Goodman MT, Kolonel LN, Wilkens LR. The association of body size, reproductive factors and thyroid cancer. *British Journal of Cancer* 1992;66(6):1180-4.
- Goodman MT, Moriwaki H, Vaeth M, Akiba S, Hayabuchi H, Mabuchi K. Prospective cohort study of risk factors for primary liver cancer in Hiroshima and Nagasaki, Japan. *Epidemiology* 1995;6(1): 36-41.
- Goodman-Gruen D, Barrett-Connor E. Sex hormone-binding globulin and glucose tolerance in postmenopausal women. The Rancho Bernardo Study. *Diabetes Care* 1997;20(4):645-9.
- Gori GB, Lynch CJ. Analytical cigarette yields as predictors of smoke bioavailability. *Regulatory Toxicology and Pharmacology* 1985;5(3):314-26.
- Graham DY, Lew GM, Klein PD, Evans DG, Evans DJ Jr, Saeed ZA, Malaty HM. Effect of treatment of *Helicobacter pylori* infection on the long-term recurrence of gastric or duodenal ulcer: a randomized, controlled study. *Annals of Internal Medicine* 1992; 116(9):705-8.
- Grainge MJ, Coupland AC, Cliffe SJ, Chilvers CED, Hosking DJ. Cigarette smoking, alcohol and caffeine consumption, and bone mineral density in postmenopausal women. *Osteoporosis International* 1998;8(4):355-63.
- Gram IT, Austin H, Stalsberg H. Cigarette smoking and the incidence of cervical intraepithelial neoplasia, grade III, and cancer of the cervix uteri. *American Journal of Epidemiology* 1992;135(4):341-6.
- Grandinetti A, Morens DM, Reed D, MacEachern D. Prospective study of cigarette smoking and the risk of developing idiopathic Parkinson's disease. *American Journal of Epidemiology* 1994;139(12): 1129-38.
- Graves AB, Mortimer JA. Does smoking reduce the risks of Parkinson's and Alzheimer's diseases? *Journal of Smoking-Related Disorders* 1994;5(Suppl 1):79-90.
- Graves AB, van Duijn CM, Chandra V, Fratiglioni L, Heyman A, Jorm AF, Kokmen E, Kondo K, Mortimer JA, Rocca WA, Shalat SL, Soininen H, Hoffman A. Alcohol and tobacco consumption as risk factors for Alzheimer's disease: a collaborative re-analysis of case-control studies. *International Journal of Epidemiology* 1991;20(2 Suppl 2):S48-S57.
- Green MS, Jucha E, Luz Y. Blood pressure in smokers and nonsmokers: epidemiologic findings. *American Heart Journal* 1986;111(5):932-40.
- Greenberg ER, Vessey M, McPherson K, Yeates D. Cigarette smoking and cancer of the uterine cervix. *British Journal of Cancer* 1985;51(1):139-41.
- Greenberg G, Thompson SG, Meade TW. Relation between cigarette smoking and use of hormonal replacement therapy for menopausal symptoms. *Journal of Epidemiology and Community Health* 1987; 41(1):26-9.
- Greene SB, Aavedal MJ, Tyroler HA, Davis CE, Hames CG. Smoking habits and blood pressure change: a seven-year follow-up. *Journal of Chronic Diseases* 1977;30(7):401-13.
- Greenlee RT, Murray T, Bolden S, Wingo PA. Cancer Statistics, 2000. *CA: A Cancer Journal for Clinicians* 2000;50(1):7-33.
- Griffin MR, Ray WA, Fought RL, Melton LJ III. Black-white differences in fracture rates. *American Journal of Epidemiology* 1992;136(11):1378-85.
- Grisso JA, Chiu GY, Maislin G, Steinmann WC, Portale J. Risk factors for hip fractures in men: a preliminary study. *Journal of Bone and Mineral Research* 1991;6(8):865-8.
- Grisso JA, Kelsey JL, Strom BL, O'Brien LA, Maislin G, LaPann K, Samelson L, Hoffman S. Risk factors for hip fracture in black women. *New England Journal of Medicine* 1994;330(22):1555-9.
- Gritz ER, Klesges RC, Meyers AW. The smoking and body weight relationship: implications for intervention and postcessation weight control. *Society of Behavioral Medicine* 1989;11(4):144-53.
- Grodstein F, Colditz GA, Hunter DJ, Manson JE, Willett WC, Stampfer MJ. A prospective study of symptomatic gallstones in women: relation with oral contraceptives and other risk factors. *Obstetrics and Gynecology* 1994;84(2):207-14.
- Grodstein F, Stampfer MJ. Estrogen for women at varying risk of coronary disease. *Maturitas* 1998; 30(1):19-26.

- Groppelli A, Giorgi DMA, Omboni S, Parati G, Manzia G. Persistent blood pressure increase induced by heavy smoking. *Journal of Hypertension* 1992; 10(5):495–9.
- Grunberg NE. The inverse relationship between tobacco use and body weight. In: Kozlowski LT, Annis HM, Chappel HD, Glaser FB, Goodstadt MS, Israel Y, Kalant H, Sellers EM, Vingilis ER, editors. *Research Advances in Alcohol and Drug Problems*. Vol 10. New York: Plenum Press, 1990: 270–315.
- Grunberg NE, Winders SE, Wewers ME. Gender differences in tobacco use. *Health Psychology* 1991; 10(2):143–53.
- Gudmundsson JA, Ljunghall S, Bergquist C, Wide L, Nillius SJ. Increased bone turnover during gonadotropin-releasing hormone superagonist-induced ovulation inhibition. *Journal of Clinical Endocrinology and Metabolism* 1987;65(1):159–63.
- Guidotti TL, Jhangri GS. Mortality from airways disorders in Alberta, 1927–1987: an expanding epidemic of COPD, but asthma shows little change. *Journal of Asthma* 1994;31(4):277–90.
- Gustafson O, Nylund L, Carlstrom K. Does hyperandrogenism explain lower in vitro fertilization (IVF) success rates in smokers? *Acta Obstetricia et Gynecologica Scandinavica* 1996;75(2):149–56.
- Guyer B, Strobino DM, Ventura SJ, MacDorman M, Martin JA. Annual Summary of Vital Statistics. *Pediatrics* 1996;98(6):1007–19.
- Gyde SN, Prior P, Alexander F, Evans S, Taylor K, John WG, Waterhouse JAH, Allan RN. Ulcerative colitis: why is the mortality from cardiovascular disease reduced? *Quarterly Journal of Medicine* 1984;53(211):351–7.
- Haack DG, Baumann RJ, McKean HE, Jameson HD, Turbek JA. Nicotine exposure and Parkinson disease. *American Journal of Epidemiology* 1981;114(2): 191–200.
- Haapanen A, Koskenvuo M, Kaprio J, Kesäniemi YA, Heikkilä K. Carotid arteriosclerosis in identical twins discordant for cigarette smoking. *Circulation* 1989;80(1):10–6.
- Hackshaw AK, Law MR, Wald NJ. The accumulated evidence on lung cancer and environmental tobacco smoke. *British Medical Journal* 1997;315(7114): 980–8.
- Haddow JE, Knight CJ, Palomaki GE, McCarthy JE. Second-trimester serum cotinine levels in non-smokers in relation to birth weight. *American Journal of Obstetrics and Gynecology* 1988;159(2):481–4.
- Hadley CB, Main DM, Gabbe SG. Risk factors for preterm premature rupture of the fetal membranes. *American Journal of Perinatology* 1990;7(4): 374–9.
- Haenszel W, Kurihara M, Segi M, Lee RKC. Stomach cancer among Japanese in Hawaii. *Journal of the National Cancer Institute* 1972;49(4):969–88.
- Haffner SM, Stern MP, Hazuda HP, Pugh J, Patterson JK. Do upper-body and centralized adiposity measure different aspects of regional body-fat distribution? Relationship to non-insulin-dependent diabetes mellitus, lipids, and lipoproteins. *Diabetes* 1987;36(1):43–51.
- Haffner SM, Stern MP, Hazuda HP, Pugh J, Patterson JK, Malina R. Upper body and centralized adiposity in Mexican Americans and non-Hispanic whites: relationship to body mass index and other behavioral and demographic variables. *International Journal of Obesity* 1986;10(6):493–502.
- Haffner SM, Valdez RA, Morales PA, Hazuda HP, Stern MP. Decreased sex hormone-binding globulin predicts noninsulin-dependent diabetes mellitus in women but not in men. *Journal of Clinical Endocrinology and Metabolism* 1993;77(1):56–60.
- Hägg E, Asplund K. Is endocrine ophthalmopathy related to smoking? *British Medical Journal* 1987; 295(6599):634–5.
- Haglund B, Cnattingius S. Cigarette smoking as a risk factor for sudden infant death syndrome: a population-based study. *American Journal of Public Health* 1990;80(1):29–32.
- Haglund B, Cnattingius S, Nordstrom ML. Social differences in late fetal death and infant mortality in Sweden 1985–86. *Paediatric and Perinatal Epidemiology* 1993;7(1):33–44.
- Hall SM, Muñoz RF, Reus V. Smoking cessation, depression and dysphoria. *NIDA Research Monographs* 1991;105:312–3.
- Hall SM, Reus VI, Muñoz RF, Sees KL, Humfleet G, Hartz DT, Frederick S, Triffleman E. Nortriptyline and cognitive-behavioral therapy in the treatment of cigarette smoking. *Archives of General Psychiatry* 1998;55(8):683–90.
- Hallquist A, Hardell L, Degerman A, Boquist L. Thyroid cancer: reproductive factors, previous diseases, drug intake, family history and diet: a case-control study. *European Journal of Cancer Prevention* 1994;3(6):481–8.
- Halmi KA, Falk JR, Schwartz E. Binge-eating and vomiting: a survey of a college population. *Psychological Medicine* 1981;11(4):697–706.

- Halsey NA, Coberly JS, Holt E, Coreil J, Kissinger P, Moulton LH, Brutus J-R, Boulos R. Sexual behavior, smoking, and HIV-1 infection in Haitian women. *Journal of the American Medical Association* 1992;267(15):2062–6.
- Hammond EC. Smoking in relation to physical complaints. *Archives of Environmental Health* 1961;3(2): 146–64.
- Hammond EC. Smoking in relation to the death rates of one million men and women. In: Haenszel W, editor. *Epidemiological Approaches to the Study of Cancer and Other Chronic Diseases*. National Cancer Institute Monograph 19. Bethesda (MD): U.S. Department of Health, Education, and Welfare, Public Health Service, National Cancer Institute, 1966: 127–204
- Handler A, Davis F, Ferre C, Yeko T. The relationship of smoking and ectopic pregnancy. *American Journal of Public Health* 1989;79(9):1239–42.
- Handler AS, Mason ED, Rosenberg DL, Davis FG. The relationship between exposure during pregnancy to cigarette smoking and cocaine use and placenta previa. *American Journal of Obstetrics and Gynecology* 1994;170(3):884–9.
- Hankinson SE, Willett WC, Colditz GA, Seddon JM, Rosner B, Speizer FE, Stampfer MJ. A prospective study of cigarette smoking and risk of cataract surgery in women. *Journal of the American Medical Association* 1992;268(8):994–8.
- Hannaford PC, Croft PR, Kay CR. Oral contraception and stroke: evidence from the Royal College of General Practitioners' Oral Contraception Study. *Stroke* 1994;25(5):935–42.
- Hanrahan JP, Tager IB, Segal MR, Tosteson TD, Castile RG, Van Vunakis H, Weiss ST, Speizer FE. The effect of maternal smoking during pregnancy on early infant lung function. *American Review of Respiratory Disease* 1992;145(5):1129–35.
- Hansen MA. Assessment of age and risk factors on bone density and bone turnover in healthy premenopausal women. *Osteoporosis International* 1994; 4(3):123–8.
- Hansen MA, Overgaard K, Riis BJ, Christiansen C. Potential risk factors for development of postmenopausal osteoporosis—examined over a 12-year period. *Osteoporosis International* 1991;1(2): 95–102.
- Hanson RL, Narayan KMV, McCance DR, Pettitt DJ, Jacobsson LTH, Bennett PH, Knowler WC. Rate of weight gain, weight fluctuation, and incidence of NIDDM. *Diabetes* 1995;44(3):261–6.
- Hansson L-E, Baron J, Nyren O, Bergstrom R, Wolk A, Adami H-O. Tobacco, alcohol and the risk of gastric cancer: a population-based case-control study in Sweden. *International Journal of Cancer* 1994; 57(1):26–31.
- Hardy CJ, Palmer BP, Muir KR, Sutton AJ, Powell RJ. Smoking history, alcohol consumption, and systemic lupus erythematosus: a case-control study. *Annals of the Rheumatic Diseases* 1998;57(8):451–5.
- Harger JH, Hsing AW, Tuomala RE, Gibbs RS, Mead PB, Eschenbach DA, Knox GE, Polk BF. Risk factors for preterm premature rupture of fetal membranes: a multicenter case-control study. *American Journal of Obstetrics and Gynecology* 1990;163(1 Pt 1): 130–7.
- Harlap S, Baras M. Conception-waits in fertile women after stopping oral contraceptives. *International Journal of Fertility* 1984;29(2):73–80.
- Harnack LJ, Anderson KE, Zheng W, Folsom AR, Sellers TA, Kushi LH. Smoking, alcohol, coffee, and tea intake and incidence of cancer of the exocrine pancreas: the Iowa Women's Health Study. *Cancer Epidemiology, Biomarkers and Prevention* 1997;6(12): 1081–6.
- Harries AD, Baird A, Rhodes J. Non-smoking: a feature of ulcerative colitis. *British Medical Journal (Clinical Research Edition)* 1982;284(6317):706.
- Harris ED Jr. *Rheumatoid Arthritis*. Philadelphia: W.B. Saunders, 1997.
- Harris JE. Cigarette smoking among successive birth cohorts of men and women in the United States during 1900–80. *Journal of the National Cancer Institute* 1983;71(3):473–9.
- Harris MI, Flegal KM, Cowie CC, Eberhardt MS, Goldstein DE, Little RR, Wiedmeyer HM, Byrd-Holt DD. Prevalence of diabetes, impaired fasting glucose, and impaired glucose tolerance in U.S. adults. The Third National Health and Nutrition Examination Survey, 1988–1994. *Diabetes Care* 1998; 21(4):518–24.
- Harris RE, Zang EA, Anderson JI, Wynder EL. Race and sex differences in lung cancer risk associated with cigarette smoking. *International Journal of Epidemiology* 1993;22(4):592–9.
- Harris RWC, Brinton LA, Cowdell RH, Skegg DCG, Smith PG, Vessey MP, Doll R. Characteristics of women with dysplasia or carcinoma in situ of the cervix uteri. *British Journal of Cancer* 1980;42(3): 359–69.
- Harrison KL, Breen TM, Hennessy JF. The effect of patient smoking habit on the outcome of IVF and GIFT treatment. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 1990;30(4):340–2.

- Hart DJ, Spector TD. Cigarette smoking and risk of osteoarthritis in women in the general population: the Chingford Study. *Annals of the Rheumatic Diseases* 1993;52(2):93–6.
- Hartge P, Schiffman MH, Hoover R, McGowan L, Lesher L, Norris HJ. A case-control study of epithelial ovarian cancer. *American Journal of Obstetrics and Gynecology* 1989;161(1):10–6.
- Hartge P, Silverman D, Hoover R, Schairer C, Altman R, Austin D, Cantor K, Child M, Key C, Marrett LD, Mason TJ, Meigs JW, Myers MH, Narayana A, Sullivan JW, Swanson GM, Thomas D, West D. Changing cigarette habits and bladder cancer risk: a case-control study. *Journal of the National Cancer Institute* 1987;78(6):1119–25.
- Hartge P, Silverman DT, Schairer C, Hoover RN. Smoking and bladder cancer risk in blacks and whites in the United States. *Cancer Causes and Control* 1993;4(4):391–4.
- Hartsough CS, Lambert NM. Pattern and progression of drug use among hyperactives and controls: a prospective short-term longitudinal study. *Journal of Child Psychology and Psychiatry* 1987;28(4):543–53.
- Hartz AJ, Rupley DC, Rimm AA. The association of girth measurements with disease in 32,856 women. *American Journal of Epidemiology* 1984; 119(1):71–80.
- Hasenfratz M, Baldinger B, Bättig K. Nicotine or tar titration in cigarette smoking behavior? *Psychopharmacology (Berlin)* 1993;112(2–3):253–8.
- Hatchell PC, Collins AC. The influence of genotype and sex on behavioral sensitivity to nicotine in mice. *Psychopharmacology* 1980;71(1):45–9.
- Hatsukami D, Skoog K, Allen S, Bliss R. Gender and the effects of different doses of nicotine gum on tobacco withdrawal symptoms. *Experimental and Clinical Psychopharmacology* 1995;3(2):163–73.
- Hazes JMW, Dijkmans BAC, Vandenbroucke JP, de Vries RRP, Cats A. Lifestyle and the risk of rheumatoid arthritis: cigarette smoking and alcohol consumption. *Annals of the Rheumatic Diseases* 1990;49(12):980–2.
- He Y. Women's passive smoking and coronary heart disease. *Chung-Hua Yu Fang I Hsueh Tsa Chih [Chinese Journal of Preventive Medicine]* 1989;23(1):19–22.
- He J, Vupputuri S, Allen K, Prerost MR, Hughes J, Whelton PK. Passive smoking and the risk of coronary heart disease: a meta-analysis of epidemiologic studies. *New England Journal of Medicine* 1999;340(12):920–6.
- He Y, Lam TH, Li LS, Du RY, Jia GL, Huang JY, Zheng JS. Passive smoking at work as a risk factor for coronary heart disease in Chinese women who have never smoked. *British Medical Journal* 1994; 308(6925):380–4.
- He Y, Li L, Wan Z, Li L, Zheng X, Jia G. Women's passive smoking and coronary heart disease. *Chung-Hua Yu Fang I Hsueh Tsa Chih [Chinese Journal of Preventive Medicine]* 1989;23:19–22. (In Chinese)
- Hebert LE, Scherr PA, Beckett LA, Funkenstein HH, Albert MS, Chown MJ, Evans DA. Relation of smoking and alcohol consumption to incident Alzheimer's disease. *American Journal of Epidemiology* 1992;135(4):347–55.
- Heckbert SR, Stephens CR, Daling JR. Diabetes in pregnancy: maternal and infant outcome. *Paediatric and Perinatal Epidemiology* 1988;2(4):314–26.
- Heffner LJ, Sherman CB, Speizer FE, Weiss ST. Clinical and environmental predictors of preterm labor. *Obstetrics and Gynecology* 1993;81(5 Pt 1):750–7.
- Hegedüs L, Bliddal H, Karstrup S, Bech K. Thyroid stimulating immunoglobulins are not influenced by smoking in healthy subjects. *Thyroidology* 1992; 4(2):91–2.
- Hegedüs L, Karstrup S, Veiergang D, Jacobsen B, Skovsted L, Feldt-Rasmussen U. High frequency of goitre in cigarette smokers. *Clinical Endocrinology* 1985;22(3):287–92.
- Hegmann KT, Fraser AM, Keaney RP, Moser SE, Nilasena DS, Sedlars M, Higham-Gren L, Lyon JL. The effect of age at smoking initiation on lung cancer risk. *Epidemiology* 1993;4(5):444–8.
- Heineman EF, Zahm SH, McLaughlin JK, Vaught JB. Increased risk of colorectal cancer among smokers: results of a 26-year follow-up of US veterans and a review. *International Journal of Cancer* 1994; 59(6):728–38.
- Heineman EF, Zahm SH, McLaughlin JK, Vaught JB, Hrubec Z. A prospective study of tobacco use and multiple myeloma: evidence against an association. *Cancer Causes and Control* 1992;3(1):31–6.
- Heishman SJ, Taylor RC, Henningfield JE. Nicotine and smoking: a review of effects on human performance. *Experimental and Clinical Psychopharmacology* 1994;2(4):345–95.
- Heliovaara M, Aho K, Aromaa A, Knekt P, Reunonen A. Smoking and risk of rheumatoid arthritis. *Journal of Rheumatology* 1993;20(11):1830–5.
- Hellberg D, Valentin J, Nilsson S. Smoking as risk factor in cervical neoplasia [letter]. *Lancet* 1983; 2(8365–6):1497.
- Hellenbrand W, Seidler A, Robra B-P, Vieregge P, Oertel WH, Joerg J, Nischan P, Schneider E, Ulm G. Smoking and Parkinson's disease: a case-control study in Germany. *International Journal of Epidemiology* 1997;26(2):328–39.

- Helms PJ. Lung growth: implications for the development of disease. *Thorax* 1994;49(5):440-1.
- Helsing KJ, Sandler DP, Comstock GW, Chee E. Heart disease mortality in nonsmokers living with smokers. *American Journal of Epidemiology* 1988; 127(5):915-22.
- Helzer JE, Canino GJ, Hwu H-G, Bland RC, Newman S, Yeh E-K. Alcoholism: a cross-national comparison of population surveys with the Diagnostic Interview Schedule. In: Rose RM, Barrett J, editors. *Alcoholism: Origins and Outcome*. New York: Raven Press, 1988:31-47.
- Hemenway D, Azrael DR, Rimm EB, Feskanich D, Willett WC. Risk factors for wrist fracture: effect of age, cigarettes, alcohol, body height, relative weight, and handedness on the risk for distal forearm fractures in men. *American Journal of Epidemiology* 1994;140(4):361-7.
- Hemminki K, Mutanen P, Saloniemi I. Smoking and the occurrence of congenital malformations and spontaneous abortions: multivariate analysis. *American Journal of Obstetrics and Gynecology* 1983; 145(1):61-6.
- Henderson BE, Paganini-Hill A, Ross RK. Estrogen replacement therapy and protection from acute myocardial infarction. *American Journal of Obstetrics and Gynecology* 1988;159(2):312-7.
- Hennekens CH, Buring JE. Smoking and coronary heart disease in women [editorial]. *Journal of the American Medical Association* 1985;253(20):3003-4.
- Henningfield JE, London ED, Jaffe JH. Nicotine reward: studies of abuse liability and physical dependence potential. In: Engel J, Oreland L, editors. *Brain Reward Systems and Abuse*. New York: Raven Press, 1987:147-64.
- Henningfield JE, Miyasato K, Jasinski DR. Abuse liability and pharmacodynamic characteristics of intravenous and inhaled nicotine. *Journal of Pharmacology and Experimental Therapeutics* 1985;234(1): 1-12.
- Henningfield JE, Schuh LM, Jarvik ME. Pathophysiology of tobacco dependence. In: Bloom FE, Kupfer DJ, editors. *Psychopharmacology: The Fourth Generation of Progress*. New York: Raven Press, 1995: 1715-29.
- Hernandez-Avila M, Liang MH, Willett WC, Stampfer MJ, Colditz GA, Rosner B, Roberts WN, Hennekens CH, Speizer FE. Reproductive factors, smoking, and the risk for rheumatoid arthritis. *Epidemiology* 1990;1(4):285-91.
- Herrero R, Brinton LA, Reeves WC, Brenes MM, Tenorio F, de Britton RC, Gaitan E, Garcia M, Rawls WE. Invasive cervical cancer and smoking in Latin America. *Journal of the National Cancer Institute* 1989;81(3):205-11.
- Herrinton LJ, Friedman GD. Cigarette smoking and risk of non-Hodgkin's lymphoma subtypes. *Cancer Epidemiology, Biomarkers and Prevention* 1998; 7(1):25-8.
- Hertz-Pannier I, Smith AH, Holtzman D, Lipsett M, Alexeef G. Synergism between occupational arsenic exposure and smoking in the induction of lung cancer. *Epidemiology* 1992;3(1):23-31.
- Heyman A, Peterson B, Fillenbaum G, Pieper C. Consortium to Establish a Registry for Alzheimer's Disease (CERAD). Part XIV: demographic and clinical predictors of survival in patients with Alzheimer's disease. *Neurology* 1996;46(3):656-60.
- Hiatt RA, Fireman BH. Smoking, menopause, and breast cancer. *Journal of the National Cancer Institute* 1986;76(5):833-8.
- Higgins M, Keller JB, Ostrander LD. Risk factors for coronary heart disease in women: Tecumseh Community Health Study, 1959 to 1980. In: Eaker ED, Packard B, Wenger NK, Clarkson TB, Tyroler HA, editors. *Coronary Heart Disease in Women. Proceedings of an N.I.H. Workshop*. New York: Haymarket Doyma, 1987:83-9.
- Higgins MW, Enright PL, Kronmal RA, Schenker MB, Anton-Culver H, Lyles M. Smoking and lung function in elderly men and women: the Cardiovascular Health Study. *Journal of the American Medical Association* 1993;269(21):2741-8.
- Higgins MW, Kjelsberg M. Characteristics of smokers and nonsmokers in Tecumseh, Michigan. II. The distribution of selected physical measurements and physiologic variables and the prevalence of certain diseases in smokers and nonsmokers. *American Journal of Epidemiology* 1967;86(1):60-77.
- Hildesheim A, Gravitt P, Schiffman MH, Kurman RJ, Barnes W, Jones S, Tchabo J-G, Brinton LA, Copeland C, Epp J, Manos MM. Determinants of genital human papillomavirus infection in low-income women in Washington, D.C. *Sexually Transmitted Diseases* 1993;20(5):279-85.
- Hiller R, Sperduto RD, Podgor MJ, Wilson PW, Ferris FL 3rd, Colton T, D'Agostino RB, Roseman JM, Stockman ME, Milton RC. Cigarette smoking and the risk of development of lens opacities. The Framingham Studies. *Archives of Ophthalmology* 1997;115(9):1113-8.
- Himmelberger DU, Brown BW Jr, Cohen EN. Cigarette smoking during pregnancy and the occurrence of spontaneous abortion and congenital abnormality. *American Journal of Epidemiology* 1978;108(6):470-9.

- Hinds MW, Kolonel LN, Hankin JH, Lee J. Dietary vitamin A, carotene, vitamin C and risk of lung cancer in Hawaii. *American Journal of Epidemiology* 1984;119(2):227-37.
- Hirayama T. Non-smoking wives of heavy smokers have a higher risk of lung cancer: a study from Japan. *British Medical Journal* 1981;282(6259):183-5.
- Hirayama T. Cancer mortality in nonsmoking women with smoking husbands based on a large-scale cohort study in Japan. *Preventive Medicine* 1984a; 13(6):680-90.
- Hirayama T. Lung cancer in Japan: effects of nutrition and passive smoking. In: Mizell M, Correa P, editors. *Lung Cancer: Causes and Prevention*. Deerfield Beach (MA): Verlag Chemie International, 1984b:175-95.
- Hirayama T. *Life-Style and Mortality: A Large-Scale Census-Based Cohort Study in Japan. Contributions to Epidemiology and Biostatistics*. Vol. 6. New York: Karger, 1990.
- Hirayama Y. Epidemiological patterns of Parkinson's disease based on a cohort study [in Japanese]. In: *Epidemiology of Intractable Diseases Research Committee*. Tokyo: Japan Ministry of Health and Welfare 1985:219-27.
- Hirvelä H, Luukinen H, Läärä E, Laatikainen L. Risk factors of age-related maculopathy in a population 70 years of age or older. *Ophthalmology* 1996;103(6): 871-7.
- Hirvonen E, Idänppää-Heikkilä J. Cardiovascular death among women under 40 years of age using low-estrogen oral contraceptives and intrauterine devices in Finland from 1975 to 1984. *American Journal of Obstetrics and Gynecology* 1990;163(1 Pt 2): 281-4.
- Ho GYF, Kadish AS, Burk RD, Basu J, Palan PR, Mikhail M, Romney SL. HPV 16 and cigarette smoking as risk factors for high-grade cervical intra-epithelial neoplasia. *International Journal of Cancer* 1998;78(3):281-5.
- Ho SC, Chan SSG, Woo J, Leung PC, Lau J. Determinants of bone mass in the Chinese old-old population. *Osteoporosis International* 1995;5(3):161-6.
- Hoar SK, Blair A, Holmes FF, Boysen CD, Robel RJ, Hoover R, Fraumeni JF Jr. Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma. *Journal of the American Medical Association* 1986;256(9):1141-7.
- Höfer I, Nil R, Bättig K. Nicotine yield as determinant of smoke exposure indicators and puffing behavior. *Pharmacology, Biochemistry and Behavior* 1991a; 40(1):139-49.
- Höfer I, Nil R, Bättig K. Ultralow-yield cigarettes and type of ventilation: the role of ventilation blocking. *Pharmacology, Biochemistry and Behavior* 1991b;40(4):907-14.
- Hofman A, Collette HJA, Bartelds AIM. Incidence and risk factors of Parkinson's disease in The Netherlands. *Neuroepidemiology* 1989;8(6):296-9.
- Holdstock G, Savage D, Harman M, Wright R. Should patients with inflammatory bowel disease smoke? *British Medical Journal (Clinical Research Edition)* 1984;288(6414):362.
- Hole DJ, Gillis CR, Chopra C, Hawthorne VM. Passive smoking and cardiorespiratory health in a general population in the west of Scotland. *British Medical Journal* 1989;299(6696):423-7.
- Hollenbach KA, Barrett-Connor E, Edelstein SL, Holbrook T. Cigarette smoking and bone mineral density in older men and women. *American Journal of Public Health* 1993;83(9):1265-70.
- Holló I, Gergely I, Boross M. Influence of heavy smoking upon the bone mineral content of the radius of the aged and effect of tobacco smoke on the sensitivity to calcitonin of rats. *Aktuelle Gerontologie* 1979;9(8):365-8.
- Holowaty EJ, Risch HA, Miller AB, Burch JD. Lung cancer in women in the Niagara region, Ontario: a case-control study. *Canadian Journal of Public Health* 1991;82(5):304-9.
- Holt PG. Immune and inflammatory function in cigarette smokers. *Thorax* 1987;42(4):241-9.
- Holt VL, Daling JR, McKnight B, Moore DE, Stergachis A, Weiss NS. Cigarette smoking and functional ovarian cysts. *American Journal of Epidemiology* 1994;139(8):781-6.
- Holz FG, Wolfensberger TJ, Piquet B, Gross-Jendroska M, Wells JA, Minassian DC, Chisholm IH, Bird AC. Bilateral macular drusen in age-related macular degeneration: prognosis and risk factors. *Ophthalmology* 1994;101(9):1522-8.
- Honkanen R, Tupparainen M, Kröger H, Alhava E, Saarikoski S. Relationships between risk factors and fractures differ by type of fracture: a population-based study of 12192 perimenopausal women. *Osteoporosis International* 1998;8(1):25-31.
- Hood RD. An assessment of potential effects of environmental tobacco smoke on prenatal development and reproductive capacity. In: Ecobichon DJ, Wu JM, editors. *Environmental Tobacco Smoke. Proceedings of the International Symposium at McGill University, 1989*. Lexington (MA): Lexington Books, 1990:242-89.

- Hook EB, Cross PK. Cigarette smoking and Down syndrome. *American Journal of Human Genetics* 1985; 37(6):1216-24.
- Hook EB, Cross PK. Maternal cigarette smoking, Down syndrome in live births, and infant race. *American Journal of Human Genetics* 1988;42(3):482-9.
- Hoover DR. Re: Are female smokers at higher risk for lung cancer than male smokers? a case-control analysis by histologic type [letter]. *American Journal of Epidemiology* 1994;140(2):186-7.
- Hopkinson JM, Schanler RJ, Fraley JK, Garza C. Milk production by mothers of premature infants: influence of cigarette smoking. *Pediatrics* 1992; 90(6):934-8.
- Hopper JL, Seeman E. The bone density of female twins discordant for tobacco use. *New England Journal of Medicine* 1994;330(6):387-92.
- Horn-Ross PL, Ljung BM, Morrow M. Environmental factors and the risk of salivary gland cancer. *Epidemiology* 1997;8(4):414-9.
- Hornsby PP, Wilcox AJ, Weinberg CR. Cigarette smoking and disturbance of menstrual function. *Epidemiology* 1998;9(2):193-8.
- HTorta BL, Victora CG, Menezes AM, Barros FC. Environmental tobacco smoking and breastfeeding duration. *American Journal of Epidemiology* 1997; 146(2):128-33.
- Horton AW. Indoor tobacco smoke pollution: a major risk factor for both breast and lung cancer? *Cancer* 1988;62(1):6-14.
- Horwitz RI, Smaldone LF, Viscoli CM. An ecogenetic hypothesis for lung cancer in women. *Archives of Internal Medicine* 1988;148(12):2609-12.
- Houston DE, Noller KL, Melton LJ III, Selwyn BJ. The epidemiology of pelvic endometriosis. *Clinical Obstetrics and Gynecology* 1988;31(4):787-800.
- Houston DE, Noller KL, Melton LJ III, Selwyn BJ, Hardy RJ. Incidence of pelvic endometriosis in Rochester, Minnesota, 1970-1979. *American Journal of Epidemiology* 1987;125(6):959-69.
- Howard G, Wagenknecht LE, Burke GL, Diez-Roux A, Evans GW, McGovern P, Nieto J, Tell GS, for the ARIC Investigators. Cigarette smoking and progression of atherosclerosis: the Atherosclerosis Risk in Communities (ARIC) Study. *Journal of the American Medical Association* 1998;279(2):119-24.
- Howe G, Westoff C, Vessey M, Yeates D. Effects of age, cigarette smoking, and other factors on fertility: findings in a large prospective study. *British Medical Journal* 1985;290(6483):1697-700.
- Howe GR, Jain M, Burch JD, Miller AB. Cigarette smoking and cancer of the pancreas: evidence from a population-based case-control study in Toronto, Canada. *International Journal of Cancer* 1991;47(3):323-8.
- Hu J-F, Zhao X-H, Chen J-S, Fitzpatrick J, Parpia B, Campbell TC. Bone density and lifestyle characteristics in premenopausal and postmenopausal Chinese women. *Osteoporosis International* 1994; 4(6):288-97.
- Hughes JR. Clonidine, depression, and smoking cessation. *Journal of the American Medical Association* 1988;259(19):2901-2.
- Hughes JR. Tobacco withdrawal in self-quitters. *Journal of Consulting and Clinical Psychology* 1992;60(5): 689-97.
- Hughes DA, Haslam PL, Townsend PJ, Turner-Warwick M. Numerical and functional alterations in circulatory lymphocytes in cigarette smokers. *Clinical and Experimental Immunology* 1985;61(2): 459-66.
- Hughes EG, Brennan BG. Does cigarette smoking impair natural or assisted fecundity? *Fertility and Sterility* 1996;66(5):679-89.
- Hughes EG, Yeo J, Claman P, YoungLai EV, Sagle MA, Daya S, Collins JA. Cigarette smoking and the outcomes of in vitro fertilization: measurement of effect size and levels of action. *Fertility and Sterility* 1994;62(4):807-14.
- Hughes EG, YoungLai EV, Ward SM. Cigarette smoking and outcomes of in-vitro fertilization and embryo transfer: a prospective cohort study. *Human Reproduction* 1992;7(3):358-61.
- Hughes JR, Gust SW, Skoog K, Keenan RM, Fenwick JW. Symptoms of tobacco withdrawal: a replication and extension. *Archives of General Psychiatry* 1991;48(1):52-9.
- Hughes JR, Hatsukami DK, Mitchell JE, Dahlgren LA. Prevalence of smoking among psychiatric outpatients. *American Journal of Psychiatry* 1986;143(8): 993-7.
- Hull MGR, North K, Taylor H, Farrow A, Ford WCL, and the Avon Longitudinal Study of Pregnancy and Childhood Study Team. Delayed conception and active and passive smoking. *Fertility and Sterility* 2000;74(4):725-33.
- Hulley S, Grady D, Bush T, Furberg C, Herrington D, Riggs B, Vittinghoff E, for the Heart and Estrogen/progestin Replacement Study (HERS) Research Group. Randomized trial of estrogen plus progestin for secondary prevention of coronary heart disease in postmenopausal women. *Journal of the American Medical Association* 1998;280(7): 605-13.

- Humble C, Croft J, Gerber A, Casper M, Hames CG, Tyroler HA. Passive smoking and 20-year cardiovascular disease mortality among nonsmoking wives, Evans County, Georgia. *American Journal of Public Health* 1990;80(5):599–601.
- Humble CG, Samet JM, Pathak DR. Marriage to a smoker and lung cancer risk. *American Journal of Public Health* 1987a;77(5):598–602.
- Humble CG, Samet JM, Pathak DR, Skipper BJ. Cigarette smoking and lung cancer in 'Hispanic' whites and other whites in New Mexico. *American Journal of Public Health* 1985;75(2):145–8.
- Humble CG, Samet JM, Skipper BE. Use of quantified and frequency indices of vitamin A intake in a case-control study of lung cancer. *International Journal of Epidemiology* 1987b;16(3):341–6.
- Hunt IF, Murphy NJ, Henderson C, Clark VA, Jacobs RM, Johnston PK, Coulson AH. Bone mineral content in postmenopausal women: comparison of omnivores and vegetarians. *American Journal of Clinical Nutrition* 1989;50(3):517–23.
- Hunter DJ, Hankinson SE, Hough H, Gertig DM, Garcia-Closas M, Spiegelman D, Manson JE, Colditz GA, Willett WC, Speizer FE, Kelsey K. A prospective study of NAT2 acetylation genotype, cigarette smoking, and risk of breast cancer. *Carcinogenesis* 1997;18(11):2127–32.
- Hurt RD, Sachs DP, Glover ED, Offord KP, Johnston JA, Dale LC, Khayrallah MA, Schroeder DR, Glover PN, Sullivan CR, Croghan IT, Sullivan PM. A comparison of sustained-release bupropion and placebo for smoking cessation. *New England Journal of Medicine* 1997;337(17):1195–202.
- Hwang SJ, Beaty TH, Panny SR, Street NA, Joseph JM, Gordon S, McIntosh I, Francomano CA. Association study of transforming growth factor alpha (TGF alpha) TaqI polymorphism and oral clefts: indication of gene-environment interaction in a population-based sample of infants with birth defects. *American Journal of Epidemiology* 1995;141(7):629–36.
- Hyman LG, Lilienfeld AM, Ferris FL III, Fine SL. Senile macular degeneration: a case-control study. *American Journal of Epidemiology* 1983;118(2):213–27.
- Ikard FF, Tomkins S. The experience of affect as a determinant of smoking behavior: a series of validity studies. *Journal of Abnormal Psychology* 1973;81(2):172–81.
- Ingall TJ, Homer D, Baker HL Jr, Kottke BA, O'Fallon WM, Whisnant JP. Predictors of intracranial carotid artery atherosclerosis: duration of cigarette smoking and hypertension are more powerful than serum lipid levels. *Archives of Neurology* 1991;48(7):687–91.
- Inoue M, Tajima K, Hirose K, Hamajima N, Takezaki T, Hirai T, Kato T, Ohno Y. Subsite-specific risk factors for colorectal cancer: a hospital-based case-control study in Japan. *Cancer Causes and Control* 1995;6(1):14–22.
- Inoue M, Tajima K, Yamamura Y, Hamajima N, Hirose K, Nakamura S, Kodera Y, Kito T, Tominaga S. Influence of habitual smoking on gastric cancer by histologic subtype. *International Journal of Cancer* 1999;81(1):39–43.
- Inoue R, Hirayama T. Passive smoking and lung cancer in women. In: Aoki M, Hisamichi S, Tominaga S, editors. *Smoking and Health 1987. Proceedings of the 6th World Conference on Smoking and Health; 1987 Nov 9–12; Tokyo*. Amsterdam: Elsevier Science Publishers BV, 1988:283–5.
- International Agency for Research on Cancer. *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans: Tobacco Habits Other Than Smoking; Betel-Quid and Areca-Nut Chewing and Some Related Nitrosamines*. Vol. 37. Lyon (France): World Health Organization, 1985.
- International Agency for Research on Cancer. Tobacco Smoking. *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans*. Vol. 38. Lyon (France): International Agency for Research on Cancer, 1986.
- International Agency for Research on Cancer. *Environmental Carcinogenesis: Methods of Analysis and Exposure Measurement*. Vol. 9. *Passive smoking*. Lyon (France): International Agency for Research on Cancer, 1987. IARC Scientific Publication No. 81.
- International Agency for Research on Cancer. *IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans: Alcohol Drinking; Epidemiological Studies of Cancer in Humans*. Vol. 44. Lyon (France): World Health Organization, 1988.
- Ippen M, Ippen H. Approaches to a prophylaxis of skin aging. *Journal of the Society of Cosmetic Chemists* 1965;16:305–8.
- Ishibe N, Hankinson SE, Colditz GA, Spiegelman D, Willett WC, Speizer FE, Kelsey KT, Hunter DJ. Cigarette smoking, cytochrome P450 1A1 polymorphisms, and breast cancer risk in the Nurses' Health Study. *Cancer Research* 1998;58(4):667–71.
- Isoaho R, Puolijoki H, Huhti E, Kivela SL, Laippala P, Tala E. Prevalence of chronic obstructive pulmonary disease in elderly Finns. *Respiratory Medicine* 1994;88(8):571–80.

- Istvan J, Matarazzo JD. Tobacco, alcohol, and caffeine use: a review of their interrelationships. *Psychological Bulletin* 1984;95(2):301–26.
- Istvan JA, Lee WW, Buist AS, Connell JE. Relation of salivary cotinine to blood pressure in middle-aged cigarette smokers. *American Heart Journal* 1999; 137(5):928–31.
- Italian-American Cataract Study Group. Risk factors for age-related cortical, nuclear, and posterior subcapsular cataracts. *American Journal of Epidemiology* 1991;133(6):541–53.
- Ives JC, Buffler PA, Selwyn BG, Hardy RJ, Decker M. Lung cancer mortality among women employed in high-risk industries and occupations in Harris County, Texas, 1977–1980. *American Journal of Epidemiology* 1988;127(1):65–74.
- Iwase A, Aiba M, Kira S. Respiratory nicotine absorption in nonsmoking females during passive smoking. *International Archives of Occupational and Environmental Health* 1991;63(2):139–43.
- Iyasu S, Saftlas AK, Rowley DL, Koonin LM, Lawson HW, Atrash HK. The epidemiology of placenta previa in the United States, 1979 through 1987. *American Journal of Obstetrics and Gynecology* 1993; 168(5):1424–9.
- Jackson R. The Auckland Heart Study: a case-control study of coronary heart disease [dissertation]. Auckland (New Zealand): University of Auckland, 1989.
- Jaglal SB, Kreiger N, Darlington G. Past and recent physical activity and risk of hip fracture. *American Journal of Epidemiology* 1993;138(2):107–18.
- Jain M, Burch JD, Howe GR, Risch HA, Miller AB. Dietary factors and risk of lung cancer: results from a case-control study, Toronto, 1981–1985. *International Journal of Cancer* 1990;45(2):287–93.
- Jamrozik K, Broadhurst RJ, Anderson CS, Stewart-Wynne EG. The role of lifestyle factors in the etiology of stroke. A population-based case-control study in Perth, Western Australia. *Stroke* 1994; 25(1):51–9.
- Janerich DT, Thompson WD, Varela LR, Greenwald P, Chorost S, Tucci C, Zaman MB, Melamed MR, Kiely M, McKneally MF. Lung cancer and exposure to tobacco smoke in the household. *New England Journal of Medicine* 1990;323(10):632–6.
- Janowsky DS, Risch SC. Role of acetylcholine mechanisms in the affective disorders. In: Meltzer HY, Coyle JT, Kopin IJ, Bunney WE Jr, Davis KL, Schuster CR, Shader RI, Simpson GM, editors. *Psychopharmacology: The Third Generation of Progress*. New York: Raven Press, 1987:527–33.
- Jarrett M, Heitkemper MM, Shaver JF. Symptoms and self-care strategies in women with and without dysmenorrhea. *Health Care for Women International* 1995;16(2):167–78.
- Jasinski DR, Boren JJ, Henningfield JE, Johnson RE, Lange WR, Lukas SE. Progress report from the NIDA Addiction Research Center. In: *Problems of Drug Dependence 1983: Proceedings of the 45th Annual Scientific Meeting. The Committee on Problems of Drug Dependence*. NIDA Research Monograph 49. U.S. Department of Health and Human Services, Public Health Service, Alcohol, Drug Abuse, and Mental Health Administration, National Institute on Drug Abuse, 1984:69–76.
- Jedrychowski W, Becher H, Wahrendorf J, Baszcierpialek Z. A case-control study of lung cancer with special reference to the effect of air pollution in Poland. *Journal of Epidemiology and Community Health* 1990;44(2):114–20.
- Jedrychowski W, Flak E. Confronting the prenatal effects of active and passive tobacco smoking on the birth weight of children. *Central European Journal of Public Health* 1996;4(3):201–5.
- Jedrychowski W, Krzyzanowski M, Wysocki M. Are chronic wheezing and asthma-like attacks related to FEV₁ decline? the Cracow Study. *European Journal of Epidemiology* 1988;4(3):335–42.
- Jensen GF. Osteoporosis of the slender smoker revisited by the epidemiologic approach. *European Journal of Clinical Investigation* 1986;16(3):239–42.
- Jensen J, Christiansen C. Effects of smoking on serum lipoproteins and bone mineral content during postmenopausal hormone replacement therapy. *American Journal of Obstetrics and Gynecology* 1988; 159(4):820–5.
- Jensen J, Christiansen C, Rodbro P. Cigarette smoking, serum estrogens and bone loss during hormone-replacement therapy early after menopause. *New England Journal of Medicine* 1985;313(16):973–5.
- Jensen JA, Goodson WH, Hopf HW, Hunt TK. Cigarette smoking decreases tissue oxygen. *Archives of Surgery* 1991;126(9):1131–4.
- Jensen OM, Knudsen JB, McLaughlin JK, Sørensen BL. The Copenhagen case-control study of renal pelvis and ureter cancer: role of smoking and occupational exposures. *International Journal of Cancer* 1988;41(4):557–61.
- Jensen TK, Henriksen TB, Hjollund NH, Scheike T, Kolstad H, Giwercman A, Ernst E, Bonde JP, Skakkebæk NE, Olsen J. Adult and prenatal exposures to tobacco smoke as risk indicators of fertility among 430 Danish couples. *American Journal of Epidemiology* 1998;148(10):992–7.

- Jernström H, Knutsson M, Taskila P, Olsson H. Plasma prolactin in relation to menstrual cycle phase, oral contraceptive use, arousal time and smoking habits. *Contraception* 1992;46(6):543–8.
- Ji B-T, Chow W-H, Dai Q, McLaughlin JK, Benichou J, Hatch MC, Gao Y-T, Fraumeni JF Jr. Cigarette smoking and alcohol consumption and the risk of pancreatic cancer: a case-control study in Shanghai, China. *Cancer Causes and Control* 1995;6(4): 369–76.
- Jick H, Porter J, Morrison AS. Relation between smoking and age of natural menopause. *Lancet* 1977; 1(8026):1354–5.
- Jick H, Walker AM. Cigarette smoking and ulcerative colitis. *New England Journal of Medicine* 1983;308(5): 261–3.
- Jöckel KH, Pohlabeln H, Ahrens W, Krauss M. Environmental tobacco smoke and lung cancer. *Epidemiology* 1998;9(6):672–5.
- Joesoef MR, Beral V, Aral SO, Rolfs RT, Cramer DW. Fertility and use of cigarettes, alcohol, marijuana, and cocaine. *Annals of Epidemiology* 1993;3(6):592–4.
- Joffe M, Li Z. Male and female factors in fertility. *American Journal of Epidemiology* 1994;140(10):921–9.
- Johansson C, Mellström D, Lerner U, Österberg T. Coffee drinking: a minor risk factor for bone loss and fractures. *Age and Ageing* 1992;21(1):20–6.
- Johansson C, Mellström D, Milsom I. Reproductive factors as predictors of bone density and fractures in women at the age of 70. *Maturitas* 1993;17(1): 39–50.
- Johnell O, Gullberg B, Kanis JA, Allander E, Elffors L, Dequeker J, Dilsen G, Gennari C, Vaz AL, Lyritis G, Mazzuoli G, Miravet L, Passeri M, Cano RP, Rapado A, Ribot C. Risk factors for hip fracture in European women: the MEDOS Study. *Journal of Bone and Mineral Research* 1995;10(11):1802–15.
- Johnell O, Nilsson BE. Life-style and bone mineral mass in perimenopausal women. *Calcified Tissue International* 1984;36(4):354–6.
- Johnsen R, Forde OH, Straume B, Burhol PG. Aetiology of peptic ulcer: a prospective population study in Norway. *Journal of Epidemiology and Community Health* 1994;48(2):156–60.
- Johnson J, Weissman MM, Klerman GL. Service utilization and social morbidity associated with depressive symptoms in the community. *Journal of the American Medical Association* 1992;267(11): 1478–83.
- Johnson J, Whitaker AH. Adolescent smoking, weight changes, and binge-purge behavior: associations with secondary amenorrhea. *American Journal of Public Health* 1992;82(1):47–54.
- Johnson KC, Hu J, Mao Y. The Canadian Cancer Registries Epidemiology Research Group. Passive and active smoking and breast cancer risk in Canada, 1994–97. *Cancer Causes and Control* 2000;11(3): 211–21.
- Johnston DE, Kaplan MM. Pathogenesis and treatment of gallstones. *New England Journal of Medicine* 1993;328(6):412–21.
- Jones G, Nguyen T, Sambrook P, Kelly PJ, Eisman JA. Progressive loss of bone in the femoral neck in elderly people: longitudinal findings from the Dubbo osteoporosis epidemiology study. *British Medical Journal* 1994;309(6956):691–5.
- Jones G, Scott FS. A cross-sectional study of smoking and bone mineral density in premenopausal parous women: effect of body mass index, breastfeeding, and sports participation. *Journal of Bone and Mineral Research* 1999;14(9):1628–33.
- Jordan JM, Renner JB, Fryer JG, Marcum SB, Woodard J, Helmick C. Smoking and osteoarthritis (OA) of the knee and hip. *Arthritis and Rheumatism* 1995; 38(9 Suppl):S342.
- Jorgensen T. Gall stones in a Danish population: relation to weight, physical activity, smoking, coffee consumption, and diabetes mellitus. *Gut* 1989; 30(4):528–34.
- Jorgensen T, Kay L, Schultz-Larsen K. The epidemiology of gallstones in a 70-year-old Danish population. *Scandinavian Journal of Gastroenterology* 1990; 25(4):335–40.
- Jorm AF, Korten AE, Henderson AS. The prevalence of dementia: a quantitative integration of the literature. *Acta Psychiatrica Scandinavica* 1987;76(5): 465–79.
- Juchau MR, Namkung J, Chao ST. Mono-oxygenase induction in the human placenta. Interrelationships among position-specific hydroxylations of 17 beta-estradiol and benzo[a]pyrene. *Drug Metabolism and Disposition* 1982;10(3):220–4.
- Juvela S, Hillbom M, Numminen H, Koskinen P. Cigarette smoking and alcohol consumption as risk factors for aneurysmal subarachnoid hemorrhage. *Stroke* 1993;24(5):639–46.
- Juvela S, Hillbom M, Palomaki H. Risk factors for spontaneous intracerebral hemorrhage. *Stroke* 1995; 26(9):1558–64.
- Kabat GC. Recent developments in the epidemiology of lung cancer. *Seminars in Surgical Oncology* 1993; 9(2):73–9.
- Kabat GC, Augustine A, Hebert JR. Re: Smoking and leukemia: evaluation of a causal hypothesis [letter]. *American Journal of Epidemiology* 1994a;139(8): 849–52.

- Kabat GC, Chang CJ, Wynder EL. The role of tobacco, alcohol use, and body mass index in oral and pharyngeal cancer. *International Journal of Epidemiology* 1994b;23(6):1137–44.
- Kabat GC, Stellman SD, Wynder EL. Relation between exposure to environmental tobacco smoke and lung cancer in lifetime nonsmokers. *American Journal of Epidemiology* 1995;142(2):141–8.
- Kabat GC, Wynder EL. Lung cancer in nonsmokers. *Cancer* 1984;53(5):1214–21.
- Kadunce DP, Burr R, Gress R, Kanner R, Lyon JL, Zone JT. Cigarette smoking: risk factor for premature facial wrinkling. *Annals of Internal Medicine* 1991;114(10):840–4.
- Kahn HA. The Dorn study of smoking and mortality among U.S. veterans: report on eight and one-half years of observation. In: Haenszel W, editor. *Epidemiological Approaches to the Study of Cancer and Other Chronic Diseases*. National Cancer Institute Monograph 19. Bethesda (MD): U.S. Department of Health, Education, and Welfare, Public Health Service, National Cancer Institute, 1966:1–27.
- Kalandidi A, Doulgerakis M, Tzonou A, Hsieh CC, Aravandinos D, Trichopoulos D. Induced abortions, contraceptive practices, and tobacco smoking as risk factors for ectopic pregnancy in Athens, Greece. *British Journal of Obstetrics and Gynaecology* 1991;98(2):207–13.
- Kalandidi A, Katsouyanni K, Voropoulou N, Bastas G, Saracci R, Trichopoulos D. Passive smoking and diet in the etiology of lung cancer among non-smokers. *Cancer Causes and Control* 1990;1(1):15–21.
- Källén K. Down's syndrome and maternal smoking in early pregnancy. *Genetic Epidemiology* 1997a;14(1):77–84.
- Källén K. Maternal smoking and orofacial clefts. *Cleft Palate-Craniofacial Journal* 1997b;34(1):11–6.
- Källén K. Maternal smoking during pregnancy and limb reduction malformations in Sweden. *American Journal of Public Health* 1997c;87(1):29–32.
- Källén K. Maternal smoking and urinary organ malformations. *International Journal of Epidemiology* 1997d;26(3):571–4.
- Källén K. Maternal smoking, body mass index, and neural tube defects. *American Journal of Epidemiology* 1998;147(12):1103–11.
- Kandel DB, Johnson JG, Bird HR, Canino G, Goodman SH, Lahey BB, Regier DA, Schwab-Stone M. Psychiatric disorders associated with substance use among children and adolescents: findings from the Methods for the Epidemiology of Child and Adolescent Mental Disorders (MECA) Study. *Journal of Abnormal Child Psychology* 1997;25(2):121–32.
- Kanner RE, Connell JE, Altose MD, Buist AS, Lee WW, Tashkin DP, Wise RA. Gender difference in airway hyperresponsiveness in smokers with mild COPD: the Lung Health Study. *American Journal of Respiratory and Critical Care Medicine* 1994;150(4):956–61.
- Karakaya A, Tunçel N, Alptuna G, Koçer Z, Erbay G. Influence of cigarette smoking on thyroid hormone levels. *Human Toxicology* 1987;6(6):507–9.
- Karakostov K. Passive smoking among pregnant women and its effect on the weight and height of the newborn. *Akusherstvoi Ginekologija (Sofia)* 1985;24(2):28–31.
- Karasek R, Gardell B, Lindell J. Work and nonwork correlates of illness and behavior in male and female Swedish white collar workers. *Journal of Occupational Behavior* 1987;8:187–207.
- Karegard M, Gennser G. Incidence and recurrence rate of abruptio placentae in Sweden. *Obstetrics and Gynecology* 1986;67(4):523–8.
- Kato I, Tominaga S, Ito Y, Kobayashi S, Yoshii Y, Matsusawa A, Kameya A, Kano T. A comparative case-control analysis of stomach cancer and atrophic gastritis. *Cancer Research* 1990;50(20):6559–64.
- Kato I, Tominaga S, Terao C. Alcohol consumption and cancers of hormone-related organs in females. *Japanese Journal of Clinical Oncology* 1989;19(3):202–7.
- Katschinski B, Fingerle D, Scherbaum B, Goebell H. Oral contraceptive use and cigarette smoking in Crohn's disease. *Digestive Diseases and Sciences* 1993;38(9):1596–600.
- Katsouyanni K, Trichopoulos D, Kalandidi A, Tomos P, Riboli E. A case-control study of air pollution and tobacco smoking in lung cancer among women in Athens. *Preventive Medicine* 1991;20(2):271–8.
- Katzman R, Aronson M, Fuld P, Kawas C, Brown T, Morgenstern H, Frishman W, Gidez L, Eder H, Ooi WL. Development of dementing illnesses in an 80-year-old volunteer cohort. *Annals of Neurology* 1989;25(4):317–24.
- Kaufman DW, Palmer JR, Rosenberg L, Stolley P, Warshawer E, Shapiro S. Tar content of cigarettes in relation to lung cancer. *American Journal of Epidemiology* 1989;129(4):703–11.
- Kaufman DW, Sloane D, Rosenberg L, Miettinen OS, Shapiro S. Cigarette smoking and age at natural menopause. *American Journal of Public Health* 1980;70(4):420–2.
- Kaur S. Lead and cadmium in maternal blood, umbilical cord blood, amniotic fluid and placenta of cows and buffaloes after foetal death (abortion)

- and after normal parturition. *Science of the Total Environment* 1989;79(3):287–90.
- Kauraniemi T. Gynecological health screening by means of questionnaire and cytology. *Acta Obstetrica et Gynecologica Scandinavica* 1969;(Suppl 4): 1–224.
- Kawachi I, Colditz GA. Invited commentary: confounding, measurement error, and publication bias in studies of passive smoking. *American Journal of Epidemiology* 1996;144(10):909–15.
- Kawachi I, Colditz GA, Speizer FE, Manson JE, Stampfer MJ, Willett WC, Hennekens CH. A prospective study of passive smoking and coronary heart disease. *Circulation* 1997a;95(10): 2374–479.
- Kawachi I, Colditz GA, Stampfer MJ, Willett WC, Manson JE, Rosner B, Hunter DJ, Hennekens CH, Speizer FE. Smoking cessation in relation to total mortality rates in women: a prospective cohort study. *Annals of Internal Medicine* 1993a;119(10): 992–1000.
- Kawachi I, Colditz GA, Stampfer MJ, Willett WC, Manson JE, Rosner B, Hunter DJ, Hennekens CH, Speizer FE. Smoking cessation and decreased risks of total mortality, stroke, and coronary heart disease incidence among women: a prospective cohort study. In: Shopland DR, Burns DM, Garfinkel L, Samet JM, editors. *Changes in Cigarette-Related Disease Risks and Their Implication for Prevention and Control*. Smoking and Tobacco Control Monograph 8. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 1997b:531–64. NIH Publication No. 97-4213.
- Kawachi I, Colditz GA, Stampfer MJ, Willett WC, Manson JE, Rosner B, Speizer FE, Hennekens CH. Smoking cessation and decreased risk of stroke in women. *Journal of the American Medical Association* 1993b;269(2):232–6.
- Kawachi I, Colditz GA, Stampfer MJ, Willett WC, Manson JE, Rosner B, Speizer FE, Hennekens CH. Smoking cessation and time course of decreased risks of coronary heart disease in middle-aged women. *Archives of Internal Medicine* 1994;154(2): 169–75.
- Kawakami N, Takatsuka N, Shimizu H, Ishibashi H. Effects of smoking on the incidence of non-insulin-dependent diabetes mellitus. Replication and extension in a Japanese cohort of male employees. *American Journal of Epidemiology* 1997; 145(2):103–9.
- Kaye SA, Folsom AR, Jacobs DR Jr, Hughes GH, Flack JM. Psychosocial correlates of body fat distribution in black and white young adults. *International Journal of Obesity* 1993;17(5):271–7.
- Kaye SA, Folsom AR, Prineas RJ, Potter JD, Gapstur SM. The association of body fat distribution with lifestyle and reproductive factors in a population study of postmenopausal women. *International Journal of Obesity* 1990;14(7):583–91.
- Keen H, Jarrett RJ, McCartney P. The ten-year follow-up of the Bedford Survey (1962–1972): glucose tolerance and diabetes. *Diabetologia* 1982;22(2):73–8.
- Kelsey JL, Browner WS, Seeley DG, Nevitt MC, Cummings SR. Risk factors for fractures of the distal forearm and proximal humerus. *American Journal of Epidemiology* 1992;135(5):477–89.
- Kelsey KT, Hankinson SE, Colditz GA, Springer K, Garcia-Closas M, Spiegelman D, Manson JE, Garland M, Stampfer MJ, Willett WC, Speizer FE, Hunter DJ. Glutathione S-transferase class μ deletion polymorphism and breast cancer: results from prevalent versus incident cases. *Cancer Epidemiology, Biomarkers and Prevention* 1997;6(7):511–5.
- Kendler KS, Neale MC, MacLean CJ, Heath AC, Eaves LJ, Kessler RC. Smoking and major depression: a causal analysis. *Archives of General Psychiatry* 1993; 50(1):36–43.
- Kessler II. Epidemiologic studies of Parkinson's disease. III. A community-based survey. *American Journal of Epidemiology* 1972;96(4):242–54.
- Kessler II, Diamond EL. Epidemiologic studies of Parkinson's disease. I. Smoking and Parkinson's disease: a survey and explanatory hypothesis. *American Journal of Epidemiology* 1971;94(1):16–25.
- Key TJA, Pike MC, Baron JA, Moore JW, Wang DY, Thomas BS, Bulbrook RD. Cigarette smoking and steroid hormones in women. *Journal of Steroid Biochemistry and Molecular Biology* 1991;39(4A):529–34.
- Key TJA, Pike MC, Brown JB, Hermon C, Allen DS, Wang DY. Cigarette smoking and urinary oestrogen excretion in premenopausal and postmenopausal women. *British Journal of Cancer* 1996; 74(8):1313–6.
- Khaw K-T, Tazuke S, Barrett-Connor E. Cigarette smoking and levels of adrenal androgens in postmenopausal women. *New England Journal of Medicine* 1988;318(26):1705–9.
- Kiel DP, Baron JA, Anderson JJ, Hannan MT, Felson DT. Smoking eliminates the protective effect of oral estrogens on the risk for hip fracture among women. *Annals of Internal Medicine* 1992;116(9): 716–21.

- Kiel DP, Zhang Y, Hannan MT, Anderson JJ, Baron JA, Felson DT. The effect of smoking at different life stages on bone mineral density in elderly men and women. *Osteoporosis International* 1996;6(3):240-8.
- Kiely J, Paneth N, Susser M. An assessment of the effects of maternal age and parity in different components of perinatal mortality. *American Journal of Epidemiology* 1986;123(3):444-53.
- Kikendall JW, Bowen PE, Burgess MB, Magnetti C, Woodward J, Langenberg P. Cigarettes and alcohol as independent risk factors for colonic adenomas. *Gastroenterology* 1989;97(3):660-4.
- Killen JD, Fortmann SP, Newman B, Varady A. Evaluation of a treatment approach combining nicotine gum with self-guided behavioral treatments for smoking relapse prevention. *Journal of Consulting and Clinical Psychology* 1990;58(1):85-92.
- Killen JD, Taylor CB, Telch MJ, Robinson TN, Maron DJ, Saylor KE. Depressive symptoms and substance use among adolescent binge eaters and purgers: a defined population study. *American Journal of Public Health* 1987;77(12):1539-41.
- Killen JD, Taylor CB, Telch MJ, Saylor KE, Maron DJ, Robinson TN. Self-induced vomiting and laxative and diuretic use among teenagers: precursors of the binge-purge syndrome? *Journal of the American Medical Association* 1986;255(11):1447-9.
- King H, Zimmet P, Raper LR, Balkau B. The natural history of impaired glucose tolerance in the Micronesian population of Nauru: a six-year follow-up study. *Diabetologia* 1984;26(1):39-43.
- Kinlen LJ, McPherson K. Pancreas cancer and coffee and tea consumption: a case-control study. *British Journal of Cancer* 1984;49(1):93-6.
- Kinnunen T, Doherty K, Militello FS, Garvey AJ. Depression and smoking cessation: characteristics of depressed smokers and effects of nicotine replacement. *Journal of Consulting and Clinical Psychology* 1996;64(4):791-8.
- Kirschner MA, Samoilik E. Sex hormone metabolism in upper and lower body obesity. *International Journal of Obesity* 1991;15(Suppl 2):101-8.
- Kirschner MA, Samoilik E, Drejka M, Szmal E, Schneider G, Ertel N. Androgen-estrogen metabolism in women with upper body versus lower body obesity. *Journal of Clinical Endocrinology and Metabolism* 1990;70(2):473-9.
- Kissebah AH, Vydelingum N, Murray R, Evans DJ, Hartz AJ, Kalkhoff RK, Adams PW. Relation of body fat distribution to metabolic complications of obesity. *Journal of Clinical Endocrinology and Metabolism* 1982;54(2):254-60.
- Kiyohara Y, Ueda K, Fujishima M. Smoking and cardiovascular disease in the general population in Japan. *Journal of Hypertension* 1990;8(Suppl 5): S9-S15.
- Kjaer SK, Engholm G, Dahl C, Bock JE. Case-control study of risk factors for cervical squamous cell neoplasia in Denmark. IV. Role of smoking habits. *European Journal of Cancer Prevention* 1996;5(5): 359-65.
- Kleerekoper M, Peterson E, Nelson D, Tilley B, Phillips E, Schork MA, Kuder J. Identification of women at risk for developing postmenopausal osteoporosis with vertebral fractures: role of history and single photon absorptiometry. *Bone and Mineral* 1989;7(2):171-86.
- Kleigman RM. Intrauterine growth retardation. In: Fanaroff AA, Martin RJ, editors. *Neonatal-Perinatal Medicine: Diseases of the Fetus and Infant*. 6th ed. St. Louis (MO): Mosby-Year Book, 1997:203-40.
- Klein BEK, Klein R, Moss SE. Prevalence of cataracts in a population-based study of persons with diabetes mellitus. *Ophthalmology* 1985;92(9):1191-6.
- Klein BEK, Klein R, Ritter LL. Relationship of drinking alcohol and smoking to prevalence of open-angle glaucoma. The Beaver Dam Eye Study. *Ophthalmology* 1993a;100(11):1609-13.
- Klein BEK, Linton KLP, Klein R, Franke T. Cigarette smoking and lens opacities: the Beaver Dam Eye Study. *American Journal of Preventive Medicine* 1993b;9(1):27-30.
- Klein R, Klein BEK. Smoke gets in your eyes too [editorial]. *Journal of the American Medical Association* 1996;276(14):1178-9.
- Klein R, Klein BEK, Linton KLP, DeMets DL. The Beaver Dam Eye Study: the relation of age-related maculopathy to smoking. *American Journal of Epidemiology* 1993c;137(2):190-200.
- Kleinbaum DG, Kupper LL, Morgenstern H. *Epidemiologic Research: Principles and Quantitative Methods*. Belmont (CA): Lifetime Learning Publications, 1982.
- Kleinman JC, Madans JH. The effects of maternal smoking, physical stature, and educational attainment on the incidence of low birth weight. *American Journal of Epidemiology* 1985;121(6):843-55.
- Kleinman JC, Pierre MB Jr, Madans JH, Land GH, Schramm WF. The effects of maternal smoking on fetal and infant mortality. *American Journal of Epidemiology* 1988;127(2):274-82.
- Klesges RC. An analysis of body image distortions in a nonpatient population. *International Journal of Eating Disorders* 1983;2(2):35-41.

- Klesges LM, Klesges RC, Cigrang JA. Discrepancies between self-reported smoking and carboxyhemoglobin: an analysis of the Second National Health and Nutrition Survey. *American Journal of Public Health* 1992;82(7):1026–9.
- Klesges RC, DePue K, Audrain J, Klesges LM, Meyers AW. Metabolic effects of nicotine gum and cigarette smoking: potential implications for postcessation weight gain? *Journal of Consulting and Clinical Psychology* 1991a;59(5):749–52.
- Klesges RC, Klesges LM. The relationship between body mass and cigarette smoking using a biochemical index of smoking exposure. *International Journal of Obesity and Related Metabolic Disorders* 1993;17(10):585–91.
- Klesges RC, Klesges LM, Meyers AW. Relationship of smoking status, energy balance, and body weight: analysis of the Second National Health and Nutrition Examination Survey. *Journal of Consulting and Clinical Psychology* 1991b;59(6):899–905.
- Klesges RC, Meyers AW, Klesges LM, LaVasque ME. Smoking, body weight, and their effects on smoking behavior: a comprehensive review of the literature. *Psychological Bulletin* 1989;106(2):204–30.
- Klesges RC, Ward KD, Ray JW, Cutter G, Jacobs DR, Wagenknecht LE. The prospective relationships between smoking, and weight in a young, biracial cohort: The CARDIA study. *Journal of Clinical Psychology* 1998;66(6):987–93.
- Klesges RC, Winders SE, Meyers AW, Eck LH, Ward KD, Hultquist CM, Ray JW, Shadish WR. How much weight gain occurs following smoking cessation? A comparison of weight gain using both continuous and point prevalence abstinence. *Journal of Consulting and Clinical Psychology* 1997;65(2):286–91.
- Kline J, Levin B, Kinney A, Stein Z, Susser M, Warburton D. Cigarette smoking and spontaneous abortion of known karyotype: precise data but uncertain inferences. *American Journal of Epidemiology* 1995;141(5):417–27.
- Kline J, Stein Z. Spontaneous abortion. In: Bracken MB, editor. *Perinatal Epidemiology*. New York: Oxford University Press, 1984:23–51.
- Kline J, Stein Z, Susser M. *Conception to Birth: Epidemiology of Prenatal Development. Monograph in Epidemiology and Biostatistics*. Vol. 14. New York: Oxford University Press, 1989.
- Kline J, Stein ZA, Susser M, Warburton D. Smoking: a risk factor for spontaneous abortion. *New England Journal of Medicine* 1977;297(15):793–6.
- Klonoff-Cohen H, Edelstein S, Savitz D. Cigarette smoking and preeclampsia. *Obstetrics and Gynecology* 1993;81(4):541–4.
- Klonoff-Cohen HS, Edelstein SL, Lefkowitz ES, Srinivasan IP, Kaegi D, Chang JC, Wiley KJ. The effect of passive smoking and tobacco exposure through breast milk on sudden infant death syndrome. *Journal of the American Medical Association* 1995;273(10):795–8.
- Knek P, Hakama M, Jarvinen R, Pukkala E, Heliovaara M. Smoking and risk of colorectal cancer. *British Journal of Cancer* 1998;78(1):136–9.
- Knek P, Reunanan A, Aho K, Heliovaara M, Rissanen A, Aromaa A, Impivaara O. Risk factors for subarachnoid hemorrhage in a longitudinal population study. *Journal of Clinical Epidemiology* 1991;44(9):933–9.
- Kneller RW, McLaughlin JK, Bjelke E, Schuman LM, Blot WJ, Wacholder S, Gridley G, CoChien HT, Fraumeni JF Jr. A cohort study of stomach cancers in a high-risk American population. *Cancer* 1991;68(3):672–8.
- Ko YE, Lee CH, Chen MJ, Huang CC, Chang WY, Lin HJ, Wang HZ, Chang PY. Risk factors for primary lung cancer among non-smoking women in Taiwan. *International Journal of Epidemiology* 1997;26(1):24–31.
- Kokmen E, Beard CM, O'Brien PC, Kurland LT. Epidemiology of dementia in Rochester, Minnesota. *Mayo Clinic Proceedings* 1996;71(3):275–82.
- Kolata G. Estrogen use tied to slight increase in risks to heart. *The New York Times* 2000 Apr 5;Sect A:1 (col 3).
- Kolonel LN, Hankin JH, Wilkens LR, Fukunaga FH, Hinds MW. An epidemiologic study of thyroid cancer in Hawaii. *Cancer Causes and Control* 1990;1(3):223–4.
- Kono S, Ikeda M, Tokudome S, Kuratsune M. A case-control study of gastric cancer and diet in northern Kyushu, Japan. *Japanese Journal of Cancer Research* 1988;79(10):1067–74.
- Koo LC. Dietary habits and lung cancer risk among Chinese females in Hong Kong who never smoked. *Nutrition and Cancer* 1988;11(3):155–72.
- Koo LC, Ho JH-C, Rylander R. Life-history correlates of environmental tobacco smoke: a study on non-smoking Hong Kong Chinese wives with smoking versus nonsmoking husbands. *Social Science and Medicine* 1988;26(7):751–60.
- Koo LC, Ho JH-C, Saw D. Is passive smoking and [sic] added risk factor for lung cancer in Chinese women? *Journal of Experimental and Clinical Cancer Research* 1984;3(3):277–83.
- Koo LC, Ho JH-C, Saw D, Ho C-Y. Measurements of

- passive smoking and estimates of lung cancer risk among non-smoking Chinese females. *International Journal of Cancer* 1987;39(2):162–9.
- Koren G, Sharav T, Pastuszak A, Garrettson LK, Hill K, Samson I, Rorem M, King A, Dolgin JE. A multicenter, prospective study of fetal outcome following accidental carbon monoxide poisoning in pregnancy. *Reproductive Toxicology* 1991;5(5):397–403.
- Korman MG, Hansky J, Eaves ER, Schmidt GT. Influence of cigarette smoking on healing and relapse in duodenal ulcer disease. *Gastroenterology* 1983;85(4):871–4.
- Koumantaki Y, Tzonou A, Koumantakis E, Kaklamani E, Aravantinos D, Trichopoulos D. A case-control study of cancer of endometrium in Athens. *International Journal of Cancer* 1989;43(5):795–9.
- Krahn D, Kurth C, Demitack M, Drewnowski A. The relationship of dieting severity and bulimic behaviors to alcohol and other drug use in young women. *Journal of Substance Abuse* 1992;4(4):341–53.
- Krall EA, Dawson-Hughes B. Smoking and bone loss among postmenopausal women. *Journal of Bone and Mineral Research* 1991;6(4):331–8.
- Kramer MD, Taylor V, Hickok DE, Daling JR, Vaughan TL, Hollenbach KA. Maternal smoking and placenta previa. *Epidemiology* 1991;2(3):221–3.
- Kratochvil P, Brandstätter G. Results of two years of long-term prevention of duodenal ulcer with cimetidine. *Medizinische Welt* 1983;34(48):1380–2.
- Kratzer W, Kachele V, Mason RA, Muche R, Hay B, Wiesneth M, Hill V, Beckh K, Adler G. Gallstone prevalence in relation to smoking, alcohol, coffee consumption, and nutrition. The Ulm Gallstone Study. *Scandinavian Journal of Gastroenterology* 1997;32(9):953–8.
- Kraus JF, Greenland S, Bulterys M. Risk factors for sudden infant death syndrome in the US Collaborative Perinatal Project. *International Journal of Epidemiology* 1989;18(1):113–20.
- Kreiger N, Gross A, Hunter G. Dietary factors and fracture in postmenopausal women: a case-control study. *International Journal of Epidemiology* 1992;21(5):953–8.
- Kreiger N, Hilditch S. Re: Cigarette smoking and estrogen-dependent diseases [letter]. *American Journal of Epidemiology* 1986;123(1):200.
- Kreuzer M, Kreienbrock L, Gerken M, Heinrich J, Bruske-Hohlfeld I, Muller K-M, Wichmann HE. Risk factors for lung cancer in young adults. *American Journal of Epidemiology* 1998;147(11):1028–37.
- Kreyberg L. Histological lung cancer types: a morphological and biological correlation. *Acta Pathologica et Microbiologica Scandinavica* 1962;157(Suppl):11–90.
- Kröger H, Laitinen K. Bone mineral density measured by dual-energy X-ray absorptiometry in normal men. *European Journal of Clinical Investigation* 1992;22(7):454–60.
- Kröger H, Tuppurainen M, Honkanen R, Alhava E, Saarikoski S. Bone mineral density and risk factors for osteoporosis—a population-based study of 1600 perimenopausal women. *Calcified Tissue International* 1994;55(1):1–7.
- Krohn M, Voigt L, McKnight B, Daling JR, Starzyk P, Benedetti TJ. Correlates of placental abruption. *British Journal of Obstetrics and Gynaecology* 1987;94(4):333–40.
- Krotkiewski M, Björntorp P, Sjöström L, Smith U. Impact of obesity on metabolism in men and women: importance of regional adipose tissue distribution. *Journal of Clinical Investigation* 1983;72(3):1150–62.
- Krzyzanowski M, Jedrychowski W, Wysocki M. Factors associated with the change in ventilatory function and the development of chronic obstructive pulmonary disease in a 13-year follow-up of the Cracow Study. Risk of chronic obstructive pulmonary disease. *American Review of Respiratory Disease* 1986;134(5):1011–9.
- Kuller L, Borhani N, Furberg C, Gardin J, Manolio T, O'Leary D, Psaty B, Robbins J. Prevalence of sub-clinical atherosclerosis and cardiovascular disease and association with risk factors in the Cardiovascular Health Study. *American Journal of Epidemiology* 1994;139(12):1164–79.
- Kune GA, Kune S, Vitetta L, Watson LF. Smoking and colorectal cancer risk: data from the Melbourne colorectal cancer study and brief review of literature. *International Journal of Cancer* 1992;50(3):369–72.
- Kurata JH, Elashoff JD, Nogawa AN, Haile BM. Sex and smoking differences in duodenal ulcer mortality. *American Journal of Public Health* 1986;76(6):700–2.
- Kurata JH, Nogawa AN. Meta-analysis of risk factors for peptic ulcer. Nonsteroidal antiinflammatory drugs, *Helicobactor pylori*, and smoking. *Journal of Clinical Gastroenterology* 1997;24(1):2–17.
- Kurman RJ, Kaminski PF, Norris HJ. The behavior of endometrial hyperplasia: a long-term study of

- "untreated" hyperplasia in 170 patients. *Cancer* 1985;56(2):403-12.
- La Vecchia C, D'Avanzo B, Franzosi MG, Tognoni G. Passive smoking and the risk of acute myocardial infarction. *Lancet* 1993a;341(8843):505-6.
- La Vecchia C, Decarli A, Fasoli M, Parazzini F, Franceschi S, Gentile A, Negri E. Dietary vitamin A and the risk of intraepithelial and invasive cervical neoplasia. *Gynecologic Oncology* 1988;30(2): 187-95.
- La Vecchia C, Franceschi S, Decarli A, Fasoli M, Gentile A, Tognoni G. Cigarette smoking and the risk of cervical neoplasia. *American Journal of Epidemiology* 1986;123(1):22-9.
- La Vecchia C, Negri E, D'Avanzo B, Franceschi S. Smoking and renal cell carcinoma. *Cancer Research* 1990;50(17):5231-3.
- La Vecchia C, Negri E, D'Avanzo B, Franceschi S, Boyle P. Risk factors for gallstone disease requiring surgery. *International Journal of Epidemiology* 1991a;20(1):209-15.
- La Vecchia C, Negri E, Franceschi S, Parazzini F. Long term impact of reproductive factors on cancer risk. *International Journal of Cancer* 1993b;53(2):215-9.
- La Vecchia C, Negri E, Levi F, Baron JA. Cigarette smoking, body mass and other risk factors for fractures of the hip in women. *International Journal of Epidemiology* 1991b;20(3):671-7.
- La Vecchia C, Talamini R, Bosetti C, Negri E, Franceschi S. Response: re: cancer of the oral cavity and pharynx in nonsmokers who drink alcohol and in nondrinkers who smoke tobacco [letter]. *Journal of the National Cancer Institute* 1999;91(15):1337-8.
- LaCroix AZ, Lang J, Scherr P, Wallace RB, Cornoni-Huntley J, Berkman L, Curb JD, Evans D, Hennekens CH. Smoking and mortality among older men and women in three communities. *New England Journal of Medicine* 1991;324(23):1619-25.
- Lahita RG. Effects of gender on the immune system. Implications for neuropsychiatric systemic lupus erythematosus. *Annals of the New York Academy of Science* 1997;823:247-51.
- Laitinen K, Välimäki M, Keto P. Bone mineral density measured by dual-energy X-ray absorptiometry in healthy Finnish women. *Calcified Tissue International* 1991;48(4):224-31.
- Lam WK. A clinical and epidemiological study of carcinoma of lung in Hong Kong [dissertation]. Hong Kong: University of Hong Kong, 1985.
- Lam TH, Kung ITM, Wong CM, Lam WK, Kleevens JW, Saw D, Hsu C, Seneviratne S, Lam SY, Lo KK, Chan WC. Smoking, passive smoking and histological types in lung cancer in Hong Kong Chinese women. *British Journal of Cancer* 1987; 56(5):673-8.
- Lambers DS, Clark KE. The maternal and fetal physiologic effects of nicotine [review]. *Seminars in Perinatology* 1996;20(2):115-26.
- Landis SH, Murray T, Bolden S, Wingo PA. Cancer statistics 1998. *CA: A Cancer Journal for Clinicians* 1999;49(1):8-31.
- Landsberg L, Troisi R, Parker D, Young JB, Weiss ST. Obesity, blood pressure, and the sympathetic nervous system. *Annals of Epidemiology* 1991;1(4): 295-303.
- Lange P, Groth S, Nyboe J, Appleyard M, Mortensen J, Jensen G, Schnohr P. Chronic obstructive lung disease in Copenhagen: cross-sectional epidemiological aspects. *Journal of Internal Medicine* 1989; 226(1):25-32.
- Lange P, Groth S, Nyboe J, Mortensen J, Appleyard M, Jensen G, Schnohr P. Decline of the lung function related to the type of tobacco smoked and inhalation. *Thorax* 1990a;45(1):22-6.
- Lange P, Nyboe J, Appleyard M, Jensen G, Schnohr P. Relation of ventilatory impairment and of chronic mucus hypersecretion to mortality from obstructive lung disease and from all causes. *Thorax* 1990b;45(8):579-85.
- Langenberg P, Kjerulff KH, Stolley PD. Hormone replacement and menopausal symptoms following hysterectomy. *American Journal of Epidemiology* 1997;146(10):870-80.
- Lapidus L, Bengtsson C, Hällström T, Björntorp P. Obesity, adipose tissue distribution and health in women—results from a population study in Gothenburg, Sweden. *Appetite* 1989;12(1):25-35.
- Lapidus L, Bengtsson C, Larsson B, Pennert K, Rybo E, Sjöström L. Distribution of adipose tissue and risk of cardiovascular disease and death: a 12 year followup of participants in the population study of women in Gothenburg, Sweden. *British Medical Journal* 1984;289(6454):1257-61.
- Larsen PR, Ingbar SH. The thyroid gland. In: Wilson JD, Foster DW, editors. *Williams Textbook of Endocrinology*. 8th ed. Philadelphia: W.B. Saunders, 1992:357-487.
- Larsson B, Svärdsudd K, Welin L, Wilhelmsen L, Björntorp P, Tibblin G. Abdominal adipose tissue distribution, obesity, and risk of cardiovascular disease and death: a 13 year follow up of participants in the study of men born in 1913. *British Medical Journal* 1984;288(6428):1401-4.
- Lash TL, Aschengrau A. Active and passive cigarette smoking and the occurrence of breast cancer.

- American Journal of Epidemiology* 1999;149(1):5–12.
- Lasser K, Boyd JW, Woolhandler S, Himmelstein DU, McCormick D, Bor DH. Smoking and mental illness: a population-based prevalence study. *Journal of the American Medical Association* 2000;284(20):2606–10.
- Launer LJ, Andersen K, Dewey ME, Letenneur L, Ott A, Amaducci LA, Brayne C, Copeland JR, Dartigues JF, Kragh-Sorensen P, Lobo A, Martinez-Lage JM, Stijnen T, Hofman A. Rates and risk factors for dementia and Alzheimer's disease: results from EURODEM pooled analyses. *Neurology* 1999;52(1):78–84.
- Laurent SL, Thompson SJ, Addy C, Garrison CZ, Moore EE. An epidemiologic study of smoking and primary infertility in women. *Fertility and Sterility* 1992;57(3):565–72.
- Law MR, Cheng R, Hackshaw AK, Allaway S, Hale AK. Cigarette smoking, sex hormones and bone density in women. *European Journal of Epidemiology* 1997a;13(5):553–8.
- Law MR, Hackshaw AK. A meta-analysis of cigarette smoking, bone mineral density and risk of fracture: recognition of a major effect. *British Medical Journal* 1997;315(7112):841–6.
- Law MR, Morris JK, Wald NJ. Environmental tobacco smoke exposure and ischaemic heart disease: an evaluation of the evidence. *British Medical Journal* 1997b;315(7114):973–80.
- Lawrence C, Tessaro I, Durgerian S, Caputo T, Richart R, Jacobson H, Greenwald P. Smoking, body weight, and early-stage endometrial cancer. *Cancer* 1987;59(9):1665–9.
- Lawrence C, Tessaro I, Durgerian S, Caputo T, Richart RM, Greenwald P. Advanced-stage endometrial cancer: contributions of estrogen use, smoking, and other risk factors. *Gynecologic Oncology* 1989a;32(1):41–5.
- Lawrence RC, Hochberg MC, Kelsey JL, McDuffie FC, Medsger TA Jr, Felts WR, Shulman LE. Estimates of the prevalence of selected arthritic and musculoskeletal diseases in the United States. *Journal of Rheumatology* 1989b;16(4):427–41.
- Layard MW. Ischemic heart disease and spousal smoking in the National Mortality Followback Survey. *Regulatory Toxicology and Pharmacology* 1995;21(1):180–3.
- Layde PM, Vessey MP, Yeates D. Risk factors for gall-bladder disease: a cohort study of young women attending family planning clinics. *Journal of Epidemiology and Community Health* 1982;36(4):274–8.
- Lazzaroni F, Bonassi S, Manniello E, Morcaldi L, Repetto E, Ruocco A, Calvi A, Cotellessa G. Effect of passive smoking during pregnancy on selected perinatal parameters. *International Journal of Epidemiology* 1990;19(4):960–6.
- Le Houezec J, Benowitz NL. Basic and clinical psychopharmacology of nicotine. *Clinics in Chest Medicine* 1991;12(4):681–99.
- Le Marchand L, Wilkens LR, Kolonel LN. Ethnic differences in the lung cancer risk associated with smoking. *Cancer Epidemiology, Biomarkers and Prevention* 1992;1(2):103–7.
- Le Marchand L, Wilkens LR, Kolonel LN, Hankin JH, Lyu LC. Associations of sedentary lifestyle, obesity, smoking, alcohol use, and diabetes with the risk of colorectal cancer. *Cancer Research* 1997;57(21):4787–94.
- Le Marchand L, Yoshizawa CN, Kolonel LN, Hankin JH, Goodman MT. Vegetable consumption and lung cancer risk: a population-based case-control study in Hawaii. *Journal of the National Cancer Institute* 1989;81(15):1158–64.
- Lee PN. Smoking and Alzheimer's disease: a review of the epidemiological evidence. *Neuroepidemiology* 1994;13(4):131–44.
- Lee DJ, Markides KS. Health behaviors, risk factors, and health indicators associated with cigarette use in Mexican Americans: results from the Hispanic HANES. *American Journal of Public Health* 1991;81(7):859–64.
- Lee FI, Fielding JD, Holmes GK, Hine KR, Gibson JA, Lochee-Bayne E, Mackay C, Mitchell KG, Pickard WR, Orchard RT, Stone WD. Ranitidine: prophylaxis of duodenal ulcer recurrence. *Hepato-Gastroenterology* 1984;31(2):85–7.
- Lee PN, Chamberlain J, Alderson MR. Relationship of passive smoking to risk of lung cancer and other smoking-associated diseases. *British Journal of Cancer* 1986;54(1):97–105.
- Lee WC, Neugut AI, Garbowski GC, Forde KA, Treat MR, Waye JD, Fenoglio-Preiser C. Cigarettes, alcohol, coffee, and caffeine as risk factors for colorectal adenomatous polyps. *Annals of Epidemiology* 1993;3(3):239–44.
- Leino A, Järvisalo J, Impivaara O, Kaitsaari M. Ovarian hormone status, life-style factors, and markers of bone metabolism in women aged 50 years. *Calified Tissue International* 1994;54(4):262–7.
- Leischow SJ, Sachs DPL, Bostrom AG, Hansen MD. Effects of differing nicotine-replacement doses on weight gain after smoking cessation. *Archives of Family Medicine* 1992;1(2):233–7.
- Lerman C, Caporaso N, Main D, Audrain J, Boyd NR, Bowman ED, Shields PG. Depression and self-

- medication with nicotine: the modifying influence of the dopamine D4 receptor gene. *Health Psychology* 1998;17(1):56–62.
- Leske MC, Chylack LT Jr, He Q, Wu SY, Schoenfeld E, Friend J, Wolfe J. Risk factors for nuclear opalescence in a longitudinal study. LSC Group. Longitudinal Study of Cataract. *American Journal of Epidemiology* 1998;147(1):36–41.
- Leske MC, Chylack LT Jr, Wu S-Y. The Lens Opacities Case-Control Study: risk factors for cataract. *Archives of Ophthalmology* 1991;109(2):244–51.
- Leske MC, Connell AM, Wu SY, Hyman LG, Schachat AP. Risk factors for open-angle glaucoma. The Barbados Eye Study. *Archives of Ophthalmology* 1995;113(7):918–24.
- Lesko SM, Rosenberg L, Kaufman DW, Helmrich SP, Miller DR, Strom B, Schottenfeld D, Rosenshein NB, Knapp RC, Lewis J, Shapiro S. Cigarette smoking and the risk of endometrial cancer. *New England Journal of Medicine* 1985;313(10):593–6.
- Letenneur L, Commenges D, Dartigues JF, Barberger-Gateau P. Incidence of dementia and Alzheimer's disease in elderly community residents of southwestern France. *International Journal of Epidemiology* 1994a;23(6):1256–61.
- Letenneur L, Dartigues J-F, Commenges D, Barberger-Gateau P, Tessier J-F, Orgogozo J-M. Tobacco consumption and cognitive impairment in elderly people: a population-based study. *Annals of Epidemiology* 1994b;4(6):449–54.
- Levi F, Franceschi S, Gulie C, Negri E, La Vecchia C. Female thyroid cancer: the role of reproductive and hormonal factors in Switzerland. *Oncology* 1993;50(4):309–15.
- Levi F, Franceschi S, La Vecchia C, Randimbison L, Te VC. Lung carcinoma trends by histologic type in Vaud and Neuchatel, Switzerland, 1974–1994. *Cancer* 1997;79(5):906–14.
- Levi F, La Vecchia C, Decarli A. Cigarette smoking and the risk of endometrial cancer. *European Journal of Cancer and Clinical Oncology* 1987;23(7):1025–9.
- Levin ED. Nicotinic systems and cognitive function. *Psychopharmacology (Berlin)* 1992;108(4):417–31.
- Levin AA, Schoenbaum SC, Stubblefield PG, Zimicki S, Monson RR, Ryan KJ. Ectopic pregnancy and prior induced abortion. *American Journal of Public Health* 1982;72(3):253–6.
- Levin ED, Behm F, Rose JE. The use of flavor in cigarette substitutes. *Drug and Alcohol Dependence* 1990;26(2):155–60.
- LeVois ME, Layard MW. Publication bias in the environmental tobacco smoke/coronary heart disease epidemiologic literature. *Regulatory Toxicology and Pharmacology* 1995;21(1):184–91.
- Lewis MA, Spitzer WO, Heinemann LAJ, MacRae KD, Bruppacher R, Thorogood M. Third generation oral contraceptives and risk of myocardial infarction: an international case-control study. *British Medical Journal* 1996;312(7023):88–90.
- Li CQ, Windsor RA, Perkins L, Goldenberg RL, Lowe JB. The impact on infant birth weight and gestational age of cotinine-validated smoking reduction during pregnancy. *Journal of the American Medical Association* 1993;269(12):1519–24.
- Li DK, Daling JR. Maternal smoking, low birth weight, and ethnicity in relation to sudden infant death syndrome. *American Journal of Epidemiology* 1991;134(9):958–64.
- Li DK, Mueller BA, Hickok DE, Daling JR, Fantel AG, Checkoway HW, Weiss NS. Maternal smoking during pregnancy and the risk of congenital urinary tract anomalies. *American Journal of Public Health* 1996;86(2):249–53.
- Licciardone JC, Wilkins JR III, Brownson RC, Chang JC. Cigarette smoking and alcohol consumption in the aetiology of uterine cervical cancer. *International Journal of Epidemiology* 1989;18(3):533–7.
- Lidegaard Ø. Oral contraception and risk of a cerebral thromboembolic attack: results of a case-control study. *British Medical Journal* 1993;306(6883):956–63.
- Lieberman E, Gremy I, Lang JM, Cohen AP. Low birthweight at term and the timing of fetal exposure to maternal smoking. *American Journal of Public Health* 1994;84(7):1127–31.
- Lindberg E, Järnerot G, Huitfeldt B. Smoking in Crohn's disease: effect on localisation and clinical course. *Gut* 1992;33(6):779–82.
- Lindberg E, Tysk C, Andersson K, Järnerot G. Smoking and inflammatory bowel disease: a case control study. *Gut* 1988;29(3):352–7.
- Lindblad A, Marsal K, Andersson KE. Effect of nicotine on human fetal blood flow. *Obstetrics and Gynecology* 1988;72(3 Pt 1):371–82.
- Lindbohm M-L, Sallmén M, Anttila A, Taskinen H, Hemminki K. Paternal occupational lead exposure and spontaneous abortion. *Scandinavian Journal of Work, Environment and Health* 1991;17(2):95–103.
- Lindenstrøm E, Boysen G, Nyboe J. Lifestyle factors and risk of cerebrovascular disease in women: the Copenhagen City Heart Study. *Stroke* 1993;24(10):1468–72.
- Lindquist O, Bengtsson C. Menopausal age in relation to smoking. *Acta Medica Scandinavica* 1979;205(1–2):

- 73–7.
- Lindsay R. The influence of cigarette smoking on bone mass and bone loss. In: DeLuca HF, Frost HM, Jee WSS, Johnston CC Jr, Parfitt AM, editors. *Osteoporosis: Recent Advances in Pathogenesis and Treatment*. Baltimore: University Park Press, 1981: 481–2.
- Lindstedt G, Lundberg PA, Lapidus L, Lundgren H, Bengtsson C, Björntorp P. Low sex-hormone-binding globulin concentration as independent risk factor for development of NIDDM. 12-yr follow-up of population study of women in Gothenburg, Sweden. *Diabetes* 1991;40(1):123–8.
- Linet MS, McLaughlin JK, Hsing AW, Wacholder S, Co Chien HT, Schuman LM, Bjelke E, Blot WJ. Is cigarette smoking a risk factor for non-Hodgkin's lymphoma or multiple myeloma? Results from the Lutheran Brotherhood Cohort Study. *Leukemia Research* 1992;16(6–7):621–4.
- Linn S, Schoenbaum SC, Monson RR, Rosner B, Ryan KJ. Delay in conception for former 'pill' users. *Journal of the American Medical Association* 1982; 247(5):629–32.
- Lissner L, Bengtsson C, Lapidus L, Björkelund C. Smoking initiation and cessation in relation to body fat distribution based on data from a study of Swedish women. *American Journal of Public Health* 1992;82(2):273–5.
- Little RE, Weinberg C. Risk factors for antepartum and intrapartum stillbirth. *American Journal of Epidemiology* 1993;137(11):1177–89.
- Liu Q, Sasco AJ, Riboli E, Hu MX. Indoor air pollution and lung cancer in Guangzhou, People's Republic of China. *American Journal of Epidemiology* 1993; 137(2):145–54.
- Liu ZY, He XZ, Chapman RS. Smoking and other risk factors for lung cancer in Xuanwei, China. *International Journal of Epidemiology* 1991;20(1):26–31.
- Livson N, Leino EV. Cigarette smoking motives: factorial structure and gender differences in a longitudinal study. *International Journal of the Addictions* 1988;23(6):535–44.
- Logan RFA, Edmond M, Somerville KW, Langman MJS. Smoking and ulcerative colitis. *British Medical Journal* 1984;288(6419):751–3.
- Logan RFA, Kay CR. Oral contraception, smoking and inflammatory bowel disease—findings in the Royal College of General Practitioners Oral Contraception Study. *International Journal of Epidemiology* 1989;18(1):105–7.
- Lohr JB, Flynn K. Smoking and schizophrenia. *Schizophrenia Research* 1992;8(2):93–102.
- London SJ, Colditz GA, Stampfer MJ, Willett WC, Rosner BA, Speizer FE. Prospective study of smoking and the risk of breast cancer. *Journal of the National Cancer Institute* 1989;81(21):1625–31.
- Longcope C, Johnston CC Jr. Androgen and estrogen dynamics in pre- and postmenopausal women: a comparison between smokers and nonsmokers. *Journal of Clinical Endocrinology and Metabolism* 1988;67(2):379–83.
- Longo LD. The biological effects of carbon monoxide on the pregnant woman, fetus, and newborn infant. *American Journal of Obstetrics and Gynecology* 1977;129(1):69–103.
- Longstreth WT Jr, Nelson LM, Koepsell TD, van Belle G. Cigarette smoking, alcohol use, and subarachnoid hemorrhage. *Stroke* 1992;23(9):1242–9.
- Longstreth WT Jr, Nelson LM, Koepsell TD, van Belle G. Subarachnoid hemorrhage and hormonal factors in women: a population-based case-control study. *Annals of Internal Medicine* 1994;121(3): 168–73.
- Lopez AD. The lung cancer epidemic in developed countries. In: Lopez AD, Caselli G, Valkonen T, editors. *Adult Mortality in Developed Countries: From Description to Explanation*. Oxford: Clarendon Press, 1995:111–34.
- Lorente C, Cordier S, Goujard J, Aymé S, Bianchi F, Calzolari E, De Walle HEK, Knill-Jones R, and the Occupational Exposure and Congenital Malformation Working Group. *American Journal of Public Health* 2000;90(3):415–9.
- Lorusso D, Leo S, Misciagna G, Guerra V. Cigarette smoking and ulcerative colitis: a case control study. *Hepato-Gastroenterology* 1989;36(4):202–4.
- Lowe CR. Effects of mother's smoking habits on birth weight of their children. *British Medical Journal* 1959;2(1):673–6.
- Lu AY, Kuntzman R, West S, Jacobson M, Conney AH. Reconstituted liver microsomal enzyme system that hydroxylates drugs, other foreign compounds, and endogenous substrates. II. Role of the cytochrome P-450 and P-448 fractions in drug and steroid hydroxylations. *Journal of Biological Chemistry* 1972;247(6):1727–34.
- Lubin JH. Lung cancer and exposure to residential radon [commentary]. *American Journal of Epidemiology* 1994;140(4):323–32.
- Lubin JH, Blot WJ. Assessment of lung cancer risk factors by histologic category. *Journal of the National Cancer Institute* 1984;73(2):383–9.
- Lubin JH, Blot WJ, Berrino F, Flamant R, Gillis CR, Kunze M, Schmahl D, Visco G. Patterns of lung

- cancer risk according to type of cigarette smoked. *International Journal of Cancer* 1984;33(5):569-76.
- Luciano A, Bolognani M, Biodani P, Ghizzi C, Zoppi G, Signori E. The influence of maternal passive and light active smoking on intrauterine growth and body composition of the newborn. *European Journal of Clinical Nutrition* 1998;52(10):760-3.
- Lund E. Re: Smoking and estrogen-related disease [letter]. *American Journal of Epidemiology* 1985; 121(2):324-5.
- Luoto R, Kaprio J, Uutela A. Age at natural menopause and sociodemographic status in Finland. *American Journal of Epidemiology* 1994;139(1):64-76.
- Lu-Yao GL, Baron JA, Barrett JA, Fisher ES. Treatment and survival among elderly Americans with hip fractures: a population-based study. *American Journal of Public Health* 1994;84(8):1287-91.
- Lynch HT, Kimberling WJ, Markvicka SE, Biscone KA, Lynch JF, Whorton E Jr, Mailliard J. Genetics and smoking-associated cancers: a study of 485 families. *Cancer* 1986;57(8):1640-6.
- Lynch HT, Mulcahy GM, Harris RE, Guirgis HA, Lynch JF. Genetic and pathologic findings in a kindred with hereditary sarcoma, breast cancer, brain tumors, leukemia, lung, laryngeal, and adrenal cortical carcinoma. *Cancer* 1978;41(5):2055-64.
- Lyon AJ. Effects of smoking on breast feeding. *Archives of Disease in Childhood* 1983;58(5):378-80.
- Lyon JL, Gardner JW, West DW, Stanish WM, Hebertson RM. Smoking and carcinoma in situ of the uterine cervix. *American Journal of Public Health* 1983;73(5):558-62.
- Mabuchi K, Bross DS, Kessler II. Epidemiology of cancer of the vulva: a case-control study. *Cancer* 1985;55(8):1843-8.
- MacArthur C, Knox EG. Smoking in pregnancy: effects of stopping at different stages. *British Journal of Obstetrics and Gynaecology* 1988;95(6):551-5.
- MacDorman MF, Cnattingius S, Hoffman HJ, Kramer MS, Haglund B. Sudden infant death syndrome and smoking in the United States and Sweden. *American Journal of Epidemiology* 1997;146(3):249-57.
- Macfarlane GJ, Zheng T, Marshall JR, Boffetta P, Niu S, Brasure J, Merletti F, Boyle P. Alcohol, tobacco, diet and the risk of oral cancer: a pooled analysis of three case-control studies. *European Journal of Cancer Part B, Oral Oncology* 1995;31B(3):181-7.
- Mack TM, Yu MC, Hanisch R, Henderson BE. Pancreas cancer and smoking, beverage consumption, and past medical history. *Journal of the National Cancer Institute* 1986;76(1):49-60.
- Maclure KM, Hayes KC, Colditz GA, Stampfer MJ, Speizer FE, Willett WC. Weight, diet, and the risk of symptomatic gallstones in middle-aged women. *New England Journal of Medicine* 1989;321(9): 563-9.
- MacMahon B, Alpert M, Salber EJ. Infant weight and parental smoking habits. *American Journal of Epidemiology* 1965;82(3):247-61.
- MacMahon B, Trichopoulos D, Cole P, Brown J. Cigarette smoking and urinary estrogens. *New England Journal of Medicine* 1982;307(17):1062-5.
- MacMahon B, Yen S, Trichopoulos D, Warren K, Nardi G. Coffee and cancer of the pancreas. *New England Journal of Medicine* 1981;304(11):630-3.
- MacSweeney STR, Ellis M, Worrell PC, Greenhalgh RM, Powell JT. Smoking and growth rate of small abdominal aortic aneurysms. *Lancet* 1994;344(8923): 651-2.
- Macular Photocoagulation Study Group. Recurrent choroidal neovascularization after argon laser photocoagulation for neovascular maculopathy. *Archives of Ophthalmology* 1986;104(4):503-12.
- Magaziner J, Simonsick EM, Kashner TM, Hebel JR, Kenzora JE. Survival experience of aged hip fracture patients. *American Journal of Public Health* 1989;79(3):274-8.
- Magers T, Talbot P, DiCarlantonio G, Knoll M, Demers D, Tsai I, Hoodbhoy T. Cigarette smoke inhalation affects the reproductive system of female hamsters. *Reproductive Toxicology* 1995;9(6):513-25.
- Magnus P, Berg K, Bjerkedal T, Nance WE. Parental determinants of birth weight. *Clinical Genetics* 1984; 26(5):397-405.
- Mainous AG, Hueston WJ. Passive smoke and low birth weight: evidence of a threshold effect. *Archives of Family Medicine* 1994a;3(10):875-8.
- Mainous AG III, Hueston WJ. The effect of smoking cessation during pregnancy on preterm delivery and low birthweight. *Journal of Family Practice* 1994b;38(3):262-6.
- Mallmin H, Ljunghall S, Persson I, Bergström R. Risk factors for fractures of the distal forearm: a population-based case-control study. *Osteoporosis International* 1994;4(6):298-304.
- Malloy MH, Hoffman HJ, Peterson DR. Sudden infant death syndrome and maternal smoking. *American Journal of Public Health* 1992;82(10):1380-2.
- Malloy MH, Kleinman JC, Bakewell JM, Schramm WF, Land GH. Maternal smoking during pregnancy: no association with congenital malformations in Missouri 1980-83. *American Journal of Public Health* 1989;79(9):1243-6.
- Malloy MH, Kleinman JC, Land GH, Schramm WF. The association of maternal smoking with age and

- cause of infant death. *American Journal of Epidemiology* 1988;128(1):46-55.
- Manfreda J, Becker AB, Wang P-Z, Roos LL, Anthonen NR. Trends in physician-diagnosed asthma prevalence in Manitoba between 1980 and 1990. *Chest* 1993;103(1):151-7.
- Mann RD, Lis Y, Chukwujindu J, Chanter DO. A study of the association between hormone replacement therapy, smoking, and the occurrence of myocardial infarction in women. *Journal of Clinical Epidemiology* 1994;47(3):307-12.
- Mann SJ, James GD, Wang RS, Pickering TG. Elevation of ambulatory systolic blood pressure in hypertensive smokers: a case-control study. *Journal of the American Medical Association* 1991;265(17):2226-8.
- Mann SJ, Pickering TG, Alderman MH, Laragh JH. Assessment of the effects of alpha- and beta-blockade in hypertensive patients who smoke cigarettes. *American Journal of Medicine* 1989;86(Suppl 1B):79-81.
- Mant D, Villard-Mackintosh L, Vessey MP, Yeates D. Myocardial infarction and angina pectoris in young women. *Journal of Epidemiology and Community Health* 1987;41(3):215-9.
- Marchbanks PA, Peterson HB, Rubin GL, Wingo PA. Research on infertility: definition makes a difference. The Cancer and Steroid Hormone Study Group. *American Journal of Epidemiology* 1989;130(2):259-67.
- Marcoux S, Brisson J, Fabia J. The effect of cigarette smoking on the risk of preeclampsia and gestational hypertension. *American Journal of Epidemiology* 1989;130(5):950-7.
- Marshall JR, Graham S, Byers T, Swanson M, Brasuré J. Diet and smoking in the epidemiology of cancer of the cervix. *Journal of the National Cancer Institute* 1983;70(5):847-51.
- Marshall LM, Spiegelman D, Manson JE, Goldman MB, Barbieri RL, Stampfer MJ, Willett WC, Hunter DJ. Risk of uterine leiomyomata among premenopausal women in relation to body size and cigarette smoking. *Epidemiology* 1998;9(5):511-7.
- Marti B, Suter E, Riesen WF, Tschopp A, Wanner H-U. Anthropometric and lifestyle correlates of serum lipoprotein and apolipoprotein levels among normal non-smoking men and women. *Atherosclerosis* 1989;75(2-3):111-22.
- Marti B, Tuomilehto J, Salomaa V, Kartovaara L, Korhonen HJ, Pietinen P. Body fat distribution in the Finnish population: environmental determinants and predictive power for cardiovascular risk factor levels. *Journal of Epidemiology and Community Health* 1991;45(2):131-7.
- Martin TR, Bracken MB. Association of low birth weight with passive smoke exposure in pregnancy. *American Journal of Epidemiology* 1986;124(4):633-42.
- Martinez FD, Wright AL, Taussig LM. The effect of paternal smoking on the birth weight of newborns whose mothers did not smoke. *American Journal of Public Health* 1994;84(9):1489-91.
- Masterson F, O'Shea B. Smoking and malignancy in schizophrenia. *British Journal of Psychiatry* 1984;145:429-32.
- Mathai M, Skinner A, Lawton K, Weindling AM. Maternal smoking, urinary cotinine levels and birth-weight. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 1990;30(1):33-6.
- Mathai M, Vijayasri R, Babu S, Jeyaseelan L. Passive maternal smoking and birthweight in a South Indian population. *British Journal of Obstetrics and Gynaecology* 1992;99(4):342-3.
- Matheson I, Rivrud GN. The effect of smoking on lactation and infantile colic. *Journal of the American Medical Association* 1989;261(1):42-3.
- Matorras R, Rodríguez F, Pijoan JI, Ramón O, Gutierrez de Terán G, Rodríguez-Escudero F. Epidemiology of endometriosis in infertile women. *Fertility and Sterility* 1995;63(1):34-8.
- Matsunaga E, Shiota K. Ectopic pregnancy and myoma uteri: teratogenic effects and maternal characteristics. *Teratology* 1980;21(1):61-9.
- Mattison DR. Morphology of oocyte and follicle destruction by polycyclic aromatic hydrocarbons in mice. *Toxicology and Applied Pharmacology* 1980;53(2):249-59.
- Mattison DR, Plowchalk DR, Meadows MJ, Miller MM, Malek A, London S. The effect of smoking on oogenesis, fertilization and implantation. *Seminars in Reproductive Endocrinology* 1989a;7(4):291-304.
- Mattison DR, Singh H, Takizawa K, Thomford PJ. Ovarian toxicity of benzo(a)pyrene and metabolites in mice. *Reproductive Toxicology* 1989b;3(2):115-25.
- Mattison DR, Thorgeirsson SS. Smoking and industrial pollution, and their effects on menopause and ovarian cancer. *Lancet* 1978;1(8057):187-8.
- Mau G, Netter P. The effects of paternal cigarette smoking on perinatal mortality and the incidence of malformations. *Deutsche Medizinische Wochenschrift* 1974;99(21):1113-8.
- May H, Murphy S, Khaw K-T. Cigarette smoking and bone mineral density in older men. *Quarterly Journal of Medicine* 1994;87(10):625-30.
- Mayberry RM. Cigarette smoking, herpes simplex virus type 2 infection, and cervical abnormalities.

- American Journal of Public Health 1985;75(6):676–8.
- Mayeux R, Tang M-X. Smoking and Alzheimer's disease. *American Journal of Epidemiology* 1993;138(8):645.
- Mayne ST, Janerich DT, Greenwald P, Chorost S, Tucci C, Zaman MB, Melamed MR, Kiely M, McKneally MF. Dietary beta carotene and lung cancer risk in U.S. nonsmokers. *Journal of the National Cancer Institute* 1994;86(1):33–8.
- Mazess RB, Barden HS. Bone densitometry for diagnosis and monitoring osteoporosis. *Proceedings of the Society for Experimental Biology and Medicine* 1989;191(3):261–71.
- Mazess RB, Barden HS. Bone density in premenopausal women: effects of age, dietary intake, physical activity, smoking, and birth-control pills. *American Journal of Clinical Nutrition* 1991;53(1):132–42.
- McCann MF, Irwin DE, Walton LA, Hulka BS, Morton JL, Axelrad CM. Nicotine and cotinine in the cervical mucus of smokers, passive smokers, and nonsmokers. *Cancer Epidemiology, Biomarkers and Prevention* 1992;1(2):125–9.
- McCredie M, Ford JM, Taylor JS, Stewart JH. Analgesics and cancer of the renal pelvis in New South Wales. *Cancer* 1982;49(12):2617–25.
- McCredie M, Stewart JH. Risk factors for kidney cancer in New South Wales—I. Cigarette smoking. *European Journal of Cancer* 1992;28A(12):2050–4.
- McCulloch RG, Bailey DA, Houston CS, Dodd BL. Effects of physical activity, dietary calcium intake and selected lifestyle factors on bone density in young women. *Canadian Medical Association Journal* 1990;142(3):221–7.
- McDonald AD, Armstrong BG, Sloan M. Cigarette, alcohol, and coffee consumption and prematurity. *American Journal of Public Health* 1992;82(1):87–90.
- McDuffie HH. Clustering of cancer in families of patients with primary lung cancer. *Journal of Clinical Epidemiology* 1991;44(1):69–76.
- McDuffie HH, Klaassen DJ, Dosman JA. Men, women and primary lung cancer—a Saskatchewan personal interview study. *Journal of Clinical Epidemiology* 1991;44(6):537–44.
- McGlashan ND. Sudden infant deaths in Tasmania, 1980–1986: a seven year prospective study. *Social Science and Medicine* 1989;29(8):1015–26.
- McKinlay SM. The normal menopause transition: an overview. *Maturitas* 1996;23(2):137–45.
- McKinlay SM, Bifano NL, McKinlay JB. Smoking and age at menopause in women. *Annals of Internal Medicine* 1985;103(3):350–6.
- McKinlay SM, Brambilla DJ, Posner JG. The normal menopause transition. *Maturitas* 1992;14(2):103–15.
- McKnight A, Steele K, Mills K, Gilchrist C, Taggart H. Bone mineral density in relation to medical and lifestyle risk factors for osteoporosis in premenopausal, menopausal and postmenopausal women in general practice. *British Journal of General Practice* 1995;45(395):317–20.
- McLaughlin JK, Blot WJ, Devesa SS, Fraumeni JF Jr. Renal cancer. In: Schottenfeld D, Fraumeni JF Jr, editors. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press, 1996: 1142–55.
- McLaughlin JK, Hrubec Z, Blot WJ, Fraumeni JF Jr. Stomach cancer and cigarette smoking among U.S. veterans, 1954–1980 [letter]. *Cancer Research* 1990; 50(12):3804.
- McLaughlin JK, Hrubec Z, Blot WJ, Fraumeni JF Jr. Smoking and cancer mortality among U.S. veterans: a 26-year follow-up. *International Journal of Cancer* 1995a;60(2):190–3.
- McLaughlin JK, Lindblad P, Mellemaaard A, McCredie M, Mandel JS, Schlehofer B, Pommer W, Adami H-O. International Renal-Cell Cancer Study. I. Tobacco use. *International Journal of Cancer* 1995b;60(2):194–8.
- McLaughlin JK, Mandel JS, Blot WJ, Schuman LM, Mehl ES, Fraumeni JF Jr. A population-based case-control study of renal cell carcinoma. *Journal of the National Cancer Institute* 1984;72(2):275–84.
- McLaughlin JK, Silverman DT, Hsing AW, Ross RK, Schoenberg JB, Yu MC, Stemhagen A, Lynch CF, Blot WJ, Fraumeni JF Jr. Cigarette smoking and cancers of the renal pelvis and ureter. *Cancer Research* 1992;52(2):254–7.
- McMahon MJ, Li R, Schenck AP, Olshan AF, Royce RA. Previous cesarean birth. A risk factor for placenta previa? *Journal of Reproductive Medicine* 1997; 42(7):409–12.
- McMichael AJ, Baghurst PA, Scragg RKR. A case-control study of smoking and gallbladder disease: importance of examining time relations. *Epidemiology* 1992;3(6):519–22.
- McNamara PM, Hjortland MC, Gordon T, Kannel WB. Natural history of menopause: the Framingham Study. *Journal of Continuing Education in Obstetrics and Gynecology* 1978;20:27–35.
- McPhillips JB, Barrett-Connor E, Wingard DL. Cardiovascular disease risk factors prior to the diagnosis of impaired glucose tolerance and non-insulin-dependent diabetes mellitus in a commu-

- nity of older adults. *American Journal of Epidemiology* 1990;131(3):443-53.
- McTiernan A, Thomas DB, Johnson LK, Roseman D. Risk factors for estrogen receptor-rich and estrogen receptor-poor breast cancers. *Journal of the National Cancer Institute* 1986;77(4):849-54.
- McTiernan AM, Weiss NS, Daling JR. Incidence of thyroid cancer in women in relation to reproductive and hormonal factors. *American Journal of Epidemiology* 1984a;120(3):423-35.
- McTiernan AM, Weiss NS, Daling JR. Incidence of thyroid cancer in women in relation to previous exposure to radiation therapy and history of thyroid disease. *Journal of the National Cancer Institute* 1984b;73(3):575-81.
- Meara J, McPherson K, Roberts M, Jones L, Vessey M. Alcohol, cigarette smoking and breast cancer. *British Journal of Cancer* 1989;60(1):70-3.
- Medalie JH, Papier CM, Goldbourt U, Herman JB. Major factors in the development of diabetes mellitus in 10,000 men. *Archives of Internal Medicine* 1975;135(6):811-7.
- Medical Research Council Vitamin Study Research Group. Prevention of neural tube defects: results of the Medical Research Council vitamin study. *Lancet* 1991;338(8760):131-7.
- Meis PJ, Michielutte R, Peters TJ, Wells HB, Sands RE, Coles EC, Johns KA. Factors associated with preterm birth in Cardiff, Wales. II. Indicated and spontaneous preterm birth. *American Journal of Obstetrics and Gynecology* 1995;173(2):597-602.
- Mellström D, Johansson C, Johnell O, Lindstedt G, Lundberg P-A, Obrant K, Schoon I-M, Toss G, Ytterberg B-O. Osteoporosis, metabolic aberrations, and increased risk for vertebral fractures after partial gastrectomy. *Calcified Tissue International* 1993;53(6):370-7.
- Melton LJ III. Epidemiology of fractures. In: Riggs BL, Melton LJ III, editors. *Osteoporosis: Etiology, Diagnosis, and Management*. New York: Raven Press, 1988:133-54.
- Merchant C, Tang MX, Albert S, Manly J, Stern Y, Mayeux R. The influence of smoking on the risk of Alzheimer's disease. *Neurology* 1999;52(7):1408-12.
- Merikangas KR, Gelernter CS. Comorbidity for alcoholism and depression. *Psychiatric Clinics of North America* 1990;13(4):613-32.
- Meyer HE, Tverdal A, Falch JA. Risk factors for hip fracture in middle-aged Norwegian women and men. *American Journal of Epidemiology* 1993;137(11):1203-11.
- Meyer MB, Jonas BS, Tonascia JA. Perinatal events associated with maternal smoking during pregnancy. *American Journal of Epidemiology* 1976;103(5):464-76.
- Meyer MB, Tonascia JA. Maternal smoking, pregnancy complications, and perinatal mortality. *American Journal of Obstetrics and Gynecology* 1977;128(5):494-502.
- Michaëlsson K, Holmberg L, Mallmin H, Sörensen S, Wolk A, Bergström R, Ljunghall S. Diet and hip fracture risk: a case-control study. *International Journal of Epidemiology* 1995;24(4):771-82.
- Michnovicz JJ, Hershkopf RJ, Naganuma H, Bradlow HL, Fishman J. Increased 2-hydroxylation of estradiol as a possible mechanism for the anti-estrogenic effect of cigarette smoking. *New England Journal of Medicine* 1986;315(21):1305-9.
- Michnovicz JJ, Naganuma H, Hershkopf RJ, Bradlow HL, Fishman J. Increased urinary catechol estrogen excretion in female smokers. *Steroid* 1988;52(1-2):69-83.
- Midgette AS, Baron JA. Cigarette smoking and the risk of natural menopause. *Epidemiology* 1990;1(6):474-80.
- Mikkelsen KL, Wiinberg N, Hoegholm A, Christensen HR, Bang LE, Nielsen PE, Svendsen TL, Kampmann JP, Madsen NH, Bentzon MW. Smoking related to 24-h ambulatory blood pressure and heart rate: a study in 352 normotensive Danish subjects. *American Journal of Hypertension* 1997;10(5 Pt 1):483-91.
- Millikan RC, Pittman GS, Newman B, Tse CK, Selmin O, Rockhill B, Savitz D, Moorman PG, Bell DA. Cigarette smoking, N-acetyltransferases 1 and 2, and breast cancer risk. *Cancer Epidemiology, Biomarkers and Prevention* 1998;7(5):371-8.
- Mills PK, Newell GR, Beeson WL, Fraser GE, Phillips RL. History of cigarette smoking and risk of leukemia and myeloma: results from the Adventist Health Study. *Journal of the National Cancer Institute* 1990;82(23):1832-6.
- Mink PJ, Folsom AR, Sellers TA, Kushi LW. Physical activity, waist-to-hip ratio, and other risk factors for ovarian cancer: a follow-up study of older women. *Epidemiology* 1996;7(1):38-45.
- Misciagna G, Leoci C, Guerra V, Chiloiro M, Elba S, Petruzzi J, Mossa A, Noviello MR, Coviello A, Minutolo MC, Mangini V, Messa C, Cavallini A, De Michele G, Giorgio I. Epidemiology of cholelithiasis in southern Italy. Part II: Risk factors. *European Journal of Gastroenterology and Hepatology* 1996;8(6):585-93.
- Mishell DR Jr. Oral contraception: past, present, and future perspectives. *International Journal of Fertility*

- 1991;36(Suppl):7–18.
- Misra DP, Kiely JL. The effect of smoking on the risk of gestational hypertension. *Early Human Development* 1995;40(2):95–107.
- Mitchell EA, Scragg R, Stewart AW, Becroft DM, Taylor BJ, Ford RP, Hassall IB, Barry DM, Allen EM, Roberts AP. Results from the first year of the New Zealand cot death study. *New Zealand Medical Journal* 1991;104(906):71–6.
- Mittendorf R, Lain KY, Williams MA, Walker CK. Preeclampsia. A nested, case-control study of risk factors and their interactions. *Journal of Reproductive Medicine* 1996;41(7):491–6.
- Mochizuki M, Maruo T, Masuko K, Ohtsu T. Effects of smoking on fetoplacental-maternal system during pregnancy. *American Journal of Obstetrics and Gynecology* 1984;149(4):413–20.
- Modan M, Meytes D, Rozeman P, Yosef SB, Sehayek E, Yosef NB, Lusky A, Halkin H. Significance of high HbA₁ levels in normal glucose tolerance. *Diabetes Care* 1988;11(5):422–8.
- Model D. Smoker's face: an underrated clinical sign? *British Medical Journal* 1985;291(1755):1760–2.
- Moerman CJ, Bueno de Mesquita HB, Runia S. Smoking, alcohol consumption and the risk of cancer of the biliary tract: a population-based case-control study in the Netherlands. *European Journal of Cancer Prevention* 1994;3(5):427–36.
- Mohan M, Sperduto RD, Angra SK, Milton RC, Mathur RL, Underwood BA, Jaffery N, Pandya CB, Chhabra VK, Vajpayee RB, Kalra VK, Sharma YR. India-U.S. case-control study of age-related cataracts. *Archives of Ophthalmology* 1989;107(5):670–6.
- Mohr GC, Kritz-Silverstein D, Barrett-Connor E. Plasma lipids and gallbladder disease. *American Journal of Epidemiology* 1991;134(1):78–85.
- Monica G, Lilja C. Placenta previa, maternal smoking and recurrence risk. *Acta Obstetricia Gynecologica Scandinavica* 1995;74(5):341–5.
- Moody PM. The relationships of quantified human smoking behavior and demographic variables. *Social Science and Medicine* 1980;14A(1):49–54.
- Mooy JM, Grootenhuis PA, de Vries H, Bouter LM, Kostense PJ, Heine RJ. Determinants of specific serum insulin concentrations in a general Caucasian population aged 50 to 74 years (the Hoorn Study). *Diabetic Medicine* 1998;15(1):45–52.
- Mooy JM, Grootenhuis PA, de Vries H, Valkenburg HA, Bouter LM, Kostense PJ, Heine RJ. Prevalence and determinants of glucose intolerance in a Dutch caucasian population. The Hoorn Study. *Diabetes Care* 1995;18(9):1270–3.
- Morabia A, Bernstein M, Héritier S, Khatchatrian N. Relation of breast cancer with passive and active exposure to tobacco smoke. *American Journal of Epidemiology* 1996;143(9):918–28.
- Morabia A, Bernstein M, Ruiz J, Héritier S, Diebold Berger S, Borisch B. Relation of smoking to breast cancer by estrogen receptor status. *International Journal of Cancer* 1998;75(3):339–42.
- Morabia A, Bernstein MS, Bouchardy I, Kurtz J, Morris MA. Breast cancer and active and passive smoking: the role of the *N*-acetyltransferase 2 genotype. *American Journal of Epidemiology* 2000;152(3):226–32.
- Morabia A, Wynder EL. Cigarette smoking and lung cancer cell types. *Cancer* 1991;68(9):2074–8.
- Morens DM, Grandinetti A, Reed D, White LR, Ross GW. Cigarette smoking and protection from Parkinson's disease: false association or etiologic clue? *Neurology* 1995;45(6):1041–51.
- Mori M, Naito M, Watanabe H, Takeichi N, Dohi K, Ito A. Effects of sex difference, gonadectomy, and estrogen on *N*-methyl-*N*-nitrosourea induced rat thyroid tumors. *Cancer Research* 1990;50(23):7662–7.
- Morris KM, Shaw MD, Foy PM. Smoking and subarachnoid hemorrhage: a case control study. *British Journal of Neurosurgery* 1992;6(5):429–32.
- Morrison AS, Buring JE, Verhoek WG, Aoki K, Leck I, Ohno Y, Obata K. An international study of smoking and bladder cancer. *Journal of Urology* 1984;131(4):650–4.
- Mosher WD, Pratt WF. Fecundity and infertility in the United States, 1965–88. *Advance Data*. No. 192. Hyattsville (MD): U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Center for Health Statistics, 1990.
- Moy CS, LaPorte RE, Dorman JS, Songer TJ, Orchard TJ, Kuller LH, Becker DJ, Drash AL. Insulin-independent diabetes mellitus mortality: the risk of cigarette smoking. *Circulation* 1990;82(1):37–43.
- Mueller N. Hodgkin's disease. In: Schottenfeld D, Fraumeni JF Jr, editors. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press, 1996:893–919.
- Muhlhauser I. Cigarette smoking and diabetes: an update. *Diabetic Medicine* 1994;11(4):336–43.
- Munoz N, Bosch FX, de Sanjose S, Vergara A, del Moral A, Munoz MT, Tafur L, Gili M, Izarzugaza I, Viladiu P, Navarro C, de Ruiz PA, Aristizabal N, Santamaria M, Orfila J, Daniel RW, Guerrero E, Shah KV. Risk factors for cervical intraepithelial neoplasia grade III carcinoma in situ in Spain and Colombia. *Cancer Epidemiology, Biomarkers and Prevention*

- vention 1993;2(5):423-31.
- Murphy SL. Deaths: final data for 1998. *National Vital Statistics Reports* 2000;48(11):1-108.
- Murphy NJ, Butler SW, Petersen KM, Heart V, Murphy CM. Tobacco erases 30 years of progress: preliminary analysis of the effect of tobacco smoking on Alaska Native birth weight. *Alaska Medicine* 1996;38(1):31-3.
- Murray FE, Logan RFA, Hannaford PC, Kay CR. Cigarette smoking and parity as risk factors for the development of symptomatic gall bladder disease in women: results of the Royal College of General Practitioners' oral contraception study. *Gut* 1994;35(1):107-11.
- Muscat JE, Richie JP Jr, Thompson S, Wynder EL. Gender differences in smoking and risk for oral cancer. *Cancer Research* 1996;56(22):5192-7.
- Muscat JE, Stellman SD, Hoffmann D, Wynder EL. Smoking and pancreatic cancer in men and women. *Cancer Epidemiology, Biomarkers and Prevention* 1997;6(1):15-9.
- Muscat JE, Wynder EL. Exposure to environmental tobacco smoke and the risk of heart attack. *International Journal of Epidemiology* 1995a;24(4):715-9.
- Muscat JE, Wynder EL. Lung cancer pathology in smokers, ex-smokers and never smokers. *Cancer Letters* 1995b;88(1):1-5.
- Muscati SK, Gray-Donald K, Newson EE. Interaction of smoking and maternal weight status in influencing infant size. *Canadian Journal of Public Health* 1994;85(6):407-12.
- Muscati SK, Koski KG, Gray-Donald K. Increased energy intake in pregnant smokers does not prevent human fetal growth retardation. *Journal of Nutrition* 1996;126(12):2984-9.
- Naeye RL. Abruptio placenta and placenta previa: frequency, perinatal mortality, and cigarette smoking. *Obstetrics and Gynecology* 1980;55(6):701-4.
- Naeye RL. Factors that predispose to premature rupture of the fetal membrane. *Obstetrics and Gynecology* 1982;60(1):93-8.
- Nafstad P, Fugelseth D, Qvigstad MD, Zahlsen K, Magnus P, Lindemann R. Nicotine concentration in the hair of nonsmoking mothers and size of offspring. *American Journal of Public Health* 1998;88(1):120-4.
- Nagata C, Fujita S, Iwata H, Kurosawa Y, Kobayashi K, Kobayashi M, Motegi K, Omura T, Yamamoto M, Nose T. Systemic lupus erythematosus: a case-control epidemiologic study in Japan. *International Journal of Dermatology* 1995;34(5):333-7.
- Nakamura M, Oshima A, Hiyama T, Kubota N, Wada K, Yano K. Effect of passive smoking during pregnancy on birth weight and gestation: a population-based prospective study in Japan. In: Aoki M, Hisamichi S, Tominaga S, editors. *Smoking and Health 1987*. Proceedings of the 6th World Conference on Smoking and Health, 1987 Nov 9-12; Tokyo. International Congress Series 780. Amsterdam: Excerpta Medica, 1988:267-9.
- Nakamura Y, Kobayashi M, Nagai M, Iwata H, Nose T, Yamamoto M, Omura T, Motegi K, Kurosawa Y, Hossaka K, Nakamura K, Hashimoto T, Yanagawa H. A case-control study of ulcerative colitis in Japan. *Journal of Clinical Gastroenterology* 1994;18(1):72-9.
- Nakamura Y, Labarthe DR. A case-control study of ulcerative colitis with relation to smoking habits and alcohol consumption in Japan. *American Journal of Epidemiology* 1994;140(10):902-11.
- Nandakumar A, Thimmasetty KT, Sreeramareddy NM, Venugopal TC, Rajanna, Vinutha AT, Srivivas, Bhargava MK. A population-based case-control investigation of cancers of the oral cavity in Bangalore, India. *British Journal of Cancer* 1990;62(5):847-51.
- Narkiewicz K, Maraglino G, Biasion T, Rossi G, Sanzuol F, Palatini P. Interactive effect of cigarettes and coffee on daytime systolic blood pressure in patients with mild essential hypertension. Harvest Study Group (Italy). Hypertension Ambulatory Recording VEnetia STudy. *Journal of Hypertension* 1995;13(0):965-70.
- Nash JE, Persaud TVN. Embryopathic risks of cigarette smoking. *Experimental Pathology* 1988;33(2):65-73.
- National Cancer Institute. *The FTC Cigarette Test Method for Determining Tar, Nicotine, and Carbon Monoxide Yields of U.S. Cigarettes. Report of the NCI Expert Committee*. Smoking and Tobacco Control Monograph 7. Bethesda (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 1996a. NIH Publication No. 96-4028.
- National Cancer Institute. *Racial/Ethnic Patterns of Cancer in the United States, 1988-1992*. Bethesda (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, Division of Cancer Prevention and Control, 1996b. NIH Publication No. 96-4104.
- National Cancer Institute. *Changes in Cigarette-Related Disease Risks and Their Implication for Prevention and Control*. Smoking and Tobacco Control Monograph 8. Bethesda (MD): U.S. Department of

- Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 1997. NIH Publication No. 97-4213.
- National Cancer Institute. *Health Effects of Exposure to Environmental Tobacco Smoke: The Report of the California Environmental Protection Agency*. Smoking and Tobacco Control Monograph 10. Bethesda (MD): U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 1999. NIH Publication No. 99-4645.
- National Center for Health Statistics. *Health, United States, 1994*. Hyattsville (MD): U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Health Statistics, 1995. DHHS Publication No. (PHS) 95-1232.
- National Center for Health Statistics. *Vital Statistics of the United States, 1992. Vol II. Mortality, Part A*. Hyattsville (MD): U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Health Statistics, 1996. DHHS Publication No. (PHS) 96-1101.
- National Center for Health Statistics. *Health, United States, 1999 with Health and Aging Chartbook*. Hyattsville (MD): U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics, 1999. DHHS Publication No. (PHS) 99-1232-1.
- National Institute on Aging. *Alzheimer's Disease Currently Affects an Estimated 4 Million Americans: Progress Report on Alzheimer's Disease, 1992. Discoveries in Health for Aging Americans*. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, and National Institute on Aging, 1992. NIH Publication No. 92-3409.
- National Institute for Occupational Safety and Health. *Environmental Tobacco Smoke in the Workplace: Lung Cancer and Other Health Effects*. Current Intelligence Bulletin 54. Cincinnati (OH): U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, 1991. DHHS (NIOSH) Publication No. 91-108.
- National Research Council. *Environmental Tobacco Smoke: Measuring Exposures and Assessing Health Effects*. Washington: National Academy Press, 1986.
- National Research Council. *Health Effects of Exposure to Radon: BEIR VI*. Washington: National Academy Press, 1999.
- Navot D, Rosenwaks Z, Margalioth EJ. Prognostic assessment of female fecundity. *Lancet* 1987; 2(8560):645-7.
- Negri E, La Vecchia C, D'Avanzo B, Nobili A, La Malfa RG. Acute myocardial infarction: association with time since stopping smoking in Italy. *Journal of Epidemiology and Community Health* 1994; 48(2):129-33.
- Negri E, La Vecchia C, Franceschi S, Decarli A, Bruzzi P. Attributable risks for oesophageal cancer in Northern Italy. *European Journal of Cancer* 1992; 28A(6-7):1167-71.
- Negri E, La Vecchia C, Franceschi S, Tavani A. Attributable risk for oral cancer in northern Italy. *Cancer Epidemiology, Biomarkers and Prevention* 1993; 2(3):189-93.
- Nelson DM, Stempel LE, Zuspan FP. Association of prolonged preterm premature rupture of the membranes and abruptio placentae. *Journal of Reproductive Medicine* 1986;31(4):249-53.
- Nelson RA, Levine AM, Marks G, Bernstein L. Alcohol, tobacco and recreational drug use and the risk of non-Hodgkin's lymphoma. *British Journal of Cancer* 1997;76(11):1532-7.
- Ness RB, Grisso JA, Hirschinger N, Markovic N, Shaw LM, Day NL, Kline J. Cocaine and tobacco use and the risk of spontaneous abortion. *New England Journal of Medicine* 1999;340(5):333-9.
- Neugut AI, Jacobson JS, DeVivo I. Epidemiology of colorectal adenomatous polyps. *Cancer Epidemiology, Biomarkers and Prevention* 1993;2(2):159-76.
- Neugut AI, Murray T, Santos J, Amols H, Hayes MK, Flannery JT, Robinson E. Increased risk of lung cancer after breast cancer radiation therapy in cigarette smokers. *Cancer* 1994;73(6):1615-20.
- Newcomb PA, Storer BE, Marcus PM. Cigarette smoking in relation to risk of large bowel cancer in women. *Cancer Research* 1995;55(21):4906-9.
- Newcomb PA, Weiss NS, Daling JR. Incidence of vulvar carcinoma in relation to menstrual, reproductive, and medical factors. *Journal of the National Cancer Institute* 1984;73(2):391-6.
- Newell GR, Mansell PWA, Wilson MB, Lynch HK, Spitz MR, Hersh EM. Risk factor analysis among men referred for possible acquired immune deficiency syndrome. *Preventive Medicine* 1985;14(1): 81-91.
- Ng TP, Foo SC, Yoong T. Risk of spontaneous abortion in workers exposed to toluene. *British Journal of Industrial Medicine* 1992;49(11):804-8.
- Nguyen TV, Kelly PJ, Sambrook PN, Gilbert C, Pocock NA, Eisman JA. Lifestyle factors and bone density in the elderly: implications for osteoporosis prevention. *Journal of Bone and Mineral Research*

- 1994;9(9):1339–46.
- Nides M, Rand C, Dolce J, Murray R, O'Hara P, Voelker H, Connell J. Weight gain as a function of smoking cessation and 2-mg nicotine gum use among middle-aged smokers with mild lung impairment in the first 2 years of the Lung Health Study. *Health Psychology* 1994;13(4):354–61.
- Nilsson PM, Lind L, Pollare T, Berne C, Lithell HO. Increased level of hemoglobin A1c, but not impaired insulin sensitivity, found in hypertensive and normotensive smokers. *Metabolism* 1995;44(5):557–61.
- Nischan P, Ebeling K, Schindler C. Smoking and invasive cervical cancer risk. Results from a case-control study. *American Journal of Epidemiology* 1988;128(1):74–7.
- Njølstad I, Arnesen E, Lund-Larsen PG. Smoking, serum lipids, blood pressure, and sex differences in myocardial infarction. A 12-year follow-up of the Finnmark Study. *Circulation* 1996;93(3):450–6.
- Nomura A. Stomach cancer. In: Schottenfeld D, Fraumeni JF Jr, editors. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press, 1996:707–24.
- Nomura A, Comstock GW, Tonascia JA. Epidemiologic characteristics of benign breast disease. *American Journal of Epidemiology* 1977;105(6):505–12.
- Nordentoft M, Lou HC, Hansen D, Nim J, Pryds O, Rubin P, Hemmingsen R. Intrauterine growth retardation and premature delivery: the influence of maternal smoking and psychosocial factors. *American Journal of Public Health* 1996;86(3):347–54.
- Nordin BEC, Polley KJ. Metabolic consequences of the menopause: a cross-sectional, longitudinal, and intervention study on 557 normal postmenopausal women. *Calcified Tissue International* 1987;41(Suppl 1):S1–S59.
- Nordlund LA, Carstensen JM, Pershagen G. Cancer incidence in female smokers: a 26-year follow-up. *International Journal of Cancer* 1997;73(5):625–8.
- Nordstrom M-L, Cnattingius S. Smoking habits and birthweights in two successive births in Sweden. *Early Human Development* 1994;37(3):195–204.
- Nylander G, Matheson I. Breast feeding. Effects of smoking and education [in Norwegian]. *Tidsskrift for den Norske Laegeforening* 1989;109(9):970–3.
- Nyström E, Bengtsson C, Lapidus L, Petersen K, Lindstedt G. Smoking—a risk factor for hypothyroidism. *Journal of Endocrinological Investigation* 1993;16(2):129–31.
- Oakley A, Brannen J, Dodd K. Young people, gender and smoking in the United Kingdom. *Health Pro-*
- motion International* 1992;7(2):75–88.
- O'Connell DL, Hulka BS, Chambliss LE, Wilkinson WE, Deubner DC. Cigarette smoking, alcohol consumption, and breast cancer risk. *Journal of the National Cancer Institute* 1987;78(2):229–34.
- O'Farrell TJ, Connors GJ, Upper D. Addictive behaviors among hospitalized psychiatric patients. *Addictive Behaviors* 1983;8(4):329–33.
- Ogawa H, Tominaga S, Hori K, Noguchi K, Kanou I, Matsubara M. Passive smoking by pregnant women and fetal growth. *Journal of Epidemiology and Community Health* 1991;45(2):164–8.
- Ogawa H, Tominaga S, Kubo N, Sasaki R, Hosoda Y, Aoki K, Uematsu M. A case-control study on Parkinson's disease—smoking and personality [Japanese; English abstract]. *Shinshin-Igaku* 1984;24(6):467–77.
- O'Hara P, Connell JE, Lee WW, Nides M, Murray R, Wise R. Early and late weight gain following smoking cessation in the Lung Health Study. *American Journal of Epidemiology* 1998;148(9):821–30.
- Ohlson LO, Larsson B, Björntorp P, Eriksson H, Svärdsudd K, Welin L, Tibblin G, Wilhelmsen L. Risk factors for type 2 (non-insulin-dependent) diabetes mellitus: thirteen and one-half years of follow-up of the participants in a study of Swedish men born in 1913. *Diabetologia* 1988;31(11):798–805.
- Ohlson LO, Larsson B, Svärdsudd K, Welin L, Eriksson H, Wilhelmsen L, Björntorp P, Tibblin G. The influence of body fat distribution on the incidence of diabetes mellitus: 13.5 years of follow-up of the participants in the study of men born in 1913. *Diabetes* 1985;34(10):1055–8.
- Okolicsanyi L, Passera D, Nassuato G, Lirussi F, Toso S, Crepaldi G. Epidemiology of gallstone disease in an older Italian population in Montegrotto Terme, Padua. *Journal of the American Geriatric Society* 1995;43(8):902–5.
- Olincy A, Young DA, Freedman R. Increased levels of the nicotine metabolite cotinine in schizophrenic smokers compared to other smokers. *Biological Psychiatry* 1997;42(1):1–5.
- Olsen J. Cigarette smoking, tea and coffee drinking, and subfecundity. *American Journal of Epidemiology* 1991;133(7):734–9.
- Olsen J, Kronborg O. Coffee, tobacco and alcohol as risk factors for cancer and adenoma of the large intestine. *International Journal of Epidemiology* 1993;22(3):398–402.
- Olsen J, Rachootin P, Schiødt AV, Damsbo N. Tobacco use, alcohol consumption and infertility. *Interna-*

- tional Journal of Epidemiology 1983;12(2):179–84.
- Olsén P, Läärä E, Rantakallio P, Järvelin M-R, Sarpola A, Hartikainen AL. Epidemiology of preterm delivery in two birth cohorts with an interval of 20 years. *American Journal of Epidemiology* 1995; 142(11):1184–93.
- Omenn GS, Anderson KW, Kronmal RA, Vlietstra RE. The temporal pattern of reduction of mortality risk after smoking cessation. *American Journal of Preventive Medicine* 1990;6(5):251–7.
- Omenn GS, Goodman GE, Thornquist MD, Balmes J, Cullen MR, Glass A, Keogh JP, Meyskens FL Jr, Valanis B, Williams JH Jr, Barnhart S, Cherniack MG, Brodkin CA, Hammar S. Risk factors for lung cancer and for intervention effects in CARET, the Beta-Carotene and Retinol Efficacy Trial. *Journal of the National Cancer Institute* 1996;88(21):1550–9.
- Ooi WL, Elston RC, Chen VW, Bailey-Wilson JE, Rothschild H. Increased familial risk for lung cancer. *Journal of the National Cancer Institute* 1986; 76(2):217–22.
- Ortego-Centeno N, Munoz-Torres M, Hernandez-Quero J, Jurado-Duce A, de la Higuera Torres-Puchol J. Bone mineral density, sex steroids, and mineral metabolism in premenopausal smokers. *Calcified Tissue International* 1994;55(6):403–7.
- Orwoll ES, Bauer DC, Vogt TM, Fox KM. Axial bone mass in older women. *Annals of Internal Medicine* 1996;124(2):187–96.
- Osann KE. Lung cancer in women: the importance of smoking, family history of cancer, and medical history of respiratory disease. *Cancer Research* 1991;51(18):4893–7.
- Osann KE, Anton-Culver H, Kurosaki T, Taylor T. Sex differences in lung cancer risk associated with cigarette smoking. *International Journal of Cancer* 1993;54(1):44–8.
- Ostensen H, Gudmundsen TE, Ostensen M, Burhol PG, Bonnevie O. Smoking, alcohol, coffee, and familial factors: any associations with peptic ulcer disease? A clinically and radiologically prospective study. *Scandinavian Journal of Gastroenterology* 1985;20(10):1227–35.
- Ott A, Bretelere MMB, van Harckamp F, Stijnen T, Hofman A. Incidence and risk of dementia: The Rotterdam Study. *American Journal of Epidemiology* 1998a;147(6):574–80.
- Ott A, Slooter AJC, Hofman A, van Harckamp F, Witteman JCM, van Broeckhoven C, van Duijn CM, Breteler MMB. Smoking and risk of dementia and Alzheimer's disease in a population-based cohort study: the Rotterdam study. *Lancet* 1998b;351 (June):1840–3.
- Paganini-Hill A, Chao A, Ross RK, Henderson BE. Exercise and other factors in the prevention of hip fracture: the Leisure World Study. *Epidemiology* 1991;2(1):16–25.
- Paganini-Hill A, Hsu G. Smoking and mortality among residents of a California retirement community. *American Journal of Public Health* 1994;84(6): 992–5.
- Paganini-Hill A, Ross RK, Gerkins VR, Henderson BE, Arthur M, Mack TM. Menopausal estrogen therapy and hip fractures. *Annals of Internal Medicine* 1981;95(1):28–31.
- Paganini-Hill A, Ross RK, Henderson BE. Postmenopausal oestrogen treatment and stroke: a prospective study. *British Medical Journal* 1988;297(6647): 519–22.
- Palmer JR, Rosenberg L. Cigarette smoking and the risk of breast cancer. *Epidemiologic Reviews* 1993; 15(1):145–56.
- Palmer JR, Rosenberg L, Clarke EA, Stolley PD, Warshauer ME, Zauber AG, Shapiro S. Breast cancer and cigarette smoking: a hypothesis. *American Journal of Epidemiology* 1991;134(1):1–13.
- Palmer JR, Rosenberg L, Shapiro S. Reproductive factors and risk of myocardial infarction. *American Journal of Epidemiology* 1992;136(4):408–16.
- Paooff K, Preston-Martin S, Mack WJ, Monroe K. A case-control study of maternal risk factors for thyroid cancer in young women (California, United States). *Cancer Causes and Control* 1995;6(5):389–97.
- Paoletti P, Carrozzini L, Viegi G, Modena P, Ballerini L, Di Pede F, Grado L, Baldacci S, Pedreschi M, Velutini M, Paggiaro P, Mammini U, Fabbri L, Giuntini C. Distribution of bronchial responsiveness in a general population: effect of sex, age, smoking, and level of pulmonary function. *American Journal of Respiratory and Critical Care Medicine* 1995; 151(6):1770–7.
- Parazzini F, Boccolone L, Fedele L, Negri E, La Vecchia C, Acaia B. Risk factors for spontaneous abortion. *International Journal of Epidemiology* 1991a; 20(1):157–61.
- Parazzini F, Ferraroni M, La Vecchia C, Baron JA, Levi F, Franceschi S, Decarli A. Smoking habits and risk of benign breast disease. *International Journal of Epidemiology* 1991b;20(2):430–4.
- Parazzini F, La Vecchia C, Franceschi S, Negri E, Cecchetti G. Risk factors for endometrioid, mucinous and serous benign ovarian cysts. *International Journal of Epidemiology* 1989;18(1):108–12.
- Parazzini F, La Vecchia C, Negri E, Cecchetti G, Fedele L. Epidemiologic characteristics of women

- with uterine fibroids: a case-control study. *Obstetrics and Gynecology* 1988;72(6):853-7.
- Parazzini F, La Vecchia C, Negri E, Fedele L, Franceschi S, Gallotta L. Risk factors for cervical intraepithelial neoplasia. *Cancer* 1992a;69(9):2276-82.
- Parazzini F, La Vecchia C, Negri E, Moroni S, Chatenoud L. Smoking and risk of endometrial cancer: results from an Italian case-control study. *Gynecologic Oncology* 1995;56(2):195-9.
- Parazzini F, Negri E, La Vecchia C. Reproductive and general lifestyle determinants of age at menopause. *Maturitas* 1992b;15(2):141-9.
- Parazzini F, Tozzi L, Ferraroni M, Bocciolone L, La Vecchia C, Fedele L. Risk factors for ectopic pregnancy: an Italian case-control study. *Obstetrics and Gynecology* 1992c;80(5):821-6.
- Parazzini F, Tozzi L, Mezzopane R, Luchini L, Marchini M, Fedele L. Cigarette smoking, alcohol consumption, and risk of primary dysmenorrhea. *Epidemiology* 1994;5(4):469-72.
- Parazzini F, Vercellini P, Panazza S, Chatenoud L, Oldani S, Crosignani PG. Risk factors for adenomyosis. *Human Reproduction* 1997;12(6):1275-9.
- Parker SL, Tong T, Bolden S, Wingo PA. Cancer statistics, 1996. *CA—A Cancer Journal for Clinicians* 1996; 46(1):5-27.
- Parkin DM, Muir CS, Whelan SL, Gao YT, Ferlay J, Powell J. *Cancer Incidence in Five Continents*. Vol. 6. Lyon (France): International Agency for Research on Cancer, 1992. IARC Scientific Publication No. 120.
- Parkin DM, Pisani P, Ferlay J. Global cancer statistics. *CA: A Cancer Journal for Clinicians* 1999;49(1):33-64.
- Parrott AC. Individual differences in stress and arousal during cigarette smoking. *Psychopharmacology (Berlin)* 1994;115(3):389-96.
- Pasqualetti P, Festuccia V, Acitelli P, Collacciani A, Giusti A, Casale R. Tobacco smoking and risk of haematological malignancies in adults: a case-control study. *British Journal of Haematology* 1997; 97(3):659-62.
- Pastides H, Najmar MA, Kelsey JL. Estrogen replacement therapy and fibrocystic breast disease. *American Journal of Preventive Medicine* 1987;3(5):282-6.
- Pastides H, Tzonou A, Trichopoulos D, Katsouyanni K, Trichopoulou A, Kefalogiannis N, Manousos O. A case-control study of the relationship between smoking, diet, and gallbladder disease. *Archives of Internal Medicine* 1990;150(7):1409-12.
- Pastorino U, Pisani P, Berrino F, Andreoli C, Barbieri A, Costa A, Mazzoleni C, Gramegna G, Marubini E. Vitamin A and female lung cancer: a case-control study on plasma and diet. *Nutrition and Cancer* 1987;10(4):171-9.
- Pathak DR, Samet JM, Humble CG, Skipper BJ. Determinants of lung cancer risk in cigarette smokers in New Mexico. *Journal of the National Cancer Institute* 1986;76(4):597-604.
- Pattinson HA, Taylor PJ, Pattinson MH. The effect of cigarette smoking on ovarian function and early pregnancy outcome of in vitro fertilization treatment. *Fertility and Sterility* 1991;55(4):780-3.
- Patton GC, Carlin JB, Coffey C, Wolfe R, Hibbert M, Bowes G. Depression, anxiety, and smoking initiation: a prospective study over 3 years. *American Journal of Public Health* 1998;88(10):1518-22.
- Patton GC, Hibbert M, Rosier MJ, Carlin JB, Caust J, Bowes G. Is smoking associated with depression and anxiety in teenagers? *American Journal of Public Health* 1996;86(2):225-30.
- Patton GC, Johnson-Sabine E, Wood K, Mann AH, Wakeling A. Abnormal eating attitudes in London schoolgirls—a prospective epidemiological study: outcome at twelve month follow-up. *Psychological Medicine* 1990;20(2):383-94.
- Paul SM, Bacharach B, Goepfert C. A genetic influence on alveolar cell carcinoma. *Journal of Surgical Oncology* 1987;36(4):249-52.
- Peacock JL, Bland JM, Anderson HR. Preterm delivery: effects of socioeconomic factors, psychological stress, smoking, alcohol, and caffeine. *British Medical Journal* 1995;311(7004):531-5.
- Peacock JL, Bland JM, Anderson HR, Brooke OG. Cigarette smoking and birthweight: type of cigarette smoked and a possible threshold effect. *International Journal of Epidemiology* 1991;20(2):405-12.
- Peacock JL, Cook DG, Carey IM, Ja MJ, Bland JM. Maternal cotinine level during pregnancy and birthweight for gestational age. *International Journal of Epidemiology* 1998;27(4):647-656.
- Pearl RB, Levine DB, Gerson EJ. Studies of disease among migrants and native populations in Great Britain, Norway, and the United States. II. Conduct of field work in the United States. In: Haenszel W, editor. *Epidemiological Approaches to the Study of Cancer and Other Chronic Diseases*. National Cancer Institute Monograph 19. Bethesda (MD): U.S. Department of Health, Education and Welfare, Public Health Service, National Cancer Institute, 1966:301-20.
- Peat JK, Woolcock AJ, Cullen K. Decline of lung function and development of chronic airflow limita-

- tion: a longitudinal study of non-smokers and smokers in Busselton, Western Australia. *Thorax* 1990;45(1):32–7.
- Peden NR, Boyd EJS, Wormsley KG. Women and duodenal ulcer. *British Medical Journal (Clinical Research Edition)* 1981;282(6267):866.
- Pedersen AT, Lidegaard O, Kreiner S, Ottesen B. Hormone replacement therapy and risk of non-fatal stroke. *Lancet* 1997;350(9087):1277–83.
- Penkower L, Dew MA, Kingsley L, Becker JT, Satz P, Schaerf FW, Sheridan K. Behavioral, health and psychosocial factors and risk for HIV infection among sexually active homosexual men: the multicenter AIDS cohort study. *American Journal of Public Health* 1991;81(2):194–6.
- Pérez-Stable EJ, Marín G, Marín BV, Katz MH. Depressive symptoms and cigarette smoking among Latinos in San Francisco. *American Journal of Public Health* 1990;80(12):1500–2.
- Perkins KA. Individual variability in responses to nicotine. *Behavior Genetics* 1995;25(2):119–32.
- Perkins KA. Sex differences in nicotine versus non-nicotine reinforcement as determinants of tobacco smoking. *Experimental and Clinical Psychopharmacology* 1996;4(2):166–77.
- Perkins CI, Cohen R, Morris CR, Kwong AM, Schlag R, Wright WE. *Cancer in California: 1988–1995*. Sacramento (CA): California Department of Health Services, Cancer Surveillance Section, 1998.
- Perkins KA, DiMarco A, Grobe J, Scierka A, Stiller RL. Nicotine discrimination in male and female smokers. *Psychopharmacology (Berlin)* 1994a;116(4):407–13.
- Perkins KA, Epstein LH, Grobe J, Fonte C. Tobacco abstinence, smoking cues, and the reinforcing value of smoking. *Pharmacology, Biochemistry and Behavior* 1994b;47(1):107–12.
- Perkins KA, Grobe JE. Increased desire to smoke during acute stress. *British Journal of Addiction* 1992;87(7):1037–40.
- Perkins KA, Grobe JE, D'Amico D, Fonte C, Wilson AS, Stiller RL. Low-dose nicotine nasal spray use and effects during initial smoking cessation. *Experimental and Clinical Psychopharmacology* 1996a;4(2):157–65.
- Perkins KA, Grobe JE, D'Amico D, Sanders M, Scierka A, Stiller RL. Effect of training dose on nicotine discrimination in smokers. In: Harris LS, editor. *Problems of Drug Dependence 1995: Proceedings of the 57th Annual Scientific Meeting, the College on Problems of Drug Dependence*. NIDA Research Monograph 162. Rockville (MD): U.S. Department of Health and Human Services, National Institutes of Health, National Institute on Drug Abuse. 1996b:288.
- Perkins KA, Grobe JE, Epstein LH, Caggiula A, Stiller RL, Jacob RG. Chronic and acute tolerance to subjective effects of nicotine. *Pharmacology, Biochemistry and Behavior* 1993;45(2):375–81.
- Perkins KA, Grobe JE, Fonte C, Goettler J, Caggiula AR, Reynolds WA, Stiller RL, Scierka A, Jacob RG. Chronic and acute tolerance to subjective, behavioral and cardiovascular effects of nicotine in humans. *Journal of Pharmacology and Experimental Therapeutics* 1994c;270(2):628–38.
- Perkins KA, Grobe JE, Stiller RL, Fonte C, Goettler J. Nasal spray nicotine replacement suppresses cigarette smoking desire and behavior. *Clinical Pharmacology and Therapeutics* 1992;52(6):627–34.
- Perkins KA, Sexton JE, DiMarco A, Grobe JE, Scierka A, Stiller RL. Subjective and cardiovascular responses to nicotine combined with alcohol in male and female smokers. *Psychopharmacology (Berlin)* 1995;119(2):205–12.
- Perkins KA, Sexton JE, Reynolds WA, Grobe JE, Fonte C, Stiller RL. Comparison of acute subjective heart rate effects of nicotine intake via tobacco smoking versus nasal spray. *Pharmacology, Biochemistry and Behavior* 1994d;47(2):295–9.
- Perlman JA, Wolf PH, Ray R, Lieberknecht G. Cardiovascular risk factors, premature heart disease, and all-cause mortality in a cohort of Northern California women. *American Journal of Obstetrics and Gynecology* 1988;158(6 Pt 2):1568–74.
- Perry IJ, Wannamethee SG, Walker MK, Thomson AG, Whincup PH, Shaper AG. Prospective study of risk factors for development of non-insulin dependent diabetes in middle aged British men. *British Medical Journal* 1995;310(6979):560–4.
- Pershagen G, Hrubec Z, Svensson C. Passive smoking and lung cancer in Swedish women. *American Journal of Epidemiology* 1987;125(1):17–24.
- Persson P-G, Ahlbom A, Hellers G. Inflammatory bowel disease and tobacco smoke—a case-control study. *Gut* 1990;31(12):1377–81.
- Peters RK, Thomas D, Hagan DG, Mack TM, Henderson BE. Risk factors for invasive cervical cancer among Latinas and non-Latinas in Los Angeles County. *Journal of the National Cancer Institute* 1986;77(5):1063–77.
- Petersen K, Lindstedt G, Lundberg P-A, Bengtsson C, Lapidus L, Nyström E. Thyroid disease in middle-aged and elderly Swedish women: thyroid-related hormones, thyroid dysfunction and goitre in relation to age and smoking. *Journal of Internal Medicine*

- cine 1991;229(5):407–14.
- Petitti DB, Friedman GD, Klatsky AL. Association of a history of gallbladder disease with a reduced concentration of high-density-lipoprotein cholesterol. *New England Journal of Medicine* 1981;304(23):1396–8.
- Petitti DB, Sidney S, Bernstein A, Wolf S, Quesenberry C, Ziel HK. Stroke in users of low-dose oral contraceptives. *New England Journal of Medicine* 1996;335(1):8–15.
- Petitti DB, Sidney S, Quesenberry CP Jr, Bernstein A. Ischemic stroke and use of estrogen and estrogen/progestogen as hormone replacement therapy. *Stroke* 1998;29(1):23–8.
- Petitti DB, Wingerd J. Use of oral contraceptives, cigarette smoking, and risk of subarachnoid haemorrhage. *Lancet* 1978;2(8083):234–6.
- Peto R, Lopez AD, Boreham J, Thun M, Heath C Jr. *Mortality from Smoking in Developed Countries 1950–2000: Indirect Estimates from National Vital Statistics*. Oxford: Oxford University Press, 1994.
- Petrakis NL, Gruenke LD, Beelen TC, Castagnoli N Jr, Craig JC. Nicotine in breast fluid of nonlactating women. *Science* 1978;199(4326):303–5.
- Petridou E, Panagiotopoulou K, Katsouyanni K, Spanos E, Trichopoulos D. Tobacco smoking, pregnancy estrogens, and birth weight. *Epidemiology* 1990;1(3):247–50.
- Pettersson F, Fries H, Nillius SJ. Epidemiology of secondary amenorrhea. I. Incidence and prevalence rates. *American Journal of Obstetrics and Gynecology* 1973;117(1):80–6.
- Phillips AN, Smith GD. Cigarette smoking as a potential cause of cervical cancer: has confounding been controlled? *International Journal of Epidemiology* 1994;23(1):42–9.
- Phillips RS, Tuomala RE, Feldblum PJ, Schachter J, Rosenberg MJ, Aronson MD. The effect of cigarette smoking. Chlamydia trachomatis infection, and vaginal douching on ectopic pregnancy. *Obstetrics and Gynecology* 1992;79(1):85–90.
- Phipps WR, Cramer DW, Schiff I, Belisle S, Stillman R, Albrecht B, Gibson M, Berger MJ, Wilson E. The association between smoking and female infertility as influenced by cause of the infertility. *Fertility and Sterility* 1987;48(3):377–82.
- Picard D, Ste-Marie LG, Couture D, Carrier L, Chartrand R, Lepage R, Fugère P, D'Amour P. Premenopausal bone mineral content relates to height, weight and calcium intake during early adulthood. *Bone and Mineral* 1988;4(3):299–309.
- Piper JM, Matanoski GM, Tonascia J. Bladder cancer in young women. *American Journal of Epidemiology* 1986;123(6):1033–42.
- Pirkle JL, Flegal KM, Bernert JT, Brody DJ, Etzel RA, Maurer KR. Exposure of the US population to environmental tobacco smoke. The Third National Health and Nutrition Examination Survey 1988–1991. *Journal of the American Medical Association* 1996;275(16):1233–40.
- Pisani P, Parkin DM, Bray F, Ferlay J. Estimates of the worldwide mortality from 25 cancers in 1990. *International Journal of Cancer* 1999;83(1):18–29.
- Plassman BL, Helms MJ, Welsh KA, Saunders AM, Breitner JCS. Smoking, Alzheimer's disease, and confounding with genes [letter]. *Lancet* 1995;345(8946):387.
- Pocock NA, Eisman JA, Kelly PJ, Sambrook PN, Yeates MG. Effects of tobacco use on axial and appendicular bone mineral density. *Bone* 1989;10(5):329–31.
- Pohl R, Yeragani VK, Balon R, Lycaki H, McBride R. Smoking in patients with panic disorder. *Psychiatry Research* 1992;43(3):253–62.
- Polychronopoulou A, Tzonou A, Hsieh C-C, Kaprinis G, Rebelakos A, Toupadaki N, Trichopoulos D. Reproductive variables, tobacco, ethanol, coffee and somatometry as risk factors for ovarian cancer. *International Journal of Cancer* 1993;55(3):402–7.
- Pomerleau OF. Neurobiological interactions of alcohol and nicotine. In: Fertig JB, Allen JP, editors. *Alcohol and Tobacco: From Basic Science to Clinical Practice*. NIAAA Research Monograph 30. Bethesda (MD): National Institute on Alcohol Abuse and Alcoholism, 1995:145–58.
- Pomerleau CS, Aubin HJ, Pomerleau OF. Self-reported alcohol use patterns in a sample of male and female heavy smokers. *Journal of Addictive Diseases* 1997;16(3):19–24.
- Pomerleau CS, Krahn D. Smoking and eating disorders: a connection? *Journal of Addictive Diseases* 1993;12(4):169.
- Pomerleau CS, Pomerleau OF. The effects of a psychological stressor on cigarette smoking and subsequent behavioral and physiological responses. *Psychophysiology* 1987;24(3):278–85.
- Pomerleau CS, Pomerleau OF. Euphoriant effects of nicotine in smokers. *Psychopharmacology (Berlin)* 1992;108(4):460–5.
- Pomerleau CS, Pomerleau OF, Garcia AW. Biobehavioral research on nicotine use in women. *British Journal of Addiction* 1991;86(5):527–31.
- Pomerleau CS, Tate JC, Lumley MA, Pomerleau OF. Gender differences in prospectively versus retro-

- spectively assessed smoking withdrawal symptoms. *Journal of Substance Abuse* 1994;6(4):433-40.
- Pomerleau OF, Downey KK, Stelson FW, Pomerleau CS. Cigarette smoking in adult patients diagnosed with attention deficit hyperactivity disorder. *Journal of Substance Abuse* 1995;7(3):373-8.
- Pomerleau OF, Pomerleau CS. Neuroregulators and the reinforcement of smoking: towards a bio-behavioral explanation. *Neuroscience and Biobehavioral Reviews* 1984;8(4):503-13.
- Pomerleau OF, Pomerleau CS. Stress, smoking and the cardiovascular system. *Journal of Substance Abuse* 1989;1(3):331-43.
- Pomerleau OF, Rosecrans J. Neuroregulatory effects of nicotine. *Psychoneuroendocrinology* 1989;14(6):407-23.
- Ponte F, Giuffrè G, Giannuccio R, Dardanoni G. Risk factors of ocular hypertension and glaucoma. *Documenta Ophthalmologica* 1994;85(3):203-10.
- Poór G, Atkinson EJ, O'Fallon WM, Melton LJ III. Determinants of reduced survival following hip fractures in men. *Clinical Orthopaedics and Related Research* 1995;319:260-5.
- Porter JB, Jick H, Walker AM. Mortality among oral contraceptive users. *Obstetrics and Gynecology* 1987;70(1):29-32.
- Potischman N, Brinton LA. Nutrition and cervical neoplasia. *Cancer Causes and Control* 1996;7(1):113-26.
- Potter D, Pickle L, Mason T, Buffler P, Burau K. Smoking-related risk factors for lung cancer by cell type among women in Texas. *American Journal of Epidemiology* 1985;122(3):528.
- Poulsen PL, Ebbhoj E, Hansen KW, Mogensen CE. Effects of smoking on 24-h ambulatory blood pressure and autonomic function in normal albuminuric insulin-dependent diabetes mellitus patients. *American Journal of Hypertension* 1998;11(9):1093-9.
- Pradat P. A case-control study of major congenital heart defects in Sweden—1981-1986. *European Journal of Epidemiology* 1992;8(6):789-96.
- Prentice RL, Yoshimoto Y, Mason MW. Relationship of cigarette smoking and radiation exposure to cancer mortality in Hiroshima and Nagasaki. *Journal of the National Cancer Institute* 1983;70(4):611-22.
- Prescott E, Bjerg AM, Andersen PK, Lange P, Vestbo J. Gender difference in smoking effects on lung function and risk of hospitalization for COPD: results from a Danish longitudinal population study. *European Respiratory Journal* 1997;10(4):822-7.
- Prescott E, Osler M, Andersen PK, Hein HO, Borch-Johnsen K, Lange P, Schnohr P, Vestbo J. Mortality in women and men in relation to smoking. *International Journal of Epidemiology* 1998a;27(1):27-32.
- Prescott E, Osler M, Hein HO, Borch-Johnsen K, Lange P, Schnohr P, Vestbo J, and the Copenhagen Center for Prospective Population Studies. Gender and smoking-related risk of lung cancer. *Epidemiology* 1998b;9(1):79-83.
- Preston-Martin S, Bernstein L, Pike MC, Maldonado AA, Henderson BE. Thyroid cancer among young women related to prior thyroid disease and pregnancy history. *British Journal of Cancer* 1987;55(2):191-5.
- Preston-Martin S, Jin F, Duda MJ, Mack WJ. A case-control study of thyroid cancer in women under age 55 in Shanghai (People's Republic of China). *Cancer Causes and Control* 1993;4(5):431-40.
- Preston-Martin S, Thomas DC, White SC, Cohen D. Prior exposure to medical and dental X-rays related to tumors of the parotid gland. *Journal of the National Cancer Institute* 1988;80(12):943-9.
- Prummel MF, Wiersinga WM. Smoking and risk of Graves' disease. *Journal of the American Medical Association* 1993;269(4):479-82.
- Pullan RD, Rhodes J, Ganesh S, Mani V, Morris JS, Williams GT, Newcombe RG, Russell MAH, Feyereabend C, Thomas GAO, Säwe U. Transdermal nicotine for active ulcerative colitis. *New England Journal of Medicine* 1994;330(12):811-5.
- Pullon S, Reinken J, Sparrow M. Prevalence of dysmenorrhoea in Wellington women. *New Zealand Medical Journal* 1988;101(839):52-4.
- Pyle RL, Mitchell JE, Eckert ED, Halvorson PA, Neuman PA, Goff GM. The incidence of bulimia in freshman college students. *International Journal of Eating Disorders* 1983;2(3):75-85.
- Räihä I, Kemppainen H, Kaprio J, Koskenvuo M, Sourander L. Lifestyle, stress, and genes in peptic ulcer disease: a nationwide twin cohort study. *Archives of Internal Medicine* 1998;158(7):698-704.
- Ramcharan S, Pellegrin FA, Ray R, Hsu J-P, editors. *The Walnut Creek Contraceptive Drug Study. Vol. III. A Comparison of Disease Occurrence Leading to Hospitalization or Death in Users and Nonusers of Oral Contraceptives*. Bethesda (MD): National Institutes of Health, 1981. NIH Publication No. 81-564.
- Randrianjohany A, Balkau B, Cubeau J, Ducimetière P, Warnet J-M, Eschwège E. The relationship between behavioural pattern, overall and central adiposity in a population of healthy French men. *International Journal of Obesity* 1993;17(11):651-5.
- Ranocchia D, Minelli L, Modolo MA. Cigarette smoke and the hormonal receptors status in breast cancer.

- European Journal of Epidemiology* 1991;7(4):389–95.
- Rausch JL, Fefferman M, Ladisich-Rogers DG, Menard M. Effect of nicotine on human blood platelet serotonin uptake and efflux. *Progress in Neuro-Psychopharmacology and Biological Psychiatry* 1989;13(6):907–16.
- Raymond E, Cnattingius S, Kiely J. Effects of maternal age, parity, and smoking on the risk of stillbirth. *British Journal of Obstetrics and Gynaecology* 1994; 101(4):301–6.
- Raymond EG, Mills JL. Placental abruption. Maternal risk factors and associated fetal conditions. *Acta Obstetricia et Gynecologica Scandinavica* 1993;72(8): 633–9.
- Rebagliato M, Florey C du V, Bolumar F. Exposure to environmental tobacco smoke in nonsmoking pregnant women in relation to birth weight. *American Journal of Epidemiology* 1995;142(5):531–7.
- Rebuffé-Scrive M, Enk L, Crona N, Lönnroth P, Abramsson L, Smith U, Björntorp P. Fat cell metabolism in different regions in women. *Journal of Clinical Investigation* 1985;75(June):1973–6.
- Regier DA, Farmer ME, Rae DS, Locke BZ, Keith SJ, Judd LL, Goodwin FK. Comorbidity of mental disorders with alcohol and other drug abuse: results from the Epidemiologic Catchment Area (ECA) Study. *Journal of the American Medical Association* 1990;264(19):2511–18.
- Reif AE, Heeren T. Consensus on synergism between cigarette smoke and other environmental carcinogens in the causation of lung cancer. *Advances in Cancer Research* 1999;76:161–86.
- Reif S, Klein I, Arber N, Gilat T. Lack of association between smoking and inflammatory bowel disease in Jewish patients in Israel. *Gastroenterology* 1995;108(6):1683–7.
- Repsher LH. Smoking cessation by women and older persons: results from the Transdermal Nicotine Study Group. *Modern Medicine* 1994;62:34–8.
- Resnick NM, Greenspan SL. 'Senile' osteoporosis reconsidered. *Journal of the American Medical Association* 1989;261(7):1025–9.
- Reus WF, Robson MC, Zachary L, Heggers JP. Acute effects of tobacco smoking on blood flow in the cutaneous micro-circulation. *British Journal of Plastic Surgery* 1984;37(2):213–5.
- Rewers M, Hamman RF. Risk factors for non-insulin-dependent diabetes. In: *Diabetes in America*. 2nd ed. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, 1995:179–220. NIH Pub-
- lication No. 95-1468.
- Reynolds P, Von Behren J, Fontham ET, Correa P, Wu A, Buffler PA, Greenberg RS. Occupational exposure to environmental tobacco smoke [letter]. *Journal of the American Medical Association* 1996;275(6): 441–2.
- Rhodes M, Venables CW. Symptomatic gallstones—a disease of non-smokers? *Digestion* 1991;49(4):221–6.
- Richardson D. Effects of tobacco smoke inhalation on capillary blood flow in human skin. *Archives of Environmental Health* 1987;42(1):19–25.
- Rich-Edwards JW, Manson JE, Hennekens CH, Buring JE. The primary prevention of coronary heart disease in women. *New England Journal of Medicine* 1995;332(26):1758–66.
- Ries LAG, Eisner MP, Kosary CL, Hankey BF, Miller BA, Clegg L, Edwards BK, editors. *SEER Cancer Statistics Review, 1973–1997*. Bethesda (MD): National Cancer Institute, 2000.
- Riggs JE. Smoking and Alzheimer's disease: protective effect or differential survival bias? *Lancet* 1993; 342(8874):793–4.
- Riggs BL, Melton LJ III. Involutorial osteoporosis. *New England Journal of Medicine* 1986;314(26): 1676–86.
- Rijken B, Schouten JP, Xu X, Rosner B, Weiss ST. Airway hyperresponsiveness to histamine associated with accelerated decline in FEV₁. *American Journal of Respiratory and Critical Care Medicine* 1995;151(5): 1377–82.
- Rimm EB, Chan J, Stampfer MJ, Colditz GA, Willett WC. Prospective study of cigarette smoking, alcohol use, and the risk of diabetes in men. *British Medical Journal* 1995;310(6979):555–9.
- Rimm EB, Manson JE, Stampfer MJ, Colditz GA, Willett WC, Rosner B, Hennekens CH, Speizer FE. Cigarette smoking and the risk of diabetes in women. *American Journal of Public Health* 1993; 83(2):211–4.
- Risch HA, Howe GR, Jain M, Burch JD, Holowaty EJ, Miller AB. Are female smokers at higher risk for lung cancer than male smokers? A case-control analysis by histologic type. *American Journal of Epidemiology* 1993;138(5):281–93.
- Rocca WA, Hofman A, Brayne C, Breteler MMB, Clarke M, Copeland JRM, Dartigues J-F, Engedal K, Hagnell O, Heeren TJ, Jonker C, Lindesay J, Lobo A, Mann AH, Mölsä PK, Morgan K, O'Connor DW, da Silva Droux A, Sulkava R, Kay DWK, Amaducci L. Frequency and distribution of Alzheimer's disease in Europe: a collaborative study of 1980–1990 prevalence findings. *Annals of*

- Neurology* 1991;30(3):381–90.
- Rodin J. Determinants of body fat localization and its implications for health. *Annals of Behavioral Medicine* 1992;14(4):275–81.
- Rogers RG, Powell-Griner E. Life expectancies of cigarette smokers and nonsmokers in the United States. *Social Science and Medicine* 1991;32(10): 1151–9.
- Rogers RL, Meyer JS, Judd BW, Mortel KF. Abstention from cigarette smoking improves cerebral perfusion among elderly chronic smokers. *Journal of the American Medical Association* 1985;253(20):2970–4.
- Rogers RL, Meyer JS, Shaw TG, Mortel KF, Hardenberg JP, Zaid RR. Cigarette smoking decreases cerebral blood flow suggesting increased risk for stroke. *Journal of the American Medical Association* 1983;250(20):2796–800.
- Rogot E, Murray JL. Smoking and causes of death among U.S. veterans: 16 years of observation. *Public Health Reports* 1980;95(3):213–22.
- Rohan TE, Baron JA. Cigarette smoking and breast cancer. *American Journal of Epidemiology* 1989; 129(1):36–42.
- Rohan TE, Cook MG, Baron JA. Cigarette smoking and benign proliferative epithelial disorders of the breast in women: a case-control study. *Journal of Epidemiology and Community Health* 1989;43(4):362–8.
- Rome Group for Epidemiology and Prevention of Cholelithiasis. The epidemiology of gallstone disease in Rome, Italy. Part II. Factors associated with the disease. *Hepatology* 1988;8(4):907–13.
- Ron E. Thyroid cancer. In: Schottenfeld D, Fraumeni JF, editors. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press, 1996: 1000–21.
- Ron E, Kleinermann RA, Boice JD Jr, Li Volsi VA, Flannery JT, Fraumeni JF Jr. A population-based case-control study of thyroid cancer. *Journal of the National Cancer Institute* 1987;79(1):1–12.
- Roquer JM, Figueras J, Botet F, Jiménez R. Influence on fetal growth of exposure to tobacco smoke during pregnancy. *Acta Pediatrica* 1995;84(2):118–21.
- Ros HS, Cnattingius S, Lipworth L. Comparison of risk factors for preeclampsia and gestational hypertension in a population-based cohort study. *American Journal of Epidemiology* 1998;147(11): 1062–70.
- Rose JE, Ananda S, Jarvik ME. Cigarette smoking during anxiety-provoking and monotonous tasks. *Addictive Behaviors* 1983;8(4):353–9.
- Rose JE, Behm F. Refined cigarette smoke as a method for reducing nicotine intake. *Pharmacology, Biochemistry and Behavior* 1987;28(2):305–10.
- Rose JE, Behm FM. Inhalation of vapor from black pepper extract reduces smoking withdrawal symptoms. *Drug and Alcohol Dependence* 1994;34(3): 225–9.
- Rose JE, Behm FM, Levin ED. Role of nicotine dose and sensory cues in the regulation of smoke intake. *Pharmacology, Biochemistry and Behavior* 1993;44(4):891–900.
- Rose JE, Hickman CS. Citric acid aerosol as a potential smoking cessation aid. *Chest* 1987;92(6):1005–8.
- Rose JE, Levin ED. Inter-relationships between conditioned and primary reinforcement in the maintenance of cigarette smoking. *British Journal of Addiction* 1991;86(5):605–9.
- Rose JE, Tashkin DP, Ertle A, Zinser MC, Lafer R. Sensory blockade of smoking satisfaction. *Pharmacology, Biochemistry and Behavior* 1985;23(2):289–93.
- Rosecrans JA. Brain area nicotine levels in male and female rats with different levels of spontaneous activity. *Neuropharmacology* 1972;11(6):863–70.
- Rosecrans JA, Schechter MD. Brain area nicotine levels in male and female rats of two strains. *Archives Internationales de Pharmacodynamie et de Therapie* 1972;196(1):46–54.
- Rosenberg L, Kaufman DW, Helmrich SP, Miller DR, Stolley PD, Shapiro S. Myocardial infarction and cigarette smoking in women younger than 50 years of age. *Journal of the American Medical Association* 1985;253(20):2965–9.
- Rosenberg L, Palmer JR, Shapiro S. A case-control study of myocardial infarction in relation to use of estrogen supplements. *American Journal of Epidemiology* 1993;137(1):54–63.
- Rosenberg L, Schwingl PJ, Kaufman DW, Miller DR, Helmrich SP, Stolley PD, Schottenfeld D, Shapiro S. Breast cancer and cigarette smoking. *New England Journal of Medicine* 1984;310(2):92–4.
- Rosenberg L, Shapiro S, Kaufman DW, Slone D, Miettinen OS, Stolley PD. Cigarette smoking in relation to the risk of myocardial infarction in young women. Modifying influence of age and predisposing factors. *International Journal of Epidemiology* 1980a;9(1):57–63.
- Rosenberg L, Slone D, Shapiro S, Kaufman D, Stolley PD, Miettinen OS. Noncontraceptive estrogens and myocardial infarction in young women. *Journal of the American Medical Association* 1980b;244(4): 339–42.
- Rosevear SK, Holt DW, Lee TD, Ford WC, Wardle PG, Hull MG. Smoking and decreased fertilization

- rates in vitro. *Lancet* 1992;340(8829):1195–6.
- Ross HE, Glaser FB, Germanson T. The prevalence of psychiatric disorders in patients with alcohol and other drug problems. *Archives of General Psychiatry* 1988;45(11):1023–31.
- Ross RK, Mack TM, Paganini-Hill A, Arthur M, Henderson BE. Menopausal oestrogen therapy and protection from death from ischaemic heart disease. *Lancet* 1981;1(8225):858–60.
- Ross RK, Paganini-Hill A, Landolph J, Gerkins V, Henderson BE. Analgesics, cigarette smoking, and other risk factors for cancer of the renal pelvis and ureter. *Cancer Research* 1989;49(4):1045–48.
- Ross RK, Pike MC, Vessey MP, Bull D, Yeates D, Casagrande JT. Risk factors for uterine fibroids: reduced risk associated with oral contraceptives. *British Medical Journal* 1986;293(6543):359–62.
- Rothman KJ. *Modern Epidemiology*. Boston: Little, Brown, 1986.
- Rowlands DJ, McDermott A, Hull MG. Smoking and decreased fertilisation rates in vitro. *Lancet* 1992;340(8832):1409–10.
- Rubin DH, Krasilnikoff PA, Leventhal JM, Weile B, Berget A. Effect of passive smoking on birth-weight. *Lancet* 1986;2(8504):415–7.
- Rudberg S, Stattin EL, Dahlquist G. Familial and perinatal risk factors for micro- and macroalbuminuria in young IDDM patients. *Diabetes* 1998;47(7):1121–6.
- Rundgren A, Mellström D. The effect of tobacco smoking on the bone mineral content of the ageing skeleton. *Mechanisms of Ageing and Development* 1984;28(2–3):273–7.
- Russell MAH, Jarvis M, Iyer R, Feyerabend C. Relation of nicotine yield of cigarettes to blood nicotine concentrations in smokers. *British Medical Journal* 1980;280(6219):972–6.
- Russell MAH, Jarvis MJ, Feyerabend C, Saloojee Y. Reduction of tar, nicotine and carbon monoxide intake in low tar smokers. *Journal of Epidemiology and Community Health* 1986;40(1):80–5.
- Russell MAH, Peto J, Patel UA. The classification of smoking by factorial structure of motives. *Journal of the Royal Statistical Society, Series A: General* 1974;137(3):313–46.
- Rutgeerts P, D'Haens G, Hiele M, Geboes K, Vantrappen G. Appendectomy protects against ulcerative colitis. *Gastroenterology* 1994;106(5):1251–3.
- Rutishauser IH, Carlin JB. Body mass index and duration of breast feeding: a survival analysis dur-
- ing the first six months of life. *Journal of Epidemiology and Community Health* 1992;46(6):559–65.
- Sachs BP. The effect of smoking on late pregnancy outcome. *Seminars in Reproductive Endocrinology* 1989;7(4):319–25.
- Saftlas AF, Olson DR, Atrash HK, Rochat R, Rowley D. National trends in the incidence of abruptio placentae, 1979–1987. *Obstetrics and Gynecology* 1991;78(6):1081–6.
- Saito R. The smoking habits of pregnant women and their husbands, and the effect on their infants. *Japan Journal of Public Health* 1991;38(2):124–31.
- Salib E, Hillier V. A case-control study of smoking and Alzheimer's disease. *International Journal of Geriatric Psychiatry* 1997;12(3):295–300.
- Salonen R, Salonen JT. Progression of carotid atherosclerosis and its determinants: a population-based ultrasonography study. *Atherosclerosis* 1990;81(1):33–40.
- Samadi AR, Lee NC, Flanders WD, Boring JR III, Pariris EB. Risk factors for self-reported uterine fibroids: a case-control study. *American Journal of Public Health* 1996;86(6):858–62.
- Samanta A, Jones A, Regan M, Wilson S, Doherty M. Is osteoarthritis in women affected by hormonal changes or smoking? *British Journal of Rheumatology* 1993;32(5):366–70.
- Samet JM. Definitions and methodology in COPD research. In: Hensley MJ, Saunders NA, editors. *Clinical Epidemiology of Chronic Obstructive Pulmonary Disease*. New York: Marcel Dekker, 1989a: 1–22.
- Samet JM. Radon and lung cancer. *Journal of the National Cancer Institute* 1989b;81(10):745–57.
- Samet JM, Humble CG, Pathak DR. Personal and family history of respiratory disease and lung cancer risk. *American Review of Respiratory Disease* 1986;134(3):466–70.
- Samet JM, Humble CG, Skipper BE, Pathak DR. History of residence and lung cancer risk in New Mexico. *American Journal of Epidemiology* 1987;125(5):800–11.
- Samet JM, Lange P. Longitudinal studies of active and passive smoking. *American Journal of Respiratory and Critical Care Medicine* 1996;154(6 Pt 2):S257–S265.
- Samet JM, Pathak DR, Morgan MV, Marbury MC, Key CR, Valdivia AA. Radon progeny exposure and lung cancer risk in New Mexico U miners: a case-control study. *Health Physics* 1989;56(4):415–21.
- Samet JM, Skipper BJ, Humble CG, Pathak DR. Lung cancer risk and vitamin A consumption in New

- Mexico. *American Review of Respiratory Disease* 1985;131(2):198–202.
- Samet JM, Tager IB, Speizer FE. The relationship between respiratory illness in childhood and chronic air-flow obstruction in adulthood. *American Review of Respiratory Disease* 1983;127(4):508–23.
- Samuelsson S-M, Ekbom A, Zack M, Helmick CG, Adami H-O. Risk factors for extensive ulcerative colitis and ulcerative proctitis: a population based case-control study. *Gut* 1991;32(12):1526–30.
- Sanchez-Guerrero J, Karlson EW, Colditz GA, Hunter DJ, Speizer FE, Liang MH. Hair dye use and the risk of developing systemic lupus erythematosus: a cohort study. *Arthritis and Rheumatism* 1996; 39(4):657–60.
- Sandahl B. Smoking habits and spontaneous abortion. *European Journal of Obstetrics, Gynecology, and Reproductive Biology* 1989;31(1):23–31.
- Sandborn WJ, Tremaine WJ, Offord KP, Lawson GM, Petersen BT, Batts KP, Croghan IT, Dale LC, Schroeder DR, Hurt RD. Transdermal nicotine for mildly to moderately active ulcerative colitis. A randomized, double-blind, placebo-controlled trial. *Annals of Internal Medicine* 1997;126(5):364–71.
- Sanderson M, Williams MA, Malone KE, Stanford JL, Emanuel I, White E, Daling JR. Perinatal factors and risk of breast cancer. *Epidemiology* 1996;7(1): 34–7.
- Sandler DP, Comstock GW, Helsing KJ, Shore DL. Deaths from all causes in non-smokers who lived with smokers. *American Journal of Public Health* 1989;79(2):163–7.
- Sandler DP, Everson RB, Wilcox AJ. Passive smoking in adulthood and cancer risk. *American Journal of Epidemiology* 1985;121(1):37–48.
- Sandler DP, Everson RB, Wilcox AJ. Cigarette smoking and breast cancer [letter]. *American Journal of Epidemiology* 1986;123(2):370–1.
- Sandler RS, Sandler DP, Comstock GW, Helsing KJ, Shore DL. Cigarette smoking and the risk of colorectal cancer in women. *Journal of the National Cancer Institute* 1988;80(16):1329–33.
- Sangi-Haghpeykar H, Poindexter AN III. Epidemiology of endometriosis among parous women [review]. *Obstetrics and Gynecology* 1995;85(6):983–92.
- Sankaranarayanan R, Duffy SW, Day NE, Nair MK, Padmakumary G. A case-control investigation of cancer of the oral tongue and the floor of the mouth in southern India. *International Journal of Cancer* 1989a;60(4):617–21.
- Sankaranarayanan R, Duffy SW, Padmakumary G, Day NE, Nair MK. Risk factors for cancer of the buccal and labial mucosa in Kerala, southern India. *Journal of Epidemiology and Community Health* 1990;44(4):286–92.
- Sankaranarayanan R, Duffy SW, Padmakumary G, Day NE, Padmanabhan TK. Tobacco chewing, alcohol and nasal snuff in cancer of the gingiva in Kerala, India. *British Journal of Cancer* 1989b;60(4): 638–43.
- Santavirta S, Kontinen YT, Heliövaara M, Knekt P, Lüthje P, Aromaa A. Determinants of osteoporotic thoracic vertebral fracture. *Acta Orthopaedica Scandinavica* 1992;63(2):198–202.
- Saracci R, Boffetta P. Interactions of tobacco smoking with other causes of lung cancer. In: Samet JM, editor. *Epidemiology of Lung Cancer*. New York: Marcel Dekker, 1994:465–93.
- Saraiya M, Berg CJ, Kendrick JS, Strauss LT, Atrash HK, Ahn YW. Cigarette smoking as a risk factor for ectopic pregnancy. *American Journal of Obstetrics and Gynecology* 1998;178(3):493–8.
- Sartwell PE, Stolley PD. Oral contraceptives and vascular disease. *Epidemiologic Reviews* 1982;4:95–109.
- Sasson IM, Haley NJ, Hoffmann D, Wynder EL, Hellberg D, Nilsson S. Cigarette smoking and neoplasia of the uterine cervix: smoke constituents in cervical mucus [letter]. *New England Journal of Medicine* 1985;312(5):315–6.
- Savitz DA, Schwingl PJ, Keels MA. Influence of paternal age, smoking, and alcohol consumption on congenital anomalies. *Teratology* 1991;44(4):429–40.
- Savitz DA, Zhang J. Pregnancy-induced hypertension in North Carolina, 1988 and 1989. *American Journal of Public Health* 1992;82(5):675–9.
- Scane AC, Francis RM, Sutcliffe AM, Francis MJ, Rawlings DJ, Chapple CL. Case-control study of the pathogenesis and sequelae of symptomatic vertebral fractures in men. *Osteoporosis International* 1999;9(1):91–7.
- Schachter S. Pharmacological and psychological determinants of smoking: a New York University honors program lecture. *Annals of Internal Medicine* 1978;88(1):104–14.
- Schechter MT, Miller AB, Howe GR. Cigarette smoking and breast cancer: a case-control study of screening program participants. *American Journal of Epidemiology* 1985;121(4):479–87.
- Schechter MT, Miller AB, Howe GR, Baines CJ, Craib KJP, Wall C. Cigarette smoking and breast cancer: case-control studies of prevalent and incident cancer in the Canadian National Breast Screening Study. *American Journal of Epidemiology* 1989;130(2): 213–20.

- Schiff I, Bell WR, Davis V, Kessler CM, Meyers C, Nakajima S, Sexton BJ. Oral contraceptives and smoking, current considerations: recommendations of a consensus panel. *American Journal of Obstetrics and Gynecology* 1999;180(6 Pt 2):S383-4.
- Schiffman MH, Bauer HM, Hoover RN, Glass AG, Cadell DM, Rush BB, Scott DR, Sherman ME, Kurman RJ, Wacholder S, Stanton CK, Manos MM. Epidemiologic evidence showing that human papillomavirus infection causes most cervical intraepithelial neoplasia. *Journal of the National Cancer Institute* 1993;85(12):958-64.
- Schiffman MH, Haley NJ, Felton JS, Andrews AW, Kaslow RA, Lancaster WD, Kurman RJ, Brinton LA, Lannom LB, Hoffmann D. Biochemical epidemiology of cervical neoplasia: measuring cigarette smoke constituents in the cervix. *Cancer Research* 1987;47(14):3886-8.
- Schneider NG, Jarvik ME, Forsythe AB. Nicotine versus placebo gum in the alleviation of withdrawal during smoking cessation. *Addictive Behaviors* 1984;9(2):149-56.
- Schneier FR, Siris SG. A review of psychoactive substance use and abuse in schizophrenia. Patterns of drug choice. *Journal of Nervous and Mental Disease* 1987;175(11):641-52.
- Schoenberg BS, Kokmen E, Okazaki H. Alzheimer's disease and other dementing illnesses in a defined United States population: incidence rates and clinical features. *Annals of Neurology* 1987;22(6):724-9.
- Schoenberg JB, Wilcox HB, Mason TJ, Bill J, Stemhagen A. Variation in smoking-related risk among New Jersey women. *American Journal of Epidemiology* 1989;130(4):688-95.
- Schoenborn CA, Benson V. Relationships between smoking and other unhealthy habits: United States, 1985. *Advance Data*. No. 154. Hyattsville (MD): U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Center for Health Statistics, 1988.
- Schoendorf KC, Kiely JL. Relationship of sudden infant death syndrome to maternal smoking during and after pregnancy. *Pediatrics* 1992;90(6):905-8.
- Schöön I-M, Mellström D, Odén A, Ytterberg B-O. Peptic ulcer disease in older age groups in Gothenburg in 1985: the association with smoking. *Age and Ageing* 1991;20(5):371-6.
- Schramm WF. Smoking during pregnancy: Missouri longitudinal study. *Paediatric and Perinatal Epidemiology* 1997;11(Suppl 1):73-83.
- Schwartz AG, Yang G, Swanson GM. Familial risk of lung cancer among nonsmokers and their relatives. *American Journal of Epidemiology* 1996;144(6):554-62.
- Schwartz SM, Petitti DB, Siscovick DS, Longstreth WT Jr, Sidney S, Raghunathan TE, Quesenberry CP Jr, Kelaghan J. Stroke and use of low-dose oral contraceptives in young women: a pooled analysis of two U.S. studies. *Stroke* 1998;29(11):2277-84.
- Schwartz-Bickenbach D, Schulte-Hobein B, Abt S, Plum C, Nau H. Smoking and passive smoking during pregnancy and early infancy: effects on birth weight, lactation period, and cotinine concentrations in mother's milk and infant's urine. *Toxicology Letters* 1987;35(1):73-81.
- Schwingl PJ. Prenatal smoking exposure in relation to female adult fecundability [dissertation]. Chapel Hill (NC): University of North Carolina, 1992.
- Schwingl PJ, Hulka BS, Harlow SD. Risk factors for menopausal hot flashes. *Obstetrics and Gynecology* 1994;84(1):29-34.
- Scott J, Comstock GW, Hochberg M, Diamond E. Cigarette smoking and other risk factors for hip fracture in elderly women [abstract]. *American Journal of Epidemiology* 1992;special issue:977.
- Scragg R, Mitchell EA, Taylor BJ, Stewart AW, Ford RP, Thompson JM, Allen EM, Becroft DM. Bed sharing, smoking, and alcohol in the sudden infant death syndrome. New Zealand Cot Death Study Group. *British Medical Journal* 1993;307(6915):1312-8.
- Seddon JM, Willett WC, Speizer FE, Hankinson SE. A prospective study of cigarette smoking and age-related macular degeneration in women. *Journal of the American Medical Association* 1996;276(14):1141-6.
- Seeley DG, Browner WS, Nevitt MC, Genant HK, Scott JC, Cummings SR. Which fractures are associated with low appendicular bone mass in elderly women? *Annals of Internal Medicine* 1991;115(11):837-42.
- Seeley DG, Kelsey J, Jergas M, Nevitt MC. Predictors of ankle and foot fractures in older women. *Journal of Bone and Mineral Research* 1996;11(9):1347-55.
- Seeman E, Melton LJ III, O'Fallon WM, Riggs BL. Risk factors for spinal osteoporosis in men. *American Journal of Medicine* 1983;75(6):977-83.
- Seidell JC, Cigolini M, Deurenberg P, Oosterlee A, Doornbos G. Fat distribution, androgens, and metabolism in nonobese women. *American Journal of Clinical Nutrition* 1989;50(2):269-73.
- Seidenberg JM, Anderson DG, Becker RA. Validation of an in vivo developmental toxicity screen in the

- mouse. *Teratogenesis, Carcinogenesis, and Mutagenesis* 1986;6(5):361–74.
- Seidman DS, Ever-Hadani P, Gale R. Effect of maternal smoking and age on congenital anomalies. *Obstetrics and Gynecology* 1990;76(6):1046–50.
- Seidman DS, Mashiach S. Involuntary smoking and pregnancy. *European Journal of Obstetrics and Gynecology and Reproductive Biology* 1991;41(2):105–16.
- Sellers TA, Bailey-Wilson JE, Elston RC, Wilson AF, Elston GZ, Ooi WL, Rothschild H. Evidence for Mendelian inheritance in the pathogenesis of lung cancer. *Journal of the National Cancer Institute* 1990;82(15):1272–9.
- Sellers TA, Ooi WL, Elston RC, Chen VW, Bailey-Wilson JE, Rothschild H. Increased familial risk for non-lung cancer among relatives of lung cancer patients. *American Journal of Epidemiology* 1987; 126(2):237–46.
- Sellers TA, Potter JD, Folsom AR. Association of incident lung cancer with family history of female reproductive cancers: the Iowa Women's Health Study. *Genetic Epidemiology* 1991;8(3):199–208.
- Sepkovic DW, Haley NJ, Wynder EL. Thyroid activity in cigarette smokers. *Archives of Internal Medicine* 1984;144(3):501–3.
- Severson RK, Davis S, Heuser L, Daling JR, Thomas DB. Cigarette smoking and acute nonlymphocytic leukemia. *American Journal of Epidemiology* 1990; 132(3):418–22.
- Seyler LE Jr, Pomerleau OF, Fertig JB, Hunt D, Parker K. Pituitary hormone response to cigarette smoking. *Pharmacology, Biochemistry and Behavior* 1986; 24(1):159–62.
- Shapiro S, Slone D, Rosenberg L, Kaufman DW, Stolley PD, Miettinen OS. Oral-contraceptive use in relation to myocardial infarction. *Lancet* 1979; 1(8119):743–7.
- Sharara FI, Beatse SN, Leonard MR, Navot D, Scott RT Jr. Cigarette smoking accelerates the development of diminished ovarian reserve as evidenced by the clomiphene citrate challenge test. *Fertility and Sterility* 1994;62(2):257–62.
- Sharp BM, Beyer HS. Rapid desensitization of the acute stimulatory effects of nicotine on rat plasma adrenocorticotropin and prolactin. *Journal of Pharmacology and Experimental Therapy* 1986;23(2): 486–91.
- Shaten BJ, Smith GD, Kuller LH, Neaton JD. Risk factors for the development of type II diabetes among men enrolled in the usual care group of the Multiple Risk Factor Intervention Trial. *Diabetes Care* 1993; 16(10):1331–9.
- Shaw GL, Falk RT, Pickle LW, Mason TJ, Buffler PA. Lung cancer risk associated with cancer in relatives. *Journal of Clinical Epidemiology* 1991;44(4–5): 429–37.
- Shaw GM, Wasserman CR, Lammer EJ, O'Malley CD, Murray JC, Basart AM, Tolarova MM. Orofacial clefts, parental cigarette smoking, and transforming growth factor-alpha gene variants. *American Journal of Human Genetics* 1996;58(3):551–61.
- Sherman CB, Xu X, Speizer FE, Ferris BG Jr, Weiss ST, Dockery DW. Longitudinal lung function decline in subjects with respiratory symptoms. *American Review of Respiratory Disease* 1992;146(4):855–9.
- Sherrill DL, Holberg CJ, Enright PL, Lebowitz MD, Burrows B. Longitudinal analysis of the effects of smoking onset and cessation on pulmonary function. *American Journal of Respiratory and Critical Care Medicine* 1994;149(3 Pt 1):591–7.
- Sherrill DL, Lebowitz MD, Knudson RJ, Burrows B. Smoking and symptom effects on the curves of lung function growth and decline. *American Review of Respiratory Disease* 1991;144(1):17–22.
- Sherrill DL, Martinez FD, Lebowitz MD, Holdaway MD, Flannery EM, Herbison GP, Stanton WR, Silva PA, Sears MR. Longitudinal effects of passive smoking on pulmonary function in New Zealand children. *American Review of Respiratory Disease* 1992;145(5):1136–41.
- Shiffman SM. The tobacco withdrawal syndrome. In: Krasnegor NA, editor. *Cigarette Smoking as a Dependence Process*. NIDA Research Monograph 23. Washington: U.S. Department of Health, Education and Welfare, Public Health Service, National Institutes of Health, National Institute on Drug Abuse, 1979:158–84.
- Shimizu H, Morishita M, Mizuno K, Masuda T, Ogura Y, Santo M, Nishimura M, Kunishima K, Karasawa K, Nishiwaki K, Yamamoto M, Hisamichi S, Tominaga S. A case-control study of lung cancer in nonsmoking women. *Tohoku Journal of Experimental Medicine* 1988;154(4):389–97.
- Shine B, Fells P, Edwards OM, Weetman AP. Association between Graves' ophthalmopathy and smoking. *Lancet* 1990;335(8700):1261–3.
- Shinton R, Beevers G. Meta-analysis of relation between cigarette smoking and stroke. *British Medical Journal* 1989;298(6676):789–94.
- Shiono PH, Klebanoff MA, Berendes HW. Congenital malformations and maternal smoking during pregnancy. *Teratology* 1986a;34(1):65–71.
- Shiono PH, Klebanoff MA, Rhoads GG. Smoking and drinking during pregnancy: their effects on pre-

- term birth. *Journal of the American Medical Association* 1986b;255(1):82-4.
- Shopland DR. Tobacco use and its contribution to early cancer mortality with a special emphasis on cigarette smoking. *Environmental Health Perspectives* 1995;103(Suppl 8):131-41.
- Shu XO, Brinton LA, Gao YT, Yuan JM. Population-based case-control study of ovarian cancer in Shanghai. *Cancer Research* 1989;49(13):3670-4.
- Shurtleff D. Some characteristics related to the incidence of cardiovascular disease and death: Framingham Study, 18-year follow-up. In: Kannel WB, Gordon T, editors. *The Framingham Study: An Epidemiological Investigation of Cardiovascular Disease*. U.S. Department of Health, Education and Welfare, National Institutes of Health, 1974. DHEW Publication No. (NIH) 74-599.
- Sibai BM, Gordon T, Thom E, Caritis SN, Klebanoff M, McNellis D, Paul RH. Risk factors for preeclampsia in healthy nulliparous women: a prospective multicenter study. The National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units. *American Journal of Obstetrics and Gynecology* 1995;172(2 Pt 1):642-8.
- Sidney S, Siscovick DS, Petitti DB, Schwartz SM, Quesenberry CP, Psaty BM, Raghunathan TE, Kelaghan J, Koepsell TD. Myocardial infarction and use of low-dose oral contraceptives: a pooled analysis of two U.S. studies. *Circulation* 1998; 98(11):1058-63.
- Sidney S, Tekawa IS, Friedman GD. A prospective study of cigarette tar yield and lung cancer. *Cancer Causes and Control* 1993;4(1):3-10.
- Siegel M. Smoking and leukemia: evaluation of a causal hypothesis. *American Journal of Epidemiology* 1983;138(1):1-9.
- Siemiatycki J, Colle E, Campbell S, Dewar RA, Belmonte MM. Case-control study of IDDM. *Diabetes Care* 1989;12(3):209-16.
- Siemiatycki J, Krewski D, Franco E, Kaiserman M. Associations between cigarette smoking and each of 21 types of cancer: a multi-site case-control study. *International Journal of Epidemiology* 1995; 24(3):504-14.
- Siever LJ. Role of noradrenergic mechanisms in the etiology of the affective disorders. In: Meltzer HY, Coyle JT, Kopin IJ, Bunney WE Jr, Davis KL, Schuster CR, Shader RI, Simpson GM, editors. *Psychopharmacology: The Third Generation of Progress*. New York: Raven Press, 1987:493-504.
- Signorello LB, Harlow BL, Cramer DW, Spiegelman D, Hill JA. Epidemiologic determinants of endometriosis: a hospital-based case-control study. *Annals of Epidemiology* 1997;7(4):267-741.
- Siiteri PK. Adipose tissue as a source of hormones. *American Journal of Clinical Nutrition* 1987;45(1 Suppl):277-82.
- Silman AJ, Newman J, MacGregor AJ. Cigarette smoking increases the risk of rheumatoid arthritis. Results from a nationwide study of disease-discordant twins. *Arthritis and Rheumatism* 1996; 39(5):732-5.
- Sillman F, Stanek A, Sedlis A, Rosenthal J, Lanks KW, Buchhagen D, Nicastri A, Boyce J. The relationship between human papillomavirus and lower genital intraepithelial neoplasia in immunosuppressed women. *American Journal of Obstetrics and Gynecology* 1984;150(3):300-8.
- Silverman DT, Dunn JA, Hoover RN, Schiffman M, Lillemoe KD, Schoenberg JB, Brown LM, Greenberg RS, Hayes RB, Swanson GM, Wacholder S, Schwartz AG, Liff JM, Pottern LM. Cigarette smoking and pancreas cancer: a case-control study based on direct interviews. *Journal of the National Cancer Institute* 1994;86(20):1510-6.
- Silverman DT, Morrison AS, Devesa SS. Bladder cancer. In: Schottenfeld D, Fraumeni JF Jr, editors. *Cancer Epidemiology and Prevention*. 2nd ed. New York: Oxford University Press, 1996:1156-79.
- Silverstein MD, Lashner BA, Hanauer SB. Cigarette smoking and ulcerative colitis: a case-control study. *Mayo Clinic Proceedings* 1994;69(5):425-9.
- Silverstein MD, Lashner BA, Hanauer SB, Evans AA, Kirsner JB. Cigarette smoking in Crohn's disease. *American Journal of Gastroenterology* 1989;84(1):31-3.
- Simons AM, van Herckenrode CM, Rodriguez JA, Maitland N, Anderson M, Phillips DH, Coleman DV. Demonstration of smoking-related DNA damage in cervical epithelium and correlation with human papillomavirus type 16, using exfoliated cervical cells. *British Journal of Cancer* 1995;71(2): 246-9.
- Singh J, Scott LH. Threshold for carbon monoxide induced fetotoxicity. *Teratology* 1984;30(2):253-7.
- Siraprapasiri T, Foy HM, Kreiss JK, Pruitthitada N, Thongtub W. Frequency and risk of HIV infection among men attending a clinic for STD in Chiang Mai, Thailand. *Southeast Asian Journal of Tropical Medicine and Public Health* 1996;27(1):96-101.
- Slattery ML, McDonald A, Bild DE, Caan BJ, Hilner JE, Jacobs DR Jr, Liu K. Associations of body fat and its distribution with dietary intake, physical activity, alcohol, and smoking in blacks and whites. *American Journal of Clinical Nutrition* 1992;

- 55(5):943–9.
- Slattery ML, Potter JD, Friedman GD, Ma KN, Edwards S. Tobacco use and colon cancer. *International Journal of Cancer* 1997;70(3):259–64.
- Slattery ML, Robison LM, Schuman KL, French TK, Abbott TM, Overall JC Jr, Gardner JW. Cigarette smoking and exposure to passive smoke are risk factors for cervical cancer. *Journal of the American Medical Association* 1989;261(11):1593–8.
- Slemenda CW, Christian JC, Reed T, Reister TK, Williams CJ, Johnston CC. Long-term bone loss in men: effects of genetic and environmental factors. *Annals of Internal Medicine* 1992;117(4):286–91.
- Slemenda CW, Hui SL, Longcope C, Johnston CC Jr. Cigarette smoking, obesity, and bone mass. *Journal of Bone and Mineral Research* 1989;4(5):737–41.
- Slone D, Shapiro S, Rosenberg L, Kaufman DW, Hartz SC, Rossi AC, Stolley PD, Miettinen OS. Relation of cigarette smoking to myocardial infarction in young women. *New England Journal of Medicine* 1978;298(23):1273–6.
- Sloss EM, Frerichs RR. Smoking and menstrual disorders. *International Journal of Epidemiology* 1983; 12(1):107–9.
- Slotkin TA. Fetal nicotine or cocaine exposure: which one is worse? *Journal of Pharmacology and Experimental Therapeutics* 1998;285(3):931–45.
- Smith EM, Sowers MF, Burns TL. Effects of smoking on the development of female reproductive cancers. *Journal of the National Cancer Institute* 1984; 73(2):371–6.
- Smith SJ, Deacon JM, Chilvers CED. Alcohol, smoking, passive smoking and caffeine in relation to breast cancer risk in young women. *British Journal of Cancer* 1994;70(1):112–9.
- Smith W, Mitchell P, Leeder SR. Smoking and age-related maculopathy: the Blue Mountains Eye Study. *Archives of Ophthalmology* 1996;114(12): 1518–23.
- Sobue T, Suzuki T, Nakayama N, Inubushi T, Matsuda M, Doi O, Mori T, Furuse K, Fukuoka M, Yasumitsu T, Kuwabara O, Ichitani M, Kurata M, Kuwabari M, Nakahara K, Endo S, Hattori S. Association of indoor air pollution and passive smoking with lung cancer in Osaka, Japan [in Japanese]. *Gan No Rinsho* 1990;36(3):329–33.
- Sokic SI, Adanja BJ, Vlajinac HD, Jankovic RR, Marinkovic JP, Zivaljevic VR. Risk factors for thyroid cancer. *Neoplasma* 1994;41(6):371–4.
- Solomon L. Clinical features of osteoarthritis. In: Kelley WN, Ruddy S, Harris ED Jr, Sledge CB, editors. *Textbook of Rheumatology*. Vol. 2. 5th ed. Philadelphia: W.B. Saunders, 1997:1383–93.
- Solomon CG, Willett WC, Carey VJ, Rich-Edwards J, Hunter DJ, Colditz GA, Stampfer MJ, Speizer FE, Spiegelman D, Manson JE. A prospective study of pregravid determinants of gestational diabetes mellitus. *Journal of the American Medical Association* 1997;278(13):1078–83.
- Solomon LJ, Flynn BS. Women who smoke. In: Orleans C, Slade J, editors. *Nicotine Addiction: Principles and Management*. New York: Oxford University Press, 1993:339–49.
- Somerville KW, Logan RFA, Edmond M, Langman MJS. Smoking and Crohn's disease. *British Medical Journal* 1984;289(6450):954–6.
- Song S, Ashley DL. Supercritical fluid extraction and gas chromatography/mass spectrometry for the analysis of tobacco-specific nitrosamines in cigarettes. *Analytical Chemistry* 1999;71(7):1303–8.
- Sonnenberg A, Muller-Lissner SA, Vogel E, Schmid P, Gonvers JJ, Peter P, Strohmeyer G, Blum AL. Predictors of duodenal ulcer healing and relapse. *Gastroenterology* 1981;81(6):1061–7.
- Sontag S, Graham DY, Belsito A, Weiss J, Farley A, Grunt R, Cohen N, Kinnear D, Davis W, Archambault A, Achrod J, Thayer W, Gillies R, Sidorov J, Sabesin SM, Dyck W, Fleshler B, Cleator I, Wenger J, Opekun A Jr. Cimetidine, cigarette smoking and recurrence of duodenal ulcer. *New England Journal of Medicine* 1984;311(11):689–93.
- Sorensen G, Pechacek TF. Attitudes toward smoking cessation among men and women. *Journal of Behavioral Medicine* 1987;10(2):129–37.
- Sowers MR, Clark MK, Hollis B, Wallace RB, Janausch M. Radial bone mineral density in pre- and perimenopausal women: a prospective study of rates and risk factors for loss. *Journal of Bone and Mineral Research* 1992;7(6):647–57.
- Sowers MR, Galuska DA. Epidemiology of bone mass in premenopausal women. *Epidemiologic Reviews* 1993;15(2):374–98.
- Sowers MR, Wallace RB, Lemke JH. Correlates of forearm bone mass among women during maximal bone mineralization. *Preventive Medicine* 1985a; 14(5):585–96.
- Sowers MR, Wallace RB, Lemke JH. Correlates of mid-radius bone density among postmenopausal women: a community study. *American Journal of Clinical Nutrition* 1985b;41(5):1045–53.
- Spector TD, Edwards AC, Thompson PW. Use of a risk factor and dietary calcium questionnaire in

- predicting bone density and subsequent bone loss at the menopause. *Annals of the Rheumatic Diseases* 1992;51(11):1252-3.
- Spector TD, Hall GM, McCloskey EV, Kanis JA. Risk of vertebral fracture in women with rheumatoid arthritis. *British Medical Journal* 1993;306(6877):558.
- Speizer FE. The rise in chronic obstructive pulmonary disease mortality: overview and summary. *American Review of Respiratory Disease* 1989;140(3 Pt 2): S106-S107.
- Speizer FE, Fay ME, Dockery DW, Ferris BG Jr. Chronic obstructive pulmonary disease mortality in six U.S. cities. *American Review of Respiratory Disease* 1989;140(3 Pt 2):S49-S55.
- Spiers PS. Disentangling the separate effects of prenatal and postnatal smoking on the risk of SIDS [comment]. *American Journal of Epidemiology* 1999; 149(7):603-7.
- Spinelli A, Figa-Talamanca I, Osborn J. Time to pregnancy and occupation in a group of Italian women. *International Journal of Epidemiology* 1997; 26(3):601-9.
- Spinillo A, Capuzzo E, Colonna L, Solerte L, Nicola S, Guaschino S. Factors associated with abruptio placentae in preterm deliveries. *Acta Obstetricia et Gynecologica Scandinavica* 1994a;73(4):307-12.
- Spinillo A, Capuzzo E, Egbe TO, Nicola S, Piazzi G, Baltaro F. Cigarette smoking in pregnancy and risk of pre-eclampsia. *Journal of Human Hypertension* 1994b;8(10):771-5.
- Spinillo A, Capuzzo E, Nicola SE, Colonna L, Egbe TO, Zara C. Factors potentiating the smoking-related risk of fetal growth retardation. *British Journal of Obstetrics and Gynaecology* 1994c;101(11):954-8.
- Spinillo A, Nicola S, Piazzi G, Ghazal K, Colonna L, Baltaro F. Epidemiological correlates of preterm premature rupture of membranes. *International Journal of Gynaecology and Obstetrics* 1994d;47(1): 7-15.
- Stadel BV. Oral contraceptives and cardiovascular disease. *New England Journal of Medicine* 1981; 305(11):612-8.
- Stampfer MJ, Colditz GA. Estrogen replacement therapy and coronary heart disease: a quantitative assessment of epidemiologic evidence. *Preventive Medicine* 1991;20(1):47-63.
- Stampfer MJ, Colditz GA, Willett WC, Manson JE, Arky RA, Hennekens CH, Speizer FE. A prospective study of moderate alcohol drinking and risk of diabetes in women. *American Journal of Epidemiology* 1988a;128(3):549-58.
- Stampfer MJ, Colditz GA, Willett WC, Manson JE, Rosner B, Speizer FE, Hennekens CH. Postmeno- pausal estrogen therapy and cardiovascular disease. *New England Journal of Medicine* 1991; 325(11): 756-62.
- Stampfer MJ, Hu FB, Manson JE, Rimm EB, Willett WC. Primary prevention of coronary heart disease in women through diet and lifestyle. *New England Journal of Medicine* 2000;343(1):16-22.
- Stampfer MJ, Maclure KM, Colditz GA, Manson JE, Willett WC. Risk of symptomatic gallstones in women with severe obesity. *American Journal of Clinical Nutrition* 1992;55(3):652-8.
- Stampfer MJ, Willett WC, Colditz GA, Speizer FE, Hennekens CH. A prospective study of past use of oral contraceptive agents and risk of cardiovascular diseases. *New England Journal of Medicine* 1988b;319(20):1313-7.
- Stanford JL, Hartge P, Brinton LA, Hoover RN, Brookmeyer R. Factors influencing the age at natural menopause. *Journal of Chronic Diseases* 1987a; 40(11):995-1002.
- Stanford JL, Szklo M, Boring CC, Brinton LA, Diamond EA, Greenberg RS, Hoover RN. A case-control study of breast cancer stratified by estrogen receptor status. *American Journal of Epidemiology* 1987b;125(2):184-94.
- Steenland K. Passive smoking and the risk of heart disease. *Journal of the American Medical Association* 1992;267(1):94-9.
- Steenland K, Thun M, Lally C, Heath C Jr. Environmental tobacco smoke and coronary heart disease in the American Cancer Society CPS-II cohort. *Circulation* 1996;94(4):622-8.
- Stein Z, Kline J, Levin B, Susser M, Warburton D. Epidemiologic studies of environmental exposure in human reproduction. In: Berge CG, Maillie HD, editors. *Measurement of Risks*. New York: Plenum Press, 1981:163-83.
- Steinmetz KA, Potter JD, Folsom AR. Vegetables, fruit, and lung cancer in the Iowa Women's Health Study. *Cancer Research* 1993;53(3):536-43.
- Stellman SD, Garfinkel L. Smoking habits and tar levels in a new American Cancer Society prospective study of 1.2 million men and women. *Journal of the National Cancer Institute* 1986;76(6):1057-63.
- Stellman SD, Muscat JE, Hoffman D, Wynder EL. Impact of filter cigarette smoking on lung cancer histology. *Preventive Medicine* 1997;26(4):451-6.
- Stemhagen A, Slade J, Altman R, Bill J. Occupational risk factors and liver cancer: a retrospective case-control study of primary liver cancer in New Jersey. *American Journal of Epidemiology* 1983; 117(4):443-54.

- Stergachis A, Scholes D, Daling JR, Weiss NS, Chu J. Maternal cigarette smoking and the risk of tubal pregnancy. *American Journal of Epidemiology* 1991; 133(4):332-7.
- Sterzik K, Strehler E, De Santo M, Trumpp N, Abt M, Rosenbusch B, Schneider A. Influence of smoking on fertility in women attending an in vitro fertilization program. *Fertility and Sterility* 1996;65(4): 810-4.
- Stevens J, Keil JE, Rust PF, Tyroler HA, Davis CE, Gazes PC. Body mass index and body girths as predictors of mortality in black and white women. *Archives of Internal Medicine* 1992a;152(6):1257-62.
- Stevens J, Keil JE, Rust PF, Verdugo RR, Davis CE, Tyroler HA, Gazes PC. Body mass index and body girths as predictors of mortality in black and white men. *American Journal of Epidemiology* 1992b; 135(10):1137-46.
- Stevenson JC, Lees B, Devenport M, Cust MP, Ganger KF. Determinants of bone density in normal women: risk factors for future osteoporosis? *British Medical Journal* 1989;298(6678):924-8.
- Stewart J, de Wit H, Eikelboom R. Role of unconditioned and conditioned drug effects in the self-administration of opiates and stimulants. *Psychological Reviews* 1984;91(2):251-68.
- Stewart WC, Crinkley CMC, Murrell HP. Cigarette-smoking in normal subjects, ocular hypertensive, and chronic open-angle glaucoma patients. *American Journal of Ophthalmology* 1994;117(2):267-8.
- Stillman RJ, Rosenberg MJ, Sachs BP. Smoking and reproduction. *Fertility and Sterility* 1986;46(4):545-66.
- Stockwell HG, Goldman AL, Lyman GH, Noss CI, Armstrong AW, Pinkham PA, Candelora EC, Brusa MR. Environmental tobacco smoke and lung cancer risk in nonsmoking women. *Journal of the National Cancer Institute* 1992;84(18):1417-22.
- Stockwell HG, Lyman GH. Cigarette smoking and the risk of female reproductive cancer. *American Journal of Obstetrics and Gynecology* 1987;157(1):35-40.
- Stolerian IP, Goldfarb T, Fink R, Jarvik ME. Influencing cigarette smoking with nicotine antagonists. *Psychopharmacologia (Berlin)* 1973;28(3):247-59.
- Stolley PD, Strom BL, Sartwell PE. Oral contraceptives and vascular disease. *Epidemiologic Reviews* 1989;11:241-3.
- Sundell G, Milsom I, Andersch B. Factors influencing the prevalence and severity of dysmenorrhoea in young women. *British Journal of Obstetrics and Gynaecology* 1990;97(7):588-94.
- Suominen H, Heikkinen E, Vainio P, Lahtinen T. Mineral density of calcaneus in men at different ages: a population study with special reference to life-style factors. *Age and Ageing* 1984;13(5):273-81.
- Suonio S, Saarikoski S, Kauhanen O, Metsäpelto A, Terho J, Vohlonen I. Smoking does affect fecundity. *European Journal of Obstetrics, Gynecology, and Reproductive Biology* 1990;34(1-2):89-95.
- Sutherland LR, Ramcharan S, Bryant H, Fick G. Effect of cigarette smoking on recurrence of Crohn's disease. *Gastroenterology* 1990;98(5 Pt 1):1123-8.
- Svendsen KH, Kuller LH, Martin MJ, Ockene JK. Effects of passive smoking in the Multiple Risk Factor Intervention Trial. *American Journal of Epidemiology* 1987;126(5):783-95.
- Svensson C, Pershagen G, Klominek J. Smoking and passive smoking in relation to lung cancer in women. *Acta Oncologica* 1989;28(5):623-9.
- Svikis DS, Hatsukami DK, Hughes JR, Carroll KM, Pickens RW. Sex differences in tobacco withdrawal syndrome. *Addictive Behaviors* 1986;11(4):459-62.
- Symmons DP, Bankhead CR, Harrison BJ, Brennan P, Barrett EM, Scott DG, Silman AJ. Blood transfusion, smoking, and obesity as risk factors for the development of rheumatoid arthritis: results from a primary care-based incident control study in Norfolk, England. *Arthritis and Rheumatism* 1997; 40(11):1955-61.
- Tabassian AR, Nylen ES, Giron AE, Snider RH, Cassidy MM, Becker KL. Evidence for cigarette smoke-induced calcitonin secretion from lungs of man and hamster. *Life Sciences* 1988;42(23):2323-9.
- Tager IB, Hanrahan JP, Tosteson TD, Castile RG, Brown RW, Weiss ST, Speizer FE. Lung function, pre- and post-natal smoke exposure, and wheezing in the first year of life. *American Review of Respiratory Disease* 1993;147(4):811-7.
- Tager IB, Ngo L, Hanrahan JP. Maternal smoking during pregnancy: effects on lung function during the first 18 months of life. *American Journal of Respiratory and Critical Care Medicine* 1995;152(3):977-83.
- Tager IB, Segal MR, Speizer FE, Weiss ST. The natural history of forced expiratory volumes: effect of cigarette smoking and respiratory symptoms. *American Review of Respiratory Disease* 1988;138(4): 837-49.
- Talamini R, La Vecchia C, Levi F, Conti E, Favero A, Franceschi S. Cancer of the oral cavity and pharynx in nonsmokers who drink alcohol and in non-drinkers who smoke tobacco. *Journal of the National Cancer Institute* 1998;90(24):1901-3.
- Tanaka K, Hirohata T, Fukuda K, Shibata A, Tsukuma H, Hiyama T. Risk factors for hepatocellular carci-

- noma among Japanese women. *Cancer Causes and Control* 1995;6(2):91–8.
- Tanaka K, Hirohata T, Takeshita S, Hirohata I, Koga S, Sugimachi K, Kanematsu T, Ohryohji F, Ishibashi H. Hepatitis B virus, cigarette smoking and alcohol consumption in the development of hepatocellular carcinoma: a case-control study in Fukuoka, Japan. *International Journal of Cancer* 1992; 51(4):509–14.
- Targett CS, Gunesee H, McBride F, Beischer NA. An evaluation of the effects of smoking on maternal oestriol excretion during pregnancy and on fetal outcome. *Journal of Obstetrics and Gynaecology of the British Commonwealth* 1973;80(9):815–21.
- Tarui S, Tokunaga K, Fujioka S, Matsuzawa Y. Visceral fat obesity: anthropological and pathophysiological aspects. *International Journal of Obesity* 1991; 15(Suppl 2):1–8.
- Tashkin DP, Altose MD, Connell JE, Kanner RE, Lee WW, Wise RA. Methacholine reactivity predicts changes in lung function over time in smokers with early chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine* 1996;153(6 Pt 1):1802–11.
- Tashkin DP, Clark VA, Coulson AH, Simmons M, Bourque LB, Reems C, Detels R, Sayre JW, Rokaw SN. The UCLA population studies of chronic obstructive respiratory disease. VIII. Effects of smoking cessation on lung function: a prospective study of a free-living population. *American Review of Respiratory Disease* 1984;130(5):707–15.
- Tate JC, Pomerleau OF, Pomerleau CS. Temporal stability and within-subject consistency of nicotine withdrawal symptoms. *Journal of Substance Abuse* 1993;5(4):355–63.
- Tavani A, Negri E, Franceschi S, Barbone F, La Vecchia C. Attributable risk for laryngeal cancer in northern Italy. *Cancer Epidemiology, Biomarkers and Prevention* 1994a;3(2):121–5.
- Tavani A, Negri E, Franceschi S, La Vecchia C. Risk factors for esophageal cancer in women in northern Italy. *Cancer* 1993;72(9):2531–6.
- Tavani A, Negri E, Franceschi S, Serraino D, La Vecchia C. Smoking habits and non-Hodgkin's lymphoma: a case-control study in northern Italy. *Preventive Medicine* 1994b;23(4):447–52.
- Taylor AE, Johnson DC, Kazemi H. Environmental tobacco smoke and cardiovascular disease: a position paper from the Council on Cardiopulmonary and Critical Care, American Heart Association. *Circulation* 1992;86(2):699–702.
- Tell GS, Howard G, McKinney WM, Toole JF. Cigarette smoking cessation and extracranial carotid atherosclerosis. *Journal of the American Medical Association* 1989;261(8):1178–80.
- Tell GS, Polak JF, Ward BJ, Kittner SJ, Savage PJ, Robbins J. Relation of smoking with carotid artery wall thickness and stenosis in older adults: the Cardiovascular Health Study. *Circulation* 1994; 90(6):2905–8.
- Tellez M, Cooper J, Edmonds C. Graves' ophthalmopathy in relation to cigarette smoking and ethnic origin. *Clinical Endocrinology* 1992;36(3):291–4.
- Tenovuo AH, Kero PO, Korvenranta HJ, Erkkola RU, Klemi PJ, Tuominen J. Risk factors associated with severely small for gestational age neonates. *American Journal of Perinatology* 1988;5(3):267–71.
- Teperi J, Rimpelä M. Menstrual pain, health and behaviour in girls. *Social Science and Medicine* 1989; 29(2):163–9.
- Terkel J, Blake CA, Hoover V, Sawyer CH. Pup survival and prolactin levels in nicotine-treated lactating rats. *Proceedings of the Society for Experimental Biology and Medicine* 1973;143(4):1131–5.
- Terry MB, Neugut AI. Cigarette smoking and the colorectal adenoma-carcinoma sequence: a hypothesis to explain the paradox. *American Journal of Epidemiology* 1998;147(10):903–10.
- Terry RB, Page WF, Haskell WL. Waist/hip ratio, body mass index and premature cardiovascular disease mortality in US Army veterans during a twenty-three year follow-up study. *International Journal of Obesity* 1992;16(6):417–23.
- Terry RD, Katzman R, Bick KL, editors. *Alzheimer Disease*. New York: Raven Press, 1994.
- Thompson SG, Greenberg G, Meade TW. Risk factors for stroke and myocardial infarction in women in the United Kingdom as assessed in general practice: a case-control study. *British Heart Journal* 1989; 61(5):403–9.
- Thornton JR, Emmett PM, Heaton KW. Smoking, sugar, and inflammatory bowel disease. *British Medical Journal* 1985;290(6484):1786–7.
- Thorogood M, Mann J, Murphy M, Vessey M. Is oral contraceptive use still associated with an increased risk of fatal myocardial infarction? Report of a case-control study. *British Journal of Obstetrics and Gynaecology* 1991;98(12):1245–53.
- Thorogood M, Mann J, Murphy M, Vessey M. Fatal stroke and use of oral contraceptives: findings from a case-control study. *American Journal of Epidemiology* 1992;136(1):35–45.
- Thun MJ, Day-Lally C, Myers DG, Calle EE, Flanders WD, Zhu B-P, Namboodiri MM, Heath CW Jr. Trends in tobacco smoking and mortality from cigarette use in Cancer Prevention Studies I (1959

- through 1965) and II (1982 through 1988). In: Shopland DR, Burns DM, Garfinkel L, Samet JM, editors. *Changes in Cigarette-Related Disease Risks and Their Implication for Prevention and Control*. Smoking and Tobacco Control Monograph 8. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 1997a:305–82. NIH Publication No. 97-4213.
- Thun MJ, Day-Lally CA, Calle EE, Flanders WD, Heath CW Jr. Excess mortality among cigarette smokers: changes in a 20-year interval. *American Journal of Public Health* 1995;85(9):1223–30.
- Thun MJ, Lally CA, Flannery JT, Calle EE, Flanders WD, Heath CW Jr. Cigarette smoking and changes in the histopathology of lung cancer. *Journal of the National Cancer Institute* 1997b;89:1580–6.
- Thun MJ, Myers DG, Day-Lally C, Namboodiri MM, Calle EE, Flanders WD, Adams SL, Heath CW Jr. Age and the exposure-response relationships between cigarette smoking and premature death in Cancer Prevention Study II. In: Shopland DR, Burns DM, Garfinkel L, Samet JM, editors. *Changes in Cigarette-Related Disease Risks and Their Implication for Prevention and Control*. Smoking and Tobacco Control Monograph 8. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 1997c:383–475. NIH Publication No. 97-4213.
- Thurlbeck WM. Emphysema then and now. *Canadian Respiratory Journal* 1994;1(1):21–39.
- Timmer A, Sutherland LR, Martin F. Oral contraceptive use and smoking are risk factors for relapse in Crohn's disease. The Canadian Mesalamine for Remission of Crohn's Disease Study Group. *Gastroenterology* 1998;114(6):1143–50.
- Timmerman MG, Wells LA, Chen SP. Bulimia nervosa and associated alcohol abuse among secondary school students. *Journal of the American Academy of Child and Adolescent Psychiatry* 1990;29(1):118–22.
- Tobin MV, Logan RFA, Langman MJS, McConnell RB, Gilmore IT. Cigarette smoking and inflammatory bowel disease. *Gastroenterology* 1987;93(2):316–21.
- Tockman MS, Comstock GW. Respiratory risk factors and mortality: longitudinal studies in Washington County, Maryland. *American Review of Respiratory Disease* 1989;140(3 Pt 2):S56–S63.
- Tokuhata GK. Smoking habits in lung cancer proband families and comparable control families. *Journal of the National Cancer Institute* 1963;31(5):1153–71.
- Tominaga K, Koyama Y, Sasagawa M, Hiroki M, Nagai M. A case-control study of stomach cancer and its genesis in relation to alcohol consumption, smoking, and familial cancer history. *Japanese Journal of Cancer Research* 1991;82(9):974–9.
- Torfs CP, Velie EM, Oechsli FW, Bateson TF, Curry CJ. A population-based study of gastroschisis: Demographic pregnancy, and lifestyle risk factors. *Teratology* 1994;50(1):44–53.
- Torgerson DJ, Avenell A, Russell IT, Reid DM. Factors associated with onset of menopause in women aged 45–9. *Maturitas* 1994;19(2):83–92.
- Trapp M, Kemeter P, Feichtinger W. Smoking and in-vitro fertilization. *Human Reproduction* 1986; 1(6):357–8.
- Travis WD, Travis LB, Devesa SS. Lung cancer. *Cancer* 1995;75(1 Suppl):191–202.
- Trédaniel J, Boffetta P, Buiatti E, Saracci R, Hirsch A. Tobacco smoking and gastric cancer: review and meta-analysis. *International Journal of Cancer* 1997; 72(4):565–73.
- Trevathan E, Layde P, Webster LA, Adams JB, Benigno BB, Ory H. Cigarette smoking and dysplasia and carcinoma in situ of the uterine cervix. *Journal of the American Medical Association* 1983;250(4): 499–502.
- Trichopoulos D, Brown J, MacMahon B. Urine estrogens and breast cancer risk factors among post-menopausal women. *International Journal of Cancer* 1987;40(6):721–5.
- Trichopoulos D, Kalandidi A, Sparros L. Lung cancer and passive smoking: conclusion of Greek study [letter]. *Lancet* 1983;2(8351):677–8.
- Trichopoulos D, Kalandidi A, Sparros L, MacMahon B. Lung cancer and passive smoking. *International Journal of Cancer* 1981;27(1):1–4.
- Trichopoulos D, MacMahon B, Sparros L, Merikas G. Smoking and hepatitis B-negative primary hepatocellular carcinoma. *Journal of the National Cancer Institute* 1980;65(1):111–4.
- Trichopoulos D, Mollo F, Tomatis L, Agapitos E, Delsedime L, Zavitsanos X, Kalandidi A, Katsouyanni K, Riboli E, Saracci R. Active and passive smoking and pathological indicators of lung cancer risk in an autopsy study. *Journal of the American Medical Association* 1992;268(13):1697–701.
- Troisi RJ, Heinold JW, Vokonas PS, Weiss ST. Cigarette smoking, dietary intake, and physical activity: effects on body fat distribution—the Normative Aging Study. *American Journal of Clinical Nutrition* 1991;53(5):1104–11.
- Tsang NCK, Penfold PL, Snitch PJ, Billson F. Serum levels of antioxidants and age-related macular degeneration. *Documenta Ophthalmologica* 1992;81(4): 387–400.
- Tsuda T, Babazono A, Yamamoto E, Kurumatani N, Mino Y, Ogawa T, Kishi Y, Aoyama H. Ingested

- arsenic and internal cancer: a historical cohort study followed for 33 years. *American Journal of Epidemiology* 1995;141(3):198–209.
- Tsukuma H, Hiyama T, Oshima A, Sobue T, Fujimoto I, Kasugai H, Kojima J, Sasaki Y, Imaoka S, Horiochi N, Okuda S. A case-control study of hepatocellular carcinoma in Osaka, Japan. *International Journal of Cancer* 1990;45(2):231–6.
- Tulinius H, Sigfusson N, Sigvaldason H, Bjarnadottir K, Tryggvadottir L. Risk factors for malignant diseases: a cohort study on a population of 22,946 Icelanders. *Cancer Epidemiology, Biomarkers and Prevention* 1997;6(11):863–73.
- Tunstall-Pedoe H, Brown CA, Woodward M, Tavendale R. Passive smoking by self report and serum cotinine and the prevalence of respiratory and coronary heart disease in the Scottish heart health study. *Journal of Epidemiology and Community Health* 1995;49(2):139–43.
- Tuomivaara L, Ronnberg L. Ectopic pregnancy and infertility following treatment of infertile couples: a follow-up of 929 cases. *European Journal of Obstetrics, Gynecology, and Reproductive Biology* 1991;42(1):33–8.
- Turner JG, Gilchrist NL, Ayling EM, Hassall AJ, Hooke EA, Sadler WA. Factors affecting bone mineral density in high school girls. *New Zealand Medical Journal* 1992;105(930):95–6.
- Tuyns AJ, Estève J, Raymond L, Berrino F, Benhamou E, Blanchet F, Boffetta P, Crosignani P, del Moral A, Lehmann W, Merletti F, Péquignot G, Riboli E, Sancho-Garnier H, Terracini B, Zubiri A, Zubiri L. Cancer of the larynx/hypopharynx, tobacco and alcohol: IARC international case-control study in Turin and Varese (Italy), Zaragoza and Navarra (Spain), Geneva (Switzerland) and Calvados (France). *International Journal of Cancer* 1988;41(4):483–91.
- Tyas SL. Are tobacco and alcohol use related to Alzheimer's disease? Results from three Canadian data sets [dissertation]. London (Canada): The University of Western Ontario, 1998.
- Tyler CW Jr, Webster LA, Ory HW, Rubin GL. Endometrial cancer: how does cigarette smoking influence the risk of women under age 55 years having this tumor? *American Journal of Obstetrics and Gynecology* 1985;151(7):899–905.
- Tzonou A, Day NE, Trichopoulos D, Walker A, Saliaraki M, Papapostolou M, Polychronopoulou A. The epidemiology of ovarian cancer in Greece: a case-control study. *European Journal of Cancer and Clinical Oncology* 1984;20(8):1045–52.
- Tzonou A, Hsieh CC, Trichopoulos D, Aravandinos D, Kalandidi A, Margaris D, Goldman M, Toupadaki N. Induced abortions, miscarriages, and tobacco smoking as risk factors for secondary infertility. *Journal of Epidemiology and Community Health* 1993;47(1):36–9.
- Uhlig T, Hagen KB, Kvien TK. Current tobacco smoking, formal education, and the risk of rheumatoid arthritis. *Journal of Rheumatology* 1999;26(1):47–54.
- Underwood P, Hester LL, Laffitte T Jr, Gregg KV. The relationship of smoking to the outcome of pregnancy. *American Journal of Obstetrics and Gynecology* 1965;91(2):270–6.
- Underwood PB, Kesler KF, O'Lane JM, Callagan DA. Parental smoking empirically related to pregnancy outcome. *Obstetrics and Gynecology* 1967;29(1):1–8.
- Ungváry G, Tátrai E. On the embryotoxic effects of benzene and its alkyl derivatives in mice, rats and rabbits. *Archives of Toxicology Supplement* 1985;8:425–30.
- U.S. Department of Health, Education, and Welfare. *Smoking and Health. Report of the Advisory Committee to the Surgeon General of the Public Health Service*. U.S. Department of Health, Education, and Welfare, Public Health Service, Communicable Disease Center, 1964. DHEW Publication No. 1103.
- U.S. Department of Health, Education, and Welfare. *The Health Consequences of Smoking. A Report of the Surgeon General: 1971*. U.S. Department of Health, Education, and Welfare, Public Health Services and Mental Health Administration, 1971. DHEW Publication No. (HSM) 71-7513.
- U.S. Department of Health, Education, and Welfare. *The Smoking Digest: Progress Report on a Nation Kicking the Habit*. Bethesda (MD): U.S. Department of Health, Education, and Welfare, Public Health Service, National Institutes of Health, Office of Cancer Communications, National Cancer Institute, 1977.
- U.S. Department of Health, Education, and Welfare. *Smoking and Health. A Report of the Surgeon General*. Washington: U.S. Department of Health, Education, and Welfare, Public Health Service, Office of the Assistant Secretary for Health, Office on Smoking and Health, 1979. DHEW Publication No. (PHS) 79-50066.
- U.S. Department of Health and Human Services. *The Health Consequences of Smoking for Women. A Report of the Surgeon General*. Washington: U.S. Department of Health and Human Services, Public Health Service, Office of the Assistant Secretary for Health, Office on Smoking and Health, 1980.
- U.S. Department of Health and Human Services. *The Health Consequences of Smoking: Cancer. A Report of*

- the Surgeon General.* Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, Office on Smoking and Health, 1982. DHHS Publication No. (PHS) 82-50179.
- U.S. Department of Health and Human Services. *The Health Consequences of Smoking: Cardiovascular Disease. A Report of the Surgeon General.* Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, Office on Smoking and Health, 1983. DHHS Publication No. (PHS) 84-50204.
- U.S. Department of Health and Human Services. *The Health Consequences of Smoking: Chronic Obstructive Lung Disease. A Report of the Surgeon General.* U.S. Department of Health and Human Services, Public Health Service, Office on Smoking and Health, 1984. DHHS Publication No. (PHS) 84-50205.
- U.S. Department of Health and Human Services. *The Health Consequences of Using Smokeless Tobacco. A Report of the Advisory Committee to the Surgeon General.* Bethesda (MD): U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, 1986a. NIH Publication No. 86-2874.
- U.S. Department of Health and Human Services. *The Health Consequences of Involuntary Smoking. A Report of the Surgeon General.* U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Health Promotion and Education, Office on Smoking and Health, 1986b. DHHS Publication No. (CDC) 87-8398.
- U.S. Department of Health and Human Services. *The Health Consequences of Smoking: Nicotine Addiction. A Report of the Surgeon General.* Atlanta: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Health Promotion and Education, Office on Smoking and Health, 1988. DHHS Publication No. (CDC) 88-8406.
- U.S. Department of Health and Human Services. *The International Classification of Diseases, 9th Revision, Clinical Modification. Vol. 1. Diseases: Tabular List.* 3rd ed. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, Health Care Financing Administration, 1989a. DHHS Publication No. 89-1260.
- U.S. Department of Health and Human Services. *Reducing the Health Consequences of Smoking: 25 Years of Progress. A Report of the Surgeon General.* Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Health Promotion and Education, Office on Smoking and Health, 1990. DHHS Publication No. (CDC) 90-8416.
- U.S. Department of Health and Human Services. *The Health Benefits of Smoking Cessation. A Report of the Surgeon General.* Atlanta: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1990. DHHS Publication No. (CDC) 90-8416.
- U.S. Department of Health and Human Services. *Preventing Tobacco Use Among Young People: A Report of the Surgeon General.* Atlanta: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1994.
- U.S. Department of Health and Human Services. An Analysis Regarding the Food and Drug Administration's Jurisdiction Over Nicotine-Containing Cigarettes and Smokeless Tobacco Products, 60 Fed. Reg. 41453 (1995).
- U.S. Department of Health and Human Services. *SAMMECT 3.0. Smoking Attributable Mortality, Morbidity, and Economic Costs: Computer Software and Documentation.* U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1997.
- U.S. Department of Health and Human Services. *Tobacco Use Among U.S. Racial/Ethnic Minority Groups—African Americans, American Indians and Alaska Natives, Asian Americans and Pacific Islanders, and Hispanics. A Report of the Surgeon General.* Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1998.
- U.S. Department of Health and Human Services. *9th Report on Carcinogens.* Research Triangle Park (NC): U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program, 2000.
- Välimäki MJ, Kärkkäinen M, Lamberg-Allardt C, Laitinen K, Alhava E, Heikkinen J, Impivaara O, Mäkelä P, Palmgren J, Seppänen R, Vuori I. Exercise, smoking, and calcium intake during adolescence.

- cence and early adulthood as determinants of peak bone mass. *British Medical Journal* 1994; 309(6949):228-35.
- van den Brandt PA, Goldbohm A, van 't Veer P, Bode P, Dorant E, Hermus RJ, Sturmans F. A prospective cohort study of selenium status and the risk of lung cancer. *Cancer Research* 1993;53(20):4860-5.
- Van den Eeden SK, Karagas MR, Daling JR, Vaughan TL. A case-control study of maternal smoking and congenital malformations. *Paediatric and Perinatal Epidemiology* 1990;4(2):147-55.
- Van Deventer GM, Elashoff JD, Reedy TJ, Schneidman D, Walsh JH. A randomized study of maintenance therapy with ranitidine to prevent the recurrence of duodenal ulcer. *New England Journal of Medicine* 1989;320(17):1113-9.
- van Duijn CM, Havekes LM, Van Broeckhoven C, de Knijff P, Hofman A. Apolipoprotein E genotype and association between smoking and early onset Alzheimer's disease. *British Medical Journal* 1995; 310(6980):627-31.
- van Duijn CM, Hofman A. Risk factors for Alzheimer's disease: the EURODEM collaborative re-analysis of case-control studies. *Neuroepidemiology* 1992;11(Suppl 1):106-13.
- Van Voorhis BJ, Dawson JD, Stovall DW, Sparks AE, Syrop CH. The effects of smoking on ovarian function and fertility during assisted reproduction cycles. *Obstetrics and Gynecology* 1996;88(5):785-91.
- Van Voorhis BJ, Syrop CH, Hammitt DG, Dunn MS, Snyder GD. Effects of smoking on ovulation induction for assisted reproductive techniques. *Fertility and Sterility* 1992;58(5):981-5.
- Vatten LJ, Kvinnslund S. Cigarette smoking and risk of breast cancer: a prospective study of 24,329 Norwegian women. *European Journal of Cancer* 1990; 26(7):830-3.
- Vaughan TL, Davis S, Kristal A, Thomas DB. Obesity, alcohol, and tobacco as risk factors for cancers of the esophagus and gastric cardia: adenocarcinoma versus squamous cell carcinoma. *Cancer Epidemiology, Biomarkers and Prevention* 1995;4(2):85-92.
- Velema JP, Walker AM, Gold EB. Alcohol and pancreatic cancer: insufficient epidemiologic evidence for a causal relationship. *Epidemiologic Review* 1986; 8:28-41.
- Ventura SJ, Martin JA, Curtin SC, Mathews TJ. Report of final natality statistics, 1995. *Monthly Vital Statistics Report* 1997;45(11 Suppl):1-57.
- Verreault R, Chu J, Mandelson M, Shy K. A case-control study of diet and invasive cervical cancer. *International Journal of Cancer* 1989;43(6):1050-4.
- Vessey M, Jewell D, Smith A, Yeates D, McPherson K. Chronic inflammatory bowel disease, cigarette smoking, and use of oral contraceptives: findings in a large cohort study of women of childbearing age. *British Medical Journal* 1986;292(6528):1101-3.
- Vessey M, Painter R. Oral contraceptive use and benign gallbladder disease; revisited. *Contraception* 1994;50(2):167-73.
- Vessey MP, Villard-Mackintosh L, Painter R. Oral contraceptives and pregnancy in relation to peptic ulcer. *Contraception* 1992;46(4):349-57.
- Vessey MP, Villard-Mackintosh L, Yeates D. Oral contraceptives, cigarette smoking and other factors in relation to arthritis. *Contraception* 1987;35(5):457-64.
- Vestbo J, Prescott E, Lange P. Association of chronic mucus hypersecretion with FEV₁ decline and chronic obstructive pulmonary disease morbidity. *American Journal of Respiratory Critical Care Medicine* 1996;153(5):1530-5.
- Victora CG, Smith PG, Vaughan JP, Nobre LC, Lombardi C, Teixeira AM, Fuchs SM, Moreira LB, Gigante LP, Barros FC. Evidence for protection by breast-feeding against infant deaths from infectious diseases in Brazil. *Lancet* 1987;2(8554):319-22.
- Villar MTA, Dow L, Coggon D, Lampe FC, Holgate ST. The influence of increased bronchial responsiveness, atopy, and serum IgE on decline in FEV₁: a longitudinal study in the elderly. *American Journal of Respiratory and Critical Care Medicine* 1995; 151(3):656-62.
- Vinding T, Appleyard M, Nyboe J, Jensen G. Risk factor analysis for atrophic and exudative age-related macular degeneration: an epidemiological study of 1000 aged individuals. *Acta Ophthalmologica* 1992;70(1):66-72.
- Vingard E, Alfredsson L, Malchau H. Lifestyle factors and hip arthrosis. A case referent study of body mass index, smoking and hormone therapy in 503 Swedish women. *Acta Orthopaedica Scandinavica* 1997;68(3):216-20.
- Vintzileos AM, Campbell WA, Nochimson DJ, Weinbaum PJ. Preterm premature rupture of the membranes: a risk factor for the development of abruptio placentae. *American Journal of Obstetrics and Gynecology* 1987;56(5):1235-8.
- Vio F, Salazar G, Infante C. Smoking during pregnancy and lactation and its effects on breast-milk volume. *American Journal of Clinical Nutrition* 1991; 54(6):1011-6.
- Virtanen SM, Jaakkola L, Rasanen L, Ylonen K, Aro A, Louhamaa R, Akerblom HK, Tuomilehto J. Nitrate

- and nitrite intake and the risk for type 1 diabetes in Finnish children. *Childhood Diabetes in Finland Study Group. Diabetic Medicine* 1994;11(7): 656-62.
- Voigt LF, Hollenbach KA, Krohn MA, Daling JR, Hickok DE. The relationship of abruptio placentae with maternal smoking and small for gestational age infants. *Obstetrics and Gynecology* 1990;75(5): 771-4.
- Voigt LF, Koepsell TD, Nelson JL, Dugowson CE, Daling JR. Smoking, obesity, alcohol consumption, and the risk of rheumatoid arthritis. *Epidemiology* 1994;5(5):525-32.
- Vollenhoven BJ, Lawrence AS, Healy DL. Uterine fibroids: a clinical review. *British Journal of Obstetrics and Gynaecology* 1990;97(4):285-98.
- Wadsworth EJ, Shield JP, Hunt LP, Baum JD. A case-control study of environmental factors associated with diabetes in the under 5s. *Diabetic Medicine* 1997;14(5):390-6.
- Wagenknecht LE, Cutter GR, Haley NJ, Sidney S, Manolio TA, Hughes GH, Jacobs DR. Racial differences in serum cotinine levels among smokers in the Coronary Artery Risk Development in (Young) Adults Study. *American Journal of Public Health* 1990;80(9):1053-6.
- Walsh RA. Effects of maternal smoking on adverse pregnancy outcomes: examination of the criteria of causation. *Human Biology* 1994;66(6):1059-92.
- Wang F-L, Love EJ, Liu N, Dai X-D. Childhood and adolescent passive smoking and the risk of female lung cancer. *International Journal of Epidemiology* 1994a;23(2):223-30.
- Wang H-X, Fratiglioni L, Fisoni GB, Viitanen M, Winblad B. Smoking and the occurrence of Alzheimer's disease: cross-sectional and longitudinal data in a population-based study. *American Journal of Epidemiology* 1999;149(7):640-4.
- Wang P-N, Wang S-J, Hong C-J, Liu T-T, Fuh J-L, Chi C-W, Lui C-Y, Liu H-C. Risk factors for Alzheimer's disease: a case-control study. *Neuroepidemiology* 1997a;16:234-40.
- Wang X, Tager IB, Van Vunakis H, Speizer FE, Hanrahan JP. Maternal smoking during pregnancy, urine cotinine concentrations, and birth outcomes. A prospective cohort study. *International Journal of Epidemiology* 1997b;26(5):978-88.
- Wang X, Wypij D, Gold DR, Speizer FE, Ware JH, Ferris BG Jr, Dockery DW. A longitudinal study of the effects of parental smoking on pulmonary function in children 6-18 years. *American Journal of Respiratory and Critical Care Medicine* 1994b;149(6): 1420-5.
- Wannamethee SG, Shaper AG, Whincup PH, Walker M. Smoking cessation and the risk of stroke in middle-aged men. *Journal of the American Medical Association* 1995;274(2):155-60.
- Ward JA, Lord SR, Williams P, Anstey K, Zivanovic E. Physiologic, health and lifestyle factors associated with femoral neck bone density in older women. *Bone* 1995;16(4 Suppl):373S-378S.
- Ward KD, Sparrow D, Vokonas PS, Willett WC, Landsberg L, Weiss ST. The relationships of abdominal obesity, hyperinsulinemia and saturated fat intake to serum lipid levels: the Normative Aging Study. *International Journal of Obesity* 1994; 18(3):137-44.
- Wardell RE, Seegmiller RE, Bradshaw WS. Induction of prenatal toxicity in the rat by diethylstilbestrol, zeronol, 3,4,3',4'-tetrachlorobiphenyl, cadmium, and lead. *Teratology* 1982;26(3):229-37.
- Wartenberg D, Calle EE, Thun MJ, Heath CW Jr, Lally C, Woodruff T. Passive smoking exposure and female breast cancer mortality. *Journal of the National Cancer Institute* 2000;92(20):1666-73.
- Wasserman CR, Shaw GM, O'Malley CD, Tolarova MM, Lammer EJ. Parental cigarette smoking and risk for congenital anomalies of the heart, neural tube, or limb. *Teratology* 1996;53(4):261-7.
- Watson PE, Watson ID, Batt RD. Total body water volumes for adult males and females estimated from simple anthropometric measurements. *American Journal of Clinical Nutrition* 1980;33(1):27-39.
- Weinberg CR, Wilcox AJ, Baird DD. Reduced fecundability in women with prenatal exposure to cigarette smoking. *American Journal of Epidemiology* 1989;129(5):1072-8.
- Weir HK, Sloan M, Kreiger N. The relationship between cigarette smoking and the risk of endometrial neoplasms. *International Journal of Epidemiology* 1994;23(2):261-6.
- Weiss NS, Farewell VT, Szekely DR, English DR, Kiviat N. Oestrogens and endometrial cancer: effect of other risk factors on the association. *Maturitas* 1980;2(3):185-90.
- Weiss SR, Ebert MH. Psychological and behavioral characteristics of normal-weight bulimics and normal-weight controls. *Psychosomatic Medicine* 1983;45(4):293-303.
- Weissman MM, Bruce ML, Leaf PJ, Florio LP, Holzer C III. Affective disorders. In: Robins LN, Regier DA, editors. *Psychiatric Disorders in America: the Epidemiologic Catchment Area Study*. New York: Free Press, 1991:53-80.
- Weissman MM, Myers JK. Clinical depression in alcoholism. *American Journal of Psychiatry* 1980;137(3):

- 372–3.
- Welch SL, Fairburn CG. Smoking and bulimia nervosa. *International Journal of Eating Disorders* 1998; 23(4):433–7.
- Wells AJ. An estimate of adult mortality in the United States from passive smoking. *Environment International* 1988;14:249–65.
- Wells AJ. Deadly smoke. *Occupational Health and Safety* 1989;58(10):20–2,44,69.
- Wells AJ. Breast cancer, cigarette smoking, and passive smoking [letter]. *American Journal of Epidemiology* 1991;133(2):208–10.
- Wells AJ. Passive smoking as a cause of heart disease. *Journal of the American College of Cardiology* 1994; 24(2):546–54.
- Wells AJ. Heart disease from passive smoking in the workplace. *Journal of the American College of Cardiology* 1998;31(1):1–9.
- Wen SW, Goldenberg RL, Cutter GR, Hoffman HJ, Cliver SP. Intrauterine growth retardation and preterm delivery: prenatal risk factors in an indigent population. *American Journal of Obstetrics and Gynecology* 1990a;162(1):213–8.
- Wen SW, Goldenberg RL, Cutter GR, Hoffman HJ, Cliver SP, Davis RO, Du Bard MB. Smoking, maternal age, fetal growth, and gestational age at delivery. *American Journal of Obstetrics and Gynecology* 1990b;162(1):53–8.
- Werler MM. Teratogen update: smoking and reproductive outcomes. *Teratology* 1997;55(5):382–8.
- Werler MM, Lammer EJ, Rosenberg L, Mitchell AA. Maternal cigarette smoking during pregnancy in relation to oral clefts. *American Journal of Epidemiology* 1990;132(5):926–32.
- Werler MM, Louik C, Shapiro S, Mitchell AA. Prepregnant weight in relation to risk of neural tube defects. *Journal of the American Medical Association* 1996;275(14):1089–92.
- Werler MM, Mitchell AA, Shapiro S. Demographic, reproductive, medical, and environmental factors in relation to gastroschisis. *Teratology* 1992;45(4): 353–60.
- West RJ. Psychology and pharmacology in cigarette withdrawal. *Journal of Psychosomatic Research* 1984;28(5):379–86.
- West S, Munoz B, Emmett EA, Taylor HR. Cigarette smoking and risk of nuclear cataracts. *Archives of Ophthalmology* 1989;107(8):1166–9.
- Westhoff C, Gentile G, Lee J, Zucur H, Helbig D. Predictors of ovarian steroid secretion in reproductive-age women. *American Journal of Epidemiology* 1996; 144(4):381–8.
- Westman EC, Behm FM, Rose JE. Airway sensory replacement combined with nicotine replacement for smoking cessation: a randomized, placebo-controlled trial using a citric acid inhaler. *Chest* 1995;107(5):1358–64.
- Whisnant JP, Homer D, Ingall TJ, Baker HL Jr, O'Fallon WM, Wiebers DO. Duration of cigarette smoking is the strongest predictor of severe extracranial carotid artery atherosclerosis. *Stroke* 1990;21(5): 707–14.
- Whittemore AS, Harris R, Itnyre J. Characteristics relating to ovarian cancer risk: collaborative analysis of 12 US case-control studies. IV. The pathogenesis of epithelial ovarian cancer. *American Journal of Epidemiology* 1992;136(10):1212–20.
- WHO Collaborative Study of Cardiovascular Disease and Steroid Hormone Contraception. Ischaemic stroke and combined oral contraceptives: results of an international, multicentre, case-control study. *Lancet* 1996a;348(9026):498–505.
- WHO Collaborative Study of Cardiovascular Disease and Steroid Hormone Contraception. Haemorrhagic stroke, overall stroke risk, and combined oral contraceptives: results of an international, multicentre, case-control study. *Lancet* 1996b; 348(9026):505–10.
- WHO Collaborative Study of Cardiovascular Disease and Steroid Hormone Contraception. Acute myocardial infarction and combined oral contraceptives: results of an international multi-centre case-control study. *Lancet* 1997;349(9060):1202–9.
- Wiederman MW, Pryor T. Substance use and impulsive behaviors among adolescents with eating disorders. *Addictive Behaviors* 1996;21(2):269–72.
- Wikler A. Conditioning factors in opiate addiction and relapse. In: Wilner DM, Kassebaum GG, editors. *Narcotics*. New York: McGraw-Hill, 1965: 85–100.
- Wilcox AJ. Birth weight and perinatal mortality: the effect of maternal smoking. *American Journal of Epidemiology* 1993;137(10):1098–104.
- Wilcox AJ. Re: Are female smokers at higher risk for lung cancer than male smokers? A case-control analysis by histologic type [letter]. *American Journal of Epidemiology* 1994;140(2):186.
- Wilcox AJ, Baird DD, Weinberg CR. Do women with childhood exposure to cigarette smoking have increased fecundability? *American Journal of Epidemiology* 1989;129(5):1079–83.
- Wilcox AJ, Weinberg CR, Baird DD. Risk factors for early pregnancy loss. *Epidemiology* 1990;1(5):382–5.
- Wilcox AJ, Weinberg CR, O'Connor JF, Baird DD, Schlatterer JP, Canfield RE, Armstrong EG, Nisula

- BC. Incidence of early loss of pregnancy. *New England Journal of Medicine* 1988;319(4):189–94.
- Wilkins JN, Carlson HE, Van Vunakis H, Hill MA, Gritz E, Jarvik ME. Nicotine from cigarette smoking increases circulating levels of cortisol, growth hormone, and prolactin in male chronic smokers. *Psychopharmacology* 1982;78(4):305–8.
- Willard JC, Schoenborn CA. Relationship between cigarette smoking and other unhealthy behaviors among our nation's youth: United States, 1992. *Advance Data* 1995;(263):1–11.
- Willett WC. Vitamin A and lung cancer. *Nutrition Reviews* 1990;48(5):201–11.
- Willett W, Stampfer MJ, Bain C, Lipnick R, Speizer FE, Rosner B, Cramer D, Hennekens CH. Cigarette smoking, relative weight, and menopause. *American Journal of Epidemiology* 1983;117(6):651–8.
- Willett WC, Green A, Stampfer MJ, Speizer FE, Colditz GA, Rosner B, Monson RR, Stason W, Hennekens CH. Relative and absolute excess risks of coronary heart disease among women who smoke cigarettes. *New England Journal of Medicine* 1987;317(21):1303–9.
- Williams AR, Weiss NS, Ure CL, Ballard J, Daling JR. Effect of weight, smoking, and estrogen use on the risk of hip and forearm fractures in postmenopausal women. *Obstetrics and Gynecology* 1982;60(6):695–9.
- Williams MA, Lieberman E, Mittendorf R, Monson RR, Schoenbaum SC. Risk factors for abruptio placentae. *American Journal of Epidemiology* 1991a;134(9):965–72.
- Williams MA, Mittendorf R, Lieberman E, Monson RR, Schoenbaum SC, Genest DR. Cigarette smoking during pregnancy in relation to placenta previa. *American Journal of Obstetrics and Gynecology* 1991b;165(1):28–32.
- Williams MA, Mittendorf R, Monson RR. Chronic hypertension, cigarette smoking, and abruptio placentae. *Epidemiology* 1991c;2(6):450–3.
- Williams MA, Mittendorf R, Stubblefield PG, Lieberman E, Schoenbaum SC, Monson RR. Cigarettes, coffee, and preterm premature rupture of the membranes. *American Journal of Epidemiology* 1992;135(8):895–903.
- Williams RR, Horm JW. Association of cancer sites with tobacco and alcohol consumption and socio-economic status of patients: interview from the Third National Cancer Survey. *Journal of the National Cancer Institute* 1977;58(3):525–47.
- Williamson DF, Madans J, Anda RF, Kleinman JC, Giovino GA, Byers T. Smoking cessation and severity of weight gain in a national cohort. *New England Journal of Medicine* 1991;324(11):739–45.
- Willinger M, Hoffman HJ, Hartford RB. Infant sleep position and the risk for sudden infant death syndrome: report of meeting held January 13 and 14, 1994, National Institutes of Health, Bethesda, MD. *Pediatrics* 1994;93(5):814–9.
- Willinger M, James LS, Catz C. Defining the sudden infant death syndrome (SIDS): deliberations of an expert panel convened by the National Institute of Child Health and Human Development. *Pediatric Pathology* 1991;11(5):677–84.
- Willmott FE. Current smoking habits and genital infections in women. *International Journal of STD and AIDS* 1992;3(5):329–31.
- Wilson PW, Heog JM, D'Agostino RB, Silbershatz H, Belanger AM, Poehlmann H, O'Leary D, Wolf PA. Cumulative effects of high cholesterol levels, high blood pressure and cigarette smoking on carotid stenosis. *New England Journal of Medicine* 1997;337(8):516–22.
- Wilson PWF, Anderson KM, Kannel WB. Epidemiology of diabetes mellitus in the elderly: the Framingham Study. *American Journal of Medicine* 1986;80(Suppl 5A):3–9.
- Wilson PWF, Garrison RJ, Castelli WP. Postmenopausal estrogen use, cigarette smoking, and cardiovascular morbidity in women over 50: the Framingham Study. *New England Journal of Medicine* 1985;313(17):1038–43.
- Windham GC, Eaton A, Hopkins B. Evidence for an association between environmental tobacco smoke exposure and birthweight: a meta-analysis and new data. *Paediatric and Perinatal Epidemiology* 1999a;13(1):35–57.
- Windham GC, Elkin EP, Swan SH, Waller KO, Fenster L. Cigarette smoking and effects on menstrual function. *Obstetrics and Gynecology* 1999b;93(1):59–65.
- Windham GC, Swan SH, Fenster L. Parental cigarette smoking and the risk of spontaneous abortion. *American Journal of Epidemiology* 1992;135(12):1394–403.
- Windham GC, Von Behren J, Walker K, Fenster L. Exposure to environmental and mainstream tobacco smoke and risk of spontaneous abortion. *American Journal of Epidemiology* 1999c;149(3):243–7.
- Wing RR, Matthews KA, Kuller LH, Meilahn EN, Plantinga P. Waist to hip ratio in middle-aged women: associations with behavioral and psychosocial factors and with changes in cardiovascular

- risk factors. *Arteriosclerosis and Thrombosis* 1991; 11(5):1250-7.
- Wingo PA, Ries LAG, Giovino GA, Miller DS, Rosenberg HM, Shopland DR, Thun MJ, Edwards BK. Annual report to the nation on the status of cancer, 1973-1996, with a special section on lung cancer and tobacco smoking. *Journal of the National Cancer Institute* 1999;91(8):675-90.
- Winkelstein W Jr. Smoking and cancer of the uterine cervix: hypothesis. *American Journal of Epidemiology* 1977;106(4):257-9.
- Winn DM, Blot WJ, Shy CM, Fraumeni JF Jr. Snuff dipping and oral cancer in the Southern United States. *New England Journal of Medicine* 1981; 304(13):745-9.
- Winsa B, Mandahl A, Karlsson FA. Graves' disease, endocrine ophthalmopathy and smoking. *Acta Endocrinologica* 1993;128(2):156-60.
- Wisborg K, Henriksen TB, Hedegaard M, Secher NJ. Smoking during pregnancy and preterm birth. *British Journal of Obstetrics and Gynaecology* 1996; 103(8):800-5.
- Witteman JC, Grobbee DE, Valkenburg HA, van Hemert AM, Stijnen T, Hofman A. Cigarette smoking and the development and progression of aortic atherosclerosis: a 9-year population-based follow-up study in women. *Circulation* 1993;88(5 Pt 1):2156-62.
- Wolf PA, D'Agostino RB, Kannel WB, Bonita R, Belanger AJ. Cigarette smoking as a risk factor for stroke: the Framingham Study. *Journal of the American Medical Association* 1988;259(7):1025-9.
- Wolf PA, Feldman RG, Saint-Hilaire M, Kelly-Hayes M, Torres FJ, Mosback P, Kase CS. Precursors and natural history of Parkinson's disease: the Framingham Study. *Neurology* 1991;41(Suppl 1):371.
- Wolff CB, Portis M, Wolff H. Birth weight and smoking practices during pregnancy among Mexican-American women. *Health Care for Women International* 1993;14(3):271-9.
- Wong PP, Bauman A. How well does epidemiological evidence hold for the relationship between smoking and adverse obstetric outcomes in New South Wales? *Australian and New Zealand Journal of Obstetrics and Gynaecology* 1997;37(2):168-73.
- Wood C. The association of psycho-social factors and gynaecological symptoms. *Australian Family Physician* 1978;7(4):471-8.
- Wood C, Larsen L, Williams R. Social and psychological factors in relation to premenstrual tension and menstrual pain. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 1979;19(2):111-5.
- Woodward A. Smoking and reduced duration of breast-feeding. *Medical Journal of Australia* 1988; 148(9):477-8.
- Woodward M, Tunstall-Pedoe H. Self-titration of nicotine: evidence from the Scottish Heart Health Study. *Addiction* 1993;88(6):821-30.
- Wright JL. Small airways disease: its role in chronic airflow obstruction. *Seminars in Respiratory Medicine* 1992;13(2):72-84.
- Writing Group for the PEPI Trial. Effects of hormone therapy on bone mineral density: results from the Postmenopausal Estrogen/Progestin Interventions (PEPI) Trial. *Journal of the American Medical Association* 1996;276(17):1389-96.
- Wu AH, Henderson BE, Pike MC, Yu MC. Smoking and other risk factors for lung cancer in women. *Journal of the National Cancer Institute* 1985;74(4): 747-51.
- Wu AH, Henderson BE, Thomas DC, Mack TM. Secular trends in histologic types of lung cancer. *Journal of the National Cancer Institute* 1986;77(1):53-6.
- Wu AH, Yu MC, Thomas DC, Pike MC, Henderson BE. Personal and family history of lung disease as risk factors for adenocarcinoma of the lung. *Cancer Research* 1988;48(24):7279-84.
- Wu L-T, Anthony JC. Tobacco smoking and depressed mood in late childhood and early adolescence. *American Journal of Public Health* 1999;89(12):1837-40.
- Wu T, Buck G, Mendola P. Maternal cigarette smoking, regular use of multivitamin/mineral supplements, and risk of fetal death: the 1988 National Maternal and Infant Health Survey. *American Journal of Epidemiology* 1998;148(2):215-21.
- Wu Y, Zheng W, Sellers TA, Kushi LH, Bostick RM, Potter JD. Dietary cholesterol, fat, and lung cancer incidence among older women: the Iowa Women's Health Study (United States). *Cancer Causes and Control* 1994;5(5):395-400.
- Wu-Williams AH, Dai XD, Blot W, Xu ZY, Sun XW, Xiao HP, Stone BJ, Yu SF, Feng YP, Ershow AG, Sun J, Fraumeni JF Jr, Henderson BE. Lung cancer among women in north-east China. *British Journal of Cancer* 1990;62(6):982-7.
- Wu-Williams AH, Samet JM. Environmental tobacco smoke: exposure-response relationships in epidemiologic studies. *Risk Analysis* 1990;10(1):39-48.
- Wynder EL, Augustine A, Kabat GC, Hebert JR. Effect of the type of cigarette smoked on bladder cancer risk. *Cancer* 1988;61(3):622-7.
- Wynder EL, Dieck GS, Hall NEL. Case-control study

- of decaffeinated coffee consumption and pancreatic cancer. *Cancer Research* 1986;46(10):5360–3.
- Wynder EL, Hoffman D. Smoking and lung cancer: scientific challenges and opportunities. *Cancer Research* 1994;54(20):5284–95.
- Wynder EL, Kabat GC. The effect of low-yield cigarette smoking on lung cancer risk. *Cancer* 1988; 62(6):1223–30.
- Wynder EL, Stellman SD. Comparative epidemiology of tobacco-related cancers. *Cancer Research* 1977; 37(12):4608–22.
- Wyshak G, Frisch RE, Albright NL, Albright TE, Schiff I. Lower prevalence of benign diseases of the breast and benign tumours of the reproductive system among former college athletes compared to non-athletes. *British Journal of Cancer* 1986;54(5): 841–5.
- Wyshak G, Frisch RE, Albright TE, Albright NL, Schiff I. Smoking and cysts of the ovary. *International Journal of Fertility* 1988;33(6):398–404.
- Wyszynski DF, Duffy DL, Beaty TH. Maternal cigarette smoking and oral clefts: a meta-analysis. *Cleft Palate-Craniofacial Journal* 1997;34(3):206–10.
- Xu X, Dockery DW, Ware JH, Speizer FE, Ferris BG Jr. Effects of cigarette smoking on rate of loss of pulmonary function in adults: a longitudinal assessment. *American Review of Respiratory Disease* 1992; 146(5 Pt 1):1345–8.
- Xu X, Laird N, Dockery DW, Schouten JP, Rijcken B, Weiss ST. Age, period, and cohort effects on pulmonary function in a 24-year longitudinal study. *American Journal of Epidemiology* 1995;141(6):554–66.
- Xu X, Weiss ST, Rijcken B, Schouten JP. Smoking, changes in smoking habits, and rate of decline in FEV₁: new insight into gender differences. *European Respiratory Journal* 1994;7(6):1056–61.
- Xu Z-Y, Blot WJ, Xiao H-P, Wu A, Feng Y-P, Stone BJ, Sun J, Ershow AG, Henderson BE, Fraumeni JF Jr. Smoking, air pollution, and the high rates of lung cancer in Shenyang, China. *Journal of the National Cancer Institute* 1989;81(23):1800–6.
- Yahr MD. The Parkinsonian syndrome (paralysis agitans, shaking palsy). In: Conn RB, editor. *Current Diagnosis* 7. Philadelphia: W.B. Saunders, 1985: 179–82.
- Yamamoto K, Nakamura T, Kishimoto H, Hagino H, Nose T. Risk factors for hip fracture in elderly Japanese women in Tottori Prefecture, Japan. *Osteoporosis International* 1993;3(Suppl 1):S48–S50.
- Yang CP, Gallagher RP, Weiss NS, Band PR, Thomas DB, Russell DA. Differences in incidence rates of cancers of the respiratory tract by anatomic subsite and histologic type: an etiologic implication. *Journal of the National Cancer Institute* 1989;81(23): 1828–31.
- Yeh J, Barbieri RL. Twenty-four-hour urinary-free cortisol in premenopausal cigarette smokers and non-smokers. *Fertility and Sterility* 1989;52(6):1067–9.
- Yen S, Hsieh C-C, MacMahon B. Extrahepatic bile duct cancer and smoking, beverage consumption, past medical history, and oral-contraceptive use. *Cancer* 1987;59(12):2112–6.
- Yeung DL, Pennell MD, Leung M, Hall J. Breastfeeding: prevalence and influencing factors. *Canadian Journal of Public Health* 1981;72(5):323–30.
- Ylitalo N, Sørensen P, Josefsson A, Frisch M, Sparén P, Pontén J, Gyllensten U, Melbye M, Adami H-O. Smoking and oral contraceptives as risk factors for cervical carcinoma in situ. *International Journal of Cancer* 1999;81(3):357–65.
- Yoo K-Y, Tajima K, Miura S, Takeuchi T, Hirose K, Risch H, Dubrow R. Breast cancer risk factors according to combined estrogen and progesterone receptor status: a case-control analysis. *American Journal of Epidemiology* 1997;146(4):307–14.
- Yoshitake T, Kiyoohara Y, Kato I, Ohmura T, Iwamoto H, Nakayama K, Ohmori S, Nomiyama K, Kawano H, Ueda K, Sueishi K, Tsuneyoshi M, Fujishima M. Incidence and risk factors of vascular dementia and Alzheimer's disease in a defined elderly Japanese population: the Hisayama study. *Neurology* 1995;45(6):1161–8.
- Young D, Hopper JL, Nowson CA, Green RM, Sherwin AJ, Kaymakci B, Smid M, Guest CS, Larkins RG, Wark JD. Determinants of bone mass in 10- to 26-year-old females: a twin study. *Journal of Bone and Mineral Research* 1995;10(4):558–67.
- Young S, Le Souëf PN, Geelhoed GC, Stick SM, Turner KJ, Landau LI. The influence of a family history of asthma and parental smoking on airway responsiveness in early infancy. *New England Journal of Medicine* 1991;324(17):1168–73.
- Yu GP, Ostroff JS, Zhang ZF, Tang J, Schantz SP. Smoking history and cancer patient survival: a hospital cancer registry study. *Cancer Detection and Prevention* 1997;21(6):497–509.
- Yu H, Harris RE, Kabat GC, Wynder EL. Cigarette smoking, alcohol consumption and primary liver cancer: a case-control study in the USA. *International Journal of Cancer* 1988;42(3):325–8.
- Yu H, Rohan TE, Cook MG, Howe GR, Miller AB. Risk factors for fibroadenoma: a case-control study in Australia. *American Journal of Epidemiology* 1992;135(3):247–58.

- Yu MC, Tong MJ, Govindarajan S, Henderson BE. Nonviral risk factors for hepatocellular carcinoma in a low-risk population, the non-Asians of Los Angeles County, California. *Journal of the National Cancer Institute* 1991;83(24):1820–6.
- Yuan JM, Castelao JE, Gago-Dominguez M, Yu MC, Ross RK. Tobacco use in relation to renal cell carcinoma. *Cancer Epidemiology, Biomarkers and Prevention* 1998;7(5):429–33.
- Yuan P, Okazaki I, Kuroki Y. Anal atresia: effect of smoking and drinking habits during pregnancy. *Japanese Journal of Human Genetics* 1995;40(4):327–32.
- Zahm SH, Weisenburger DD, Holmes FF, Cantor KP, Blair A. Tobacco and non-Hodgkin's lymphoma: combined analysis of three case-control studies (United States). *Cancer Causes and Control* 1997;8(2):159–66.
- Zang EA, Wynder EL. Cumulative tar exposure: a new index for estimating lung cancer risk among cigarette smokers. *Cancer* 1992;70(1):69–76.
- Zang EA, Wynder EL. Differences in lung cancer risk between men and women: examination of the evidence. *Journal of the National Cancer Institute* 1996;88(3/4):183–92.
- Zaren B, Cnattingius S, Lindmark G. Fetal growth impairment from smoking—is it influenced by maternal anthropometry? *Acta Obstetricia et Gynecologica Scandinavica* 1997;165:30–4.
- Zaren B, Lindmark G, Gebre-Medhin M. Maternal smoking and body composition of the newborn. *Acta Paediatrica* 1996;85(2):213–9.
- Zavaroni I, Bonini L, Gasparini P, Dall'Aglio E, Passeri M, Reaven GM. Cigarette smokers are relatively glucose intolerant, hyperinsulinemic and dyslipidemic. *American Journal of Cardiology* 1994;73(12):904–5.
- Zhang H, Bracken MB. Tree-based risk factor analysis of preterm delivery and small-for-gestational-age birth. *American Journal of Epidemiology* 1995;141(1):70–8.
- Zhang J, Fried DB. Relationship of maternal smoking during pregnancy to placenta previa. *American Journal of Preventive Medicine* 1992;8(5):278–82.
- Zhang J, Ratcliffe JM. Paternal smoking and birth-weight in Shanghai. *American Journal of Public Health* 1993;83(2):207–10.
- Zhang J, Savitz DA, Schwingl PJ, Cai W-W. A case-control study of paternal smoking and birth defects. *International Journal of Epidemiology* 1992;21(2):273–8.
- Zhang Z-X, Román GC. Worldwide occurrence of Parkinson's disease: an updated review. *Neuroepidemiology* 1993;12(4):195–208.
- Zheng T, Holford TR, Boyle P, Chen Y, Ward BA, Flannery J, Mayne ST. Time trend and the age-period-cohort effect on the incidence of histologic types of lung cancer in Connecticut, 1960–1989. *Cancer* 1994;74(5):1556–67.
- Zheng W, Blot WJ, Shu XO, Gao YT, Ji BT, Ziegler RG, Fraumeni JF Jr. Diet and other risk factors for laryngeal cancer in Shanghai, China. *American Journal of Epidemiology* 1992;136(2):178–91.
- Zheng W, Deitz AC, Campbell DR, Wen W-Q, Cerhan JR, Sellers TA, Folsom AR, Hein DW. N-acetyltransferase 1 genetic polymorphism, cigarette smoking, well-done meat intake, and breast cancer risk. *Cancer Epidemiology, Biomarkers and Prevention* 1999;8(3):233–9.
- Zumoff B, Miller L, Levitt CD, Miller EH, Heinz U, Kalin M, Denman H, Jandorek R, Rosenfeld RS. The effect of smoking on serum progesterone, estradiol, and luteinizing hormone levels over a menstrual cycle in normal women. *Steroids* 1990;55(11):507–11.
- Zunzunegui MV, King M-C, Coria CF, Charlet J. Male influences on cervical cancer risk. *American Journal of Epidemiology* 1986;123(2):302–7.
- Zur Hausen H. Human genital cancer: synergism between two virus infections or synergism between a virus infection and initiating events? *Lancet* 1982;2(8312):1370–2.